

Delaware Weekly *Influenza* Surveillance Report Week 17 (April 22- April 30, 2012) Delaware Division of Public Health

National Synopsis - 2011- 2012

Note: National data is updated Friday of each week. Please visit http://www.cdc.gov/weekly/ for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2011-2012: Week ending April 30, 2012

There have been no reports of *influenza* related deaths among Delawareans through week 17.

Influenza Positive¹ and Confirmed² Cases Reported³ through Week 17.


Confirmed Influenza Cases by Subtype, Delaware, 2011-2012															
		Wks.	Wks.	Wks.	Wks.	Wk. 07-	Wk. 09-	Wks.	Wks.					YTD	YTD
		40-52	01-02	03-04	05-06	08	10	11-12	13-14	Wk. 15	Wk. 16	Wk. 17	YTD	Total	Cnty %
je	A (2009 H1)	0	0	2	1	4	4	5	1	0	0	0	17	238	
Statewide	A (H3)	3	0	0	1	14	46	62	36	10	10	8	190		
tate	A (snp)*	0	0	0	1	3	2	3	1	1	0	0	11		
S	В	0	1	2	1	3	2	3	1	2	5	0	20		
ile	A (2009 H1)	0	0	2	1	4	3	3	1	0	0	0	14	191	80.3%
New Castle County	A (H3)	2	0	0	1	13	44	53	24	9	10	7	163		
New Ca County	A (snp)*	0	0	0	1	2	1	0	1	1	0	0	6		
Co Re	В	0	0	0	0	3	0	1	1	1	2	0	8		
>	A (2009 H1)	0	0	0	0	0	0	1	0	0	0	0	1	28	11.8%
Kent	A (H3)	0	0	0	0	1	1	7	10	1	0	1	21		
N O	A (snp)*	0	0	0	0		0	3	0	0	0	0	3		
	В	0	0	0	0	0	0	0	0	1	2	0	3		
u >	A (2009 H1)	0	0	0	0	0	1	1	0	0	0	0	2	19	8.0%
Sussex	A (H3)	1	0	0	0	0	1	2	2	0	0	0	6		
Sus	A (snp)*	0	0	0	0	1	1	0	0	0	0	0	2		
	В	0	1	2	1	0	2	2	0	0	1	0	9		


¹Based on patients with positive nucleic acid and/or viral culture test results reported to the Division of Public Health.


² Confirmed *Influenza* cases from all reporting sources (including Delaware Public Health Laboratory)


³ Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.

^{* (}snp) - (sub-typing not performed).










Confirm	ed <i>Influenza</i>	Cases b	y Age G	Froup &	County,	Delawa	re:2011	-2012							
		Wks. 40-52	Wks. 01-02	Wks. 03-04	Wks. 05-06	Wk.07-	Wk. 09- 10	Wks. 11-12	Wks. 13-14	Wk. 15	Wk. 16	Wk. 17	YTD	YTD Total	YTD Cnty %
	0-4 years	1	0	1	0	5	18	32	13	7	9	3	89	238	
<u>e</u>	5-24 years	2	0	1	2	7	23	27	14	5	4	5	90		
Statewide	25-49 years	0	0	1	1	3	5	6	5	0	1	0	22		
tate	50-64 years	0	1	1	0	2	4	2	2	0	0	0	12		
Š	65+ years	0	0	0	1	7	4	6	5	1	1	0	25		
	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
Castle Count	0-4 years	0	0	0	0	4	17	29	11	6	8	3	78	191	80.3%
ο̈	5-24 years	2	0	1	1	7	20	23	10	4	3	4	75		
itle	25-49 years	0	0	0	1	3	4	3	1	0	1	0	13		
Cas	50-64 years	0	0	1	0	2	3	1	0	0	0	0	7		
New	65+ years	0	0	0	1	6	4	1	5	1	0	0	18		
ž	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
ty (t	0-4 years	0	0	0	0	1	0	2	2	1	1	0	7	28	11.8%
unc	5-24 years	0	0	0	0	0	0	2	3	1	1	1	8		
ŭ	25-49 years	0	0	0	0	0	1	2	4	0	0	0	7		
Kent County	50-64 years	0	0	0	0	0	0	1	1	0	0	0	2		
×	65+ years	0	0	0	0	0	0	4	0	0	0	0	4		
	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
>	0-4 years	1	0	1	0	0	1	1	0	0	0	0	4	19	8.0%
din din din	5-24 years	0	0	0	1	0	3	2	1	0	0	0	7		
County	25-49 years	0	0	1	0	0	0	1	0	0	0	0	2		
sex	50-64 years	0	1	0	0	0	1	0	1	0	0	0	3		
Sussex	65+ years	0	0	0	0	1	0	1	0	0	1	0	3		
	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		



Number	of Influenza	Hospita	lizations	by Age	-group a	and Wee	k, Delav	ware:201	11-2012						
		Wks.	Wks.	Wks.			Wk. 09-		Wks.					YTD	YTD
		40-52	01-02	03-04	05-06	08	10	11-12	13-14	Wk. 15	Wk. 16	Wk. 17	YTD	Total	Cnty %
	0-4 years	0	0	0	0	3	0	4	1	0	0	0	8	36	
<u>e</u>	5-24 years	0	0	0	0	1	1	1	1	1	0	0	5		
Wic	25-49 years	0	0	0	0	1	1	2	1	0	0	0	5		
Statewide	50-64 years	0	1	1	0	0	2	2	1	0	0	0	7		
S	65+ years	0	0	0	1	0	0	5	5	0	0	0	11		
	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	2	0	4	1	0	0	0	7	24	66.7%
, the	5-24 years	0	0	0	0	1	1	1	0	1	0	0	4		
New Castle County	25-49 years	0	0	0	0	1	1	0	0	0	0	0	2		
§ 50 00 01	50-64 years	0	0	1	0	0	2	1	0	0	0	0	4		
ž	65+ years	0	0	0	1	0	0	1	5	0	0	0	7		
	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	1	0	0	0	0	0	0	1	8	22.2%
nty	5-24 years	0	0	0	0	0	0	0	0	0	0	0	0		
l on	25-49 years	0	0	0	0	0	0	2	1	0	0	0	3		
Kent County	50-64 years	0	0	0	0	0	0	1	0	0	0	0	1		
Ke	65+ years	0	0	0	0	0	0	3	0	0	0	0	3		
	Unknown	0		0	0	0	0	0	0	0	0	0	0		
5:	0-4 years	0	0	0	0	0	0	0	0	0	0	0	0	4	11.1%
County	5-24 years	0	0	0	0	0	0	0	1	0	0	0	1		
ပိ	25-49 years	0	0	0	0	0	0	0	0	0	0	0	0		
sex	50-64 years	0	1	0	0	0	0	0	1	0	0	0	2		
Sussex	65+ years	0	0	0	0	0	0	1	0	0	0	0	1		
J ₁	Unknown	0	0	0	0	0	0	0	0	0	0	0	0		

Number	of Influenza	Hospita	lizations	by Sub	type &	County									
		Wks.	Wks.	Wks.	Wks.	Wk. 07-	Wk. 09-	Wks.	Wks.					YTD	YTD
		40-52	01-02	03-04	05-06	08	10	11-12	13-14	Wk. 15	Wk. 16	Wk. 17	YTD	Total	Cnty %
je	A (2009 H1)	0	0	1	0	2	1	1	1	0	0	0	6	36	
Statewide	A (H3)	0	0	0	1	2	3	10	7	0	0	0	23		
tate	A (snp)*	0	0	0	0	0	0	2	1	0	0	0	3		
Ω	В	0	1	0	0	1	0	1	0	1	0	0	4		
tle	A (2009 H1)	0	0	1	0	2	1	0	1	0	0	0	5	24	66.7%
Castle	A (H3)	0	0	0	1	1	3	7	4	0	0	0	16		
ew Ca	A (snp)*	0	0	0	0	0	0	0	1	0	0	0	1		
New	В	0	0	0	0	1	0	0	0	1	0	0	2		
ınty	A (2009 H1)	0	0	0	0	0	0	1	0	0	0	0	1	8	22.2%
Kent County	A (H3)	0	0	0	0	1	0	3	1	0	0	0	5		
int (A (snp)*	0	0	0	0	0	0	2	0	0	0	0	2		
Ke	В	0	0	0	0	0	0	0	0	0	0	0	0		
~ ×	A (2009 H1)	0	0	0	0	0	0	0	0	0	0	0	0	4	11.1%
Sussex	A (H3)	0	0	0	0	Ü	0	0	2		0	-	2		
Sus	A (snp)*	0	0	0	0	0	0	0	0	0	0		0		
	В	0	1	0	0	0	0	1	0	0	0	0	2		

^{* (}snp) - (sub-typing not performed)

Influenza-Related Deaths:

Total Influenza -Related Deaths:	Wks. 40-	Wks. 01-	Wks. 04-	Wks. 07-	Wks. 10-	Wks. 13-			
Delaware	52	03	06	09	12	15	Wk. 16	Wk. 17	YTD
2011-2012 Influenza Season	0	0	0	0	0	0	0	0	0

Annual Seasonal <i>Influenza</i> Case Totals							
2004 - 2005	995						
2005 - 2006	541						
2006 - 2007	508						
2007 - 2008	1,401						
2008 - 2009	738						
2009 - 2010	2,247						
2010 - 2011	1,470						
2011 - 2012	238						
2005 - 2006	541						
2006 - 2007	508						
2007 - 2008	1,401						
2008 - 2009	738						
2009 - 2010	2,247						
2010 - 2011	1,470						

<u>NOTE</u>: The data provided may not be a true reflection of the total number of people who have been infected with influenza virus in Delaware, chiefly due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.

Level of *Influenza* Activity in Delaware, Week 17, 2012:


Sporadic |

- : Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
- **▶** Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.
- No Activity: No laboratory confirmed cases of *influenza* and no increase in the number of reports of ILI above regional baseline for the season.
- **▶** Sporadic: Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
- Local: Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of *influenza* in the county with increased ILI <u>OR</u> two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of *influenza* in the county with the outbreaks; virus activity is no greater than sporadic in other counties.
- ▶ Regional: Outbreaks of *influenza* or increases in ILI and recent laboratory confirmed *influenza* in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)
- **▶** Widespread: Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed *influenza* in at least two of the three counties.

ILINet (Sentinel) Provider Surveillance Network:


ILINet providers conduct surveillance for ILI in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention. Data reported by ILINet providers, in combination with other *influenza* surveillance data, provide a national and statewide picture of *influenza* virus and ILI activity in the U.S.

Influenza-like illness reported from ILINet Providers
Delaware, 2011-2012
8 of 15 Sentinel Providers reporting




Regional Baseline for 2011-2012 applicable to: Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.5%.

Hospital Electronic Surveillance ILI Data: Delaware, 2011-2012 7 of 7 hospitals reporting (Al DuPont, Bayhealth Kent, Bayhealth Milford, Beebe, Christiana, Wilmington & St. Francis)




Hospital Manual Surveillance ILI Data: Delaware, 2011-2012 Nanticoke Hospital Reporting




Influenza-like illness reported from Federally Qualified Health Centers (FQHCs): Delaware 2011-2012

One of two FQHCs reporting (La Red Health Center)




Influenza-like-illness reported by Long-Term Care Facilities (LTCFs): Delaware, 2011-2012 10 of 20 facilities reporting




Influenza-like illness reported by Colleges/Universities: Delaware, 2011-2012


2 of 3 schools reporting (Delaware State University & University of Delaware)



Influenza-like-illness reported by Daycare Providers: Delaware, 2011-2012 2 of 13 providers reporting



Influenza-like illness reported by Correctional Facilities: Delaware, 2011-2012 8 of 11 facilities reporting



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit flu.delaware.gov or call (302) 744-4704.