



10/01/2009 - 10/30/2009

Lab: MICROBIOLOGY

AFBs (Micro)

	Negatives	Positives	Total
CULTURE_AFB	39 97%	1 2%	40 100%
MYCOBACT_REFER	0 0%	7 100%	7 100%
Q_FERON_TB	84 59%	58 40%	142 100%
Total	123 65%	66 34%	189 100%

BT (Micro)

	Negatives	Positives	Total
BT_B_ANTHRACIS	4 100%	0 0%	4 100%
BT_BRUCELLA	4 100%	0 0%	4 100%
BT_BURKHOLDERIA	4 100%	0 0%	4 100%
BT_F_TULARENSIS	4 80%	1 20%	5 100%
BT_Y_PESTIS	4 80%	1 20%	5 100%
Total	20 90%	2 9%	22 100%



10/01/2009 - 10/30/2009

Lab: MICROBIOLOGY

Cultures (Micro)

	Negatives	Positives	Total
BACTI_CONFIRM	1 14%	6 85%	7 100%
CULTURE_BACT	9 50%	9 50%	18 100%
CULTURE_GC	10 100%	0 0%	10 100%
CULTURE_STREP	24 82%	5 17%	29 100%
CULTURE_URINE	35 53%	31 46%	66 100%
Total	79 60%	51 39%	130 100%

Tests sent to other labs (Virology)

	Negatives	Total
MICRO_SEND_OUT	1 100%	1 100%
Total	1 100%	1 100%



10/01/2009 - 10/30/2009

Lab: MICROBIOLOGY

Serotyping (Micro)

	Negatives	Positives	Total
PCR_SHIGATOX	0 0%	1 100%	1 100%
PFGE	55 100%	0 0%	55 100%
SEROTYPING_ECOL	0 0%	1 100%	1 100%
SEROTYPING_NMEN	0 0%	1 100%	1 100%
SEROTYPING_SALM	0 0%	31 100%	31 100%
SEROTYPING_SHIG	0 0%	24 100%	24 100%
Total	55 48%	58 51%	113 100%

STDs (Micro)

	Negatives	Positives	Total
CTGC_DNA	2,395 91%	220 8%	2,615 100%
Total	2,395 91%	220 8%	2,615 100%