



Microbiology Lab

AFBs (Micro)

	Negatives	Positives	Total
CULTURE_AFB	140 86%	21 13%	161 100%
MYCOBACT_REFER	0 0%	24 100%	24 100%
PCR_M_TB	69 93%	5 6%	74 100%
Q_FERON_TB	269 66%	136 33%	405 100%
Total	478 71%	186 28%	664 100%

BT (Micro)

	Negatives	Total
BT_B_ANTHRACIS	3 100%	3 100%
BT_BRUCELLA	1 100%	1 100%
BT_BURKHOLDERIA	1 100%	1 100%
BT_ENVIRON_UNKN	2 100%	2 100%
BT_F_TULARENSIS	1 100%	1 100%
BT_Y_PESTIS	1 100%	1 100%
Total	9 100%	9 100%



Microbiology Lab

HIV

	Negatives	Positives	Total
HIV	1 16%	5 83%	6 100%
HIV_RAPID	252 98%	5 1%	257 100%
HIV_WB	1 10%	9 90%	10 100%
Total	254 93%	19 6%	273 100%

Cultures (Micro)

	Negatives	Positives	Total
CULTURE_BACT	42 38%	66 61%	108 100%
CULTURE_GC	4 100%	0 0%	4 100%
CULTURE_STOOL	5 83%	1 16%	6 100%
CULTURE_STREP	78 84%	14 15%	92 100%
CULTURE_URINE	178 63%	101 36%	279 100%
Total	307 62%	182 37%	489 100%

Parasites (Micro)

	Negatives	Total
PARASITES	1 100%	1 100%
Total	1 100%	1 100%



Tests sent to other labs (Virology)

	Negatives	Total
MICRO_SEND_OUT	1 100%	1 100%
Total	1 100%	1 100%

Serotyping (Micro)

	Negatives	Positives	Total
PCR_SHIGATOX	2 66%	1 33%	3 100%
PFGE	27 100%	0 0%	27 100%
SEROTYPING_ECOCOL	0 0%	1 100%	1 100%
SEROTYPING_HAEM	0 0%	2 100%	2 100%
SEROTYPING_SALM	0 0%	29 100%	29 100%
Total	29 46%	33 53%	62 100%



STDs (Micro)

	Negatives	Positives	Total
CTGC_DNA	9,155 91%	897 8%	10,052 100%
SYPHILIS_RPR	622 97%	17 2%	639 100%
SYPHILIS_RPR_T	0 0%	17 100%	17 100%
SYPHILIS_TPPA	7 41%	10 58%	17 100%
SYPHILIS_VDRL	3 100%	0 0%	3 100%
Total	9,787 91%	941 8%	10,728 100%