



# Delaware Weekly Influenza Report

## Week 20 (May 12 - May 18, 2013)

### Delaware Division of Public Health

#### National Synopsis-2012-2013:

NOTE: National data is updated Friday of each week. Please visit <http://www.cdc.gov/flu/weekly/> for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

#### Delaware Influenza Surveillance 2012-2013:

There were no confirmed cases of influenza among Delawareans during week 20.

NOTE: The 2012-2013 influenza season begins with week 40.



#### **Influenza Positive<sup>1</sup> Cases Reported<sup>2</sup> through Week 20 (Week ending May 18, 2013)**

Confirmed Flu Cases by Subtype		Wks 40-52	Wks 01-05	Wk 06-10	Wks 11-15	WK16	Wk17	Wk18	Wk19	Wk20	YTD	YTD Total	YTD Cnty%
Statewide	A (2009 H1)	15	15	4	5	0	0	0	0	0	39	1748	
	A (H3)	315	267	61	3	0	1	0	0	0	647		
	A (subtyping not performed)	119	273	34	2	0	0	0	0	0	428		
	B	16	76	279	248	4	3	7	1	0	634		
New Castle County	A (2009 H1)	12	12	4	3	0	0	0	0	0	31	800	46%
	A (H3)	139	104	32	2	0	0	0	0	0	277		
	A (subtyping not performed)	56	171	21	1	0	0	0	0	0	249		
	B	6	30	105	95	1	0	5	1	0	243		
Kent County	A (2009 H1)	0	2	0	1	0	0	0	0	0	3	418	24%
	A (H3)	87	48	7	0	0	1	0	0	0	143		
	A (subtyping not performed)	41	49	8	1	0	0	0	0	0	99		
	B	6	14	73	76	2	1	1	0	0	173		
Sussex County	A (2009 H1)	3	1	0	1	0	0	0	0	0	5	530	30%
	A (H3)	89	115	22	1	0	0	0	0	0	227		
	A (subtyping not performed)	22	53	5	0	0	0	0	0	0	80		
	B	4	32	101	77	1	2	1	0	0	218		

Confirmed Flu Cases by Age Group		Wks 40-52	Wks 01-05	Wks 06-10	Wks 11-15	WK16	Wk17	Wk18	Wk19	Wk20	YTD	YTD Total	YTD Cnty%
Statewide	0-4 years	96	94	81	40	1	2	2	0	0	316	1748	
	5-24 years	184	191	164	108	2	1	2	0	0	652		
	25-49 years	83	119	57	47	0	1	3	1	0	311		
	50-64 years	45	78	32	33	1	0	0	0	0	189		
	65+ years	57	149	44	30	0	0	0	0	0	280		
New Castle County	0-4 years	36	35	33	14	0	0	1	0	0	119	804	46%
	5-24 years	72	76	64	49	1	0	2	0	0	264		
	25-49 years	35	61	19	12	0	0	2	1	0	130		
	50-64 years	28	47	22	17	0	0	0	0	0	114		
	65+ years	42	101	24	10	0	0	0	0	0	177		
Kent County	0-4 years	33	17	17	9	1	1	0	0	0	78	418	24%
	5-24 years	61	48	50	27	1	0	0	0	0	187		
	25-49 years	22	24	11	23	0	1	1	0	0	82		
	50-64 years	11	13	4	8	0	0	0	0	0	36		
	65+ years	7	12	5	11	0	0	0	0	0	35		
Sussex County	0-4 years	27	42	31	17	0	1	1	0	0	119	526	30%
	5-24 years	51	67	50	32	0	1	0	0	0	201		
	25-49 years	26	34	27	12	0	0	0	0	0	99		
	50-64 years	6	18	6	8	1	0	0	0	0	39		
	65+ years	8	36	15	9	0	0	0	0	0	68		

<sup>1</sup> Based on patients with positive nucleic acid or viral culture test results reported to the Division of Public Health.

<sup>2</sup> Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.



Flu Related Hospitalizations	Wks 40-52	Wks 01-05	Wks 06-10	Wks 11-15	Wk16	Wk17	Wk18	Wk19	Wk20	YTD	YTD Total	YTD Cnty%	
Statewide	0-4 years	6	10	5	9	1	2	0	0	0	33	424	
	5-24 years	20	18	14	8	0	0	0	0	0	60		
	25-49 years	18	27	9	6	0	0	0	0	0	60		
	50-64 years	19	34	17	9	0	0	0	0	0	79		
	65+ years	40	107	26	19	0	0	0	0	0	192		
New Castle County	0-4 years	3	4	5	2	0	0	0	0	0	14	308	73%
	5-24 years	14	13	7	6	0	0	0	0	0	40		
	25-49 years	12	22	8	2	0	0	0	0	0	44		
	50-64 years	16	27	14	7	0	0	0	0	0	64		
	65+ years	32	89	16	9	0	0	0	0	0	146		
Kent County	0-4 years	2	2	0	6	1	1	0	0	0	12	69	16%
	5-24 years	3	6	3	1	0	0	0	0	0	13		
	25-49 years	3	5	1	3	0	0	0	0	0	12		
	50-64 years	2	6	1	2	0	0	0	0	0	11		
	65+ years	5	8	3	5	0	0	0	0	0	21		
Sussex County	0-4 years	1	4	0	1	0	1	0	0	0	7	47	11%
	5-24 years	3	0	3	1	0	0	0	0	0	7		
	25-49 years	3	0	0	1	0	0	0	0	0	4		
	50-64 years	1	1	2	0	0	0	0	0	0	4		
	65+ years	3	10	7	5	0	0	0	0	0	25		

Flu Related Deaths	Wks 40-52	Wks 01-05	Wks 06-10	Wks 11-15	Wks 16-20	Cumulative as of wk20
	0	2	2	0	0	4

Annual Seasonal Flu Case Totals	
2004-2005	995
2005-2006	541
2006 -2007	508
2007-2008	1401
2008-2009	738
2009-2010	2247
2010-2011	1470
2011-2012	262
2012-2013 (YTD)	1748

**NOTE:** The data provided is not a true reflection of the total number of individuals who have been infected with the influenza virus in Delaware during the reporting period due to the following factors:

- Many people ill with influenza-like symptoms do not seek medical care;
- Many who do seek medical care are not tested for influenza;
- The Delaware Public Health Laboratory (DPHL) is limited by capacity to processing a maximum of 5 tests per day from each reporting entity.

**Level of Influenza Activity in Delaware, Week 20:**

<b>No Activity</b>	No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline <sup>1</sup> for the season.
--------------------	---

Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.


<p><b>No Activity:</b> No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.</p> <p><b>Sporadic:</b> Isolated laboratory confirmed cases <b>OR</b> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.</p> <p><b>Local:</b> Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI <b>OR</b> two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties.</p> <p><b>Regional:</b> Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)</p> <p><b>Widespread:</b> Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.</p>
--

<sup>1</sup>2012-2013 Region 3 (DE, DC, MD, PA, VA & WV) Baseline=2.20%


**ILINet (Sentinel) Provider Surveillance Network:**

An ILINet (Sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention. Data reported by ILINet providers, in combination with other influenza surveillance data, provides a national and statewide picture of influenza activity in the U.S.


**Influenza-Like Illness Reported from ILINet Providers (6 of 19 Reporting)**




**Hospital (Electronic) Surveillance Data: 7 of 7 Hospitals Reporting - Al DuPont, Bayhealth (Kent, Milford), Beebe Medical Center, CCHS, Wilmington and St. Francis**




Hospital Manual Surveillance Data-Delaware 2012-2013: Nanticoke Memorial Hospital




Influenza-Like Illness (ILI) reported by Long Term Care Facilities (LTCFs) – Delaware 2012-2013  
5 of 19 reporting




**Influenza-Like Illness (ILI) reported by Colleges/Universities—Delaware 2012-2013:  
1 of 3 schools reporting (University of Delaware); Wesley closed for summer**




**Influenza-Like Illness (ILI) reported by Correctional Facilities—Delaware 2012-2013:  
5 of 10 reporting**



**Influenza-Like Illness (ILI) reported by Daycare Providers- Delaware 2012-2013:  
3 of 15 reporting**



**Influenza-Like Illness (ILI) reported by Federally Qualified Health Centers (FQHCs)-Delaware 2012-2013  
2 of 2 reporting (LARED and Henrietta Johnson Medical Center)**



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit [flu.delaware.gov](http://flu.delaware.gov) or call (302)744-4704.