

## **TECHNICAL NOTES**

### **SOURCES OF DATA**

**BIRTHS, DEATHS AND FETAL DEATHS:** Birth, death and fetal death certificates were the source documents for data on vital events to Delaware residents. A copy of each certificate is included as Appendices F, G and H.

The cut-off date for data in this report was October 31 after the close of the calendar year. Any data pertaining to an event for which a certificate was filed after this date, are not included in this report. It is possible that data obtained directly from the Delaware Health Statistics Center (DHSC) may differ slightly from that which appear in this report. If this should occur, it is the result of an update that was made after the cut-off date for this report.

Births and deaths to Delaware residents which took place in other states are included in this report. The inclusion of these data is made possible by an agreement among all registration areas in the United States for the exchange of copies of resident certificates.

**MARRIAGES AND DIVORCES:** Each of Delaware's three counties has a state office for the collection of marriage certificates. All of these certificates are processed and maintained by the Office of Vital Statistics in the Division of Public Health's central office in Dover. Copies of divorce certificates are forwarded to the Office of Vital Statistics from the Delaware Family Court system so that certain selected data items can be processed for statistical purposes. A copy of each of these certificates is included as Appendices I and J.

**INDUCED TERMINATIONS OF PREGNANCY:** Beginning on January 1, 1997, all induced terminations of pregnancy were required to be reported to the Department. Reports of induced termination of pregnancy are filed directly with the DHSC. The reports are filed for statistical purposes only and are shredded and discarded when all reports for the data year have been coded. ITOP records are currently not being exchanged among the states, so events to Delaware residents occurring out-of-state are not included in this report. A copy of the reporting form is included as Appendix K.

**REPORTED PREGNANCIES:** Reported pregnancies refer to live births, fetal deaths, and induced terminations of pregnancy (ITOP). When used in combination, these three events can yield a great deal of information regarding pregnancy and pregnancy outcomes that is not possible by looking at each individual event separately. For example, live birth rates can be calculated using live births in conjunction with population data. However, differences observed between live birth rates in two or more geographic areas or within the same area at different points in time may be due to differences in the rate of pregnancy, differences in pregnancy outcomes (i.e., live birth, fetal death, or ITOP), or a combination of these factors. Only pregnancy rates allow such questions to be thoroughly examined. It should be kept in mind that both births and fetal deaths of Delaware residents are reported regardless of state of occurrence, while induced terminations are reported for only those that occur in Delaware.

**POPULATION PROJECTIONS:** The state, county and city population figures used in this report are estimates and projections produced by the Delaware Population Consortium (DPC). The DHSC is a member of the DPC and supplies birth and death data used in making the projections. Copies of the most recent projections for Delaware's population by age, race, sex and geographic location are available from the DHSC.

### **DATA QUALITY**

**QUERY AND FIELD PROGRAMS:** The quality of vital statistics data presented in this report is directly related to the completeness and accuracy of the information contained on the certificates and forms. The DHSC works with the Office of Vital Statistics to ensure that the information received is as complete and accurate as possible. The Office of Vital Statistics operates two programs related to improving the quality of information received on vital records--the query and field programs.

The query program is a system used to follow-back to hospital and clinic personnel, funeral directors and/or physicians concerning data quality problems. The follow-back contact is usually via mail and/or telephone. The field program attempts to improve vital statistics data quality by educating the participants in the vital registration system (i.e., hospital personnel, funeral directors, physicians, etc.) of the uses and importance of vital statistics data. The field program completes this mission by conducting seminars with various associations representing the individuals listed above.

The National Center for Health Statistics (NCHS) monitors Delaware's coding of statistical data on death certificates. A 20 percent sample of death records coded and submitted monthly by the state are used as a quality control mechanism by NCHS. NCHS codes these sample records independently and then conducts an item-by-item computer match of codes entered by the state and NCHS. NCHS has established an upper limit of two percent for coding differences involving any one data item of these sample records, with the exception of cause of death. NCHS independently codes cause of death information.

**COMPUTER EDITS AND DATA PROCESSING:** Another dimension of data quality is related to the procedures and methodologies used in preparing the data for presentation. Beginning with the 1991 Annual Vital Statistics Report, methodologies for editing and processing vital data were standardized to match the procedures used by NCHS in tabulating national vital statistics data. These procedures include checking for valid codes, computation of data items (e.g., age, live-birth order, weeks of gestation, duration of marriage, interval between divorce and remarriage), consistency checks between data items (e.g., age and education), and imputation of missing values.

Standardized imputation procedures are of particular importance because they ensure that Delaware's data are comparable to that published for the United States by NCHS. In general, the adoption of these new procedures has not produced large differences when compared with previous reports. One new procedure of particular interest is the method for computing weeks of gestation as reported in the Natality Section. A new item on the 1989 U.S. Standard Certificate of Live Birth, "clinical estimate of gestation," permits substitution for weeks of gestation in two situations: (a) when the date of the last normal menstrual period (LMP) is incomplete or missing; and (b) when the computed weeks of gestation is inconsistent with reported birth weight. Substitution with this item has resulted in a smaller "Unknown" category for weeks of gestation.

**FETAL DEATHS:** In terms of the completeness of the data, the reporting of deaths and live births is considered to be virtually complete. However, in Delaware, a spontaneous termination of pregnancy is not required to be reported when the fetus weighs less than 350 grams or, when weight is unattainable, if the duration of pregnancy is less than 20 weeks. National estimates (Ventura, Taffel and Mosher, 1985) indicate that over 90 percent of all spontaneous

terminations of pregnancy may occur before this 20 week period and thus go unreported. In addition, the exchange agreement among states for resident fetal death records is relatively new and it is unknown whether complete exchange is taking place. The result is that a large number of spontaneous terminations are not reported.

### **GEOGRAPHY ALLOCATION**

In Delaware's registration program, as in other states, vital events are classified geographically in two ways. The first way is by place of occurrence (i.e., the actual state and county in which the birth or death took place). The second and more customary way is by place of residence (i.e., the state, county, and census tract) stated to be the usual residence of the decedent in the case of death, or of the mother in the case of a newborn.

While occurrence statistics are accurate and have both administrative value and some statistical importance, residence statistics are by far the more useful tool in developing health indices for planning and evaluation purposes. The natality and mortality statistics provided in this report are based upon Delaware residence data. However, the marriage and divorce statistics are occurrence data. This is primarily due to the fact that two separate residences are usually involved in a marriage or a divorce, and there are no accepted standard procedures for classification of residence in these events.

Allocation of vital events by place of residence is sometimes difficult because classification depends entirely on a statement of the usual place of residence furnished by the informant at the time the original certificate is completed. For various reasons, this statement may be incorrect or incomplete. However, in recent years, the DHSC has invested a great deal of effort into editing of address information leading to a significant improvement in data quality.

In any case, geographical allocation is generally a problem only at the level of census tract. Resident counts at the State level are, for all practical purposes, complete. County resident figures are substantially correct and can be used with a high degree of confidence.

Most of the data provided in this report are available at the census tract level. This information can be obtained by contacting the DHSC.

### **BIRTH WEIGHT**

This report presents birth weight in grams in order to provide data comparable to that published for the United States and other countries. For those live birth certificates where birth weight is reported in pounds and ounces, the Center converts the birth weight into grams.

The equivalents of the gram intervals in pounds and ounces are as follows:

499 grams or less	=	1 lb. 1 oz. or less
500 - 999 grams	=	1 lb. 2 ozs. - 2 lbs. 3ozs.
1,000 - 1,499 grams	=	2 lbs. 4 ozs. - 3 lbs. 4ozs.
1,500 - 1,999 grams	=	3 lbs. 5 ozs. - 4 lbs. 6ozs.
2,000 - 2,499 grams	=	4 lbs. 7 ozs. - 5 lbs. 8ozs.
2,500 - 2,999 grams	=	5 lbs. 9 ozs. - 6 lbs. 9ozs.
3,000 - 3,499 grams	=	6 lbs. 10 ozs. - 7 lbs. 11ozs.
3,500 - 3,999 grams	=	7 lbs. 12 ozs. - 8 lbs. 12ozs.
4,000 - 4,499 grams	=	8 lbs. 13 ozs. - 9 lbs. 14ozs.
4,500 - 4,999 grams	=	9 lbs. 15 ozs. - 11 lbs. 0ozs.
5,000 grams or more	=	11 lbs. 1 oz. or more

## **RATES**

Absolute counts of births and deaths do not readily lend themselves to analysis and comparison between years and various geographic areas because of differences in population characteristics (e.g., age, sex, and race). In order to account for such differences, the absolute number of events is converted to a relative number such as a percentage, rate, ratio, or index. These conversions are made by relating the number of events to the population at risk in a particular area at a specified time.

Precautions should always be taken when comparing any rates based on vital events. Both the number of events and the characteristics of the population are important to take into account when interpreting a rate.

All statistics are subject to random variation.<sup>1</sup> Rates based on a relatively small number of events tend to be subject to more random variation than rates based on a large number of events.

In addition to the problem of small numbers, demographic characteristics of populations (i.e., age, race and sex) can affect the comparability of rates. Since mortality rates vary substantially by age, race and sex, comparisons between rates from populations that differ in these characteristics could be misleading. However, there are two methods that can be used separately or in combination to improve the comparability of mortality rates. The first method involves comparing rates for specific age, race, and/or sex groups in the populations of interest. With this method, the rates are easily calculated and very specific groups may be compared. However, when very specific

---


<sup>1</sup>See Appendix A for more details.

groups are compared the numbers are often small, and relationships between the overall populations are difficult to determine.

The second method is a more sophisticated technique that statistically "adjusts" for demographic differences between populations and allows direct comparisons between overall population rates. The major disadvantages of adjusted rates are that they can be cumbersome to calculate without the aid of a computer and they only have meaning when compared to other rates adjusted in the same manner.

**RACE**

All Delaware vital records contain an item(s) regarding race. Race is self-reported in all records except on death certificates where it is provided by an informant. Although the question allows for a free form response, all race data are grouped for purposes of data analysis into the following categories established by NCHS:



The categories *Chinese*, *Japanese*, *Hawaiian*, *Filipino*, and *Other Asian or Pacific Islander* can be combined to form the category *Asian or Pacific Islander*. For purposes of this report, *American Indian/Aleut/Eskimo*, *Chinese*, *Japanese*, *Hawaiian*, *Filipino*, *Other Asian or Pacific Islander*, and *Other* have been combined to form the category *Other*.

In the case of death, race of decedent from the death certificate is reported in all tables except in the birth cohort (see next paragraph). However, in the case of birth and fetal death, race is indicated on the birth and fetal death certificates for the mother and father only (i.e., race of the newborn is not given). Consequently, birth and fetal death data are reported by race of the mother in most tables throughout this report. However, some tables containing historical birth data prior to 1989 are reported by race of child. For these tables, race of child was imputed using criteria established by NCHS.

In the birth cohort section of this report, birth certificate data for infants dying in the first year of life are combined with information from their death certificates. Therefore, data are available for race of the mother and race of the deceased infant for each case. In the vast majority of these cases, the race listed for the mother and infant are the same. However, in a small number of cases the race of the mother and infant differ. In order to maintain consistency with data in the natality section, race of the mother is used for all tables in the birth cohort section.

### **HISPANIC ORIGIN**

Beginning in 1989, a specific question regarding Hispanic origin was added to the birth and death certificates. This question is considered to be separate from the Race question. Therefore, a person may report Hispanic origin in combination with any race category. The Hispanic question has two parts. The first simply asks whether the person is of Hispanic origin (Yes or No). The second part is a free-form item that asks for the specific origin (e.g., *Cuban, Mexican, Puerto Rican, etc.*).

### **MISSING INFORMATION REGARDING FATHERS**

The Delaware vital statistics law specifies that information regarding the father should not be entered on the birth certificate if the mother is single. As such, there is no information regarding the father for the vast majority of births to single mothers. However, in a few cases, information about the father was entered on the certificate when the mother was single. Some tables in the natality section (e.g., births to parents of Hispanic origin) may contain information regarding the father that includes such cases.

Beginning on January 1, 1995, a new program was instituted to allow fathers to acknowledge paternity through completion of a simple form in cases where the mother and father are not married. This form can be completed at any time up to the child's eighteenth birthday. When such acknowledgments are completed at the hospital at the time of birth, the DHSC is able to add father information to its electronic data base.

### **SOURCE OF PAYMENT FOR DELIVERY**

Beginning with the 1991 data year, the Center began obtaining information regarding the source of payment for delivery on birth certificates (private insurance, Medicaid, and self pay). However, this information was not available for Delaware resident mothers giving birth in other states (approximately 5 percent of all resident births). For purposes of this report, all such mothers were assigned to the private insurance category. This assignment was based on detailed analyses of the characteristics of these mothers. These analyses indicated that the demographic characteristics of these mothers very closely matched the characteristics of Delaware resident mothers who gave birth within the State and had private insurance listed as their source of payment. Furthermore, an examination of Medicaid data indicated that it is extremely rare for Medicaid mothers to give birth out-of-state.

### **METHOD OF DELIVERY**

The number of cases reported for the category “Vaginal birth after previous C-section” (VBAC) of the METHOD OF DELIVERY question on the birth certificate may represent an undercount. Due to way that the question was worded (see Appendix F), persons completing the form may have sometimes reported VBACs in the “Vaginal” category. The DHSC staff has been working to improve the data quality of this question in two ways. The question has been reworded so that it is much clearer on the Electronic Birth Certificate (EBC). Over 95 percent of all birth certificates were filed through the EBC. For those records that were not filed using the EBC, efforts were made to train the staff about the proper way to complete the question.

### **2000 POPULATION STANDARD**

Beginning with the 1999 report, all mortality rates were age-adjusted using the projected 2000 U.S. population standard. All previous versions of the vital statistics report used the 1940 U.S. population standard from the census of the same year. All historical mortality data have been adjusted to the new standard to allow comparisons over time. Comparisons between rates using the old standard and the new standard are not valid and should not be made.

The change to the 2000 standard was adopted by NCHS beginning with 1999 mortality data. The primary reason for the change was to establish a uniform standard across all federal and state health agencies. A more detailed explanation of the rationale can be found in a special report from NCHS (Anderson and Rosenberg, 1998).

## **APPENDIX A**

### **RANDOM VARIATION**

In this report, the number of vital events represent complete counts for the U.S., Delaware and county populations. Therefore, they are not subject to sampling error, although they are subject to certain errors in the registration process such as age misreporting. However, the number of events and the corresponding rates are subject to random variation. That is, the rates that actually occurred may be considered as one of a large number of possible outcomes that could have arisen under the same circumstances (National Office of Vital Statistics, 1961). As a result, rates in a given population may tend to fluctuate from year to year even when the health of the population is unchanged. Random variation in rates based on a relatively small number of events, tends to be larger than for rates based upon events that occur more frequently. Delaware rates for some events (e.g., infant deaths) are particularly subject to such variations due to the small number of events that occur by definition in a relatively small population. Therefore, caution should be exercised when drawing conclusions about rates based on small numbers.

The issue of random variation was handled in two ways in this report. First, multi-year average rates were reported instead of annual rates. This tended to reduce the effects of random variation since the number of events in a three or five-year period was much larger. Second, tests of statistical significance were used to make comparisons between Delaware/county and U.S. rates when appropriate. These statistical tests were used to determine the chance that the observed differences would occur in populations with equal rates by random variation alone. The methods used to calculate infant mortality rates are described in Appendix B.

## **APPENDIX B**

### **METHODS FOR CALCULATION AND STATISTICAL ANALYSIS OF FIVE-YEAR AVERAGE INFANT MORTALITY RATES**

Due to the small number of infant deaths in Delaware, slight year-to-year changes in the number of deaths can lead to substantial fluctuations (referred to in statistics as random variation) in annual rates. In many cases, this problem makes interpretation of annual rates extremely difficult, if not impossible. Since there is far less random fluctuation in five-year average (FYA) rates, they are much better for assessing the health status of infants in Delaware.<sup>2</sup> When running FYA rates (e.g., rates for 1980-1984, 1981-1985, and 1982-1986) are used, the patterns of changes in infant mortality over a number of years can be determined.

A description of the methods used to calculate the running FYA rates and the statistical methodology used to compare Delaware and U.S. rates are described below.

**FIVE-YEAR AVERAGE INFANT MORTALITY RATES:** Running FYA infant, neonatal, and postneonatal mortality rates (see Definitions) were calculated by race for the U.S., Delaware, and Delaware's three counties. The rates (i.e., infant, neonatal, or postneonatal) were computed by dividing the total number of deaths over each five-year period by the total number of live births over the same five-year period and multiplying the result by 1,000. Rates were calculated for five-year periods beginning with 1978-1982 to provide running FYA rates.

**STATISTICAL TESTS:** The observed differences between Delaware and U.S. FYA rates were tested statistically to determine whether they were a reflection of actual differences or a result of random variation. Due to the small number of infant deaths by county, differences between county and U.S. rates were not tested for significance and should be interpreted with caution.

---

<sup>2</sup>See Appendix A for a description of random variation and rationale for use of five-year average rates.


The Delaware and U.S. rates were considered to be significantly different (two-tailed test; alpha level = 0.05) if the observed difference between the rates exceeded twice the estimated standard error of the differences (National Center for Health Statistics, 1988). The standard error of the differences (SE), an estimate of random variation, was calculated as follows:

$$SE = 2 \sqrt{\frac{R_{U.S.}^2}{N_{U.S.}} + \frac{R_{DE}^2}{N_{DE}}}$$

where  $R_{U.S.}$  and  $R_{DE}$  are the observed rates for the two populations, and  $N_{U.S.}$  and  $N_{DE}$  are the number of deaths on which the rates were based.

# APPENDIX C

## CREATION OF A LIVE BIRTH COHORT FILE



## **APPENDIX D**

### **METHODS FOR CALCULATION OF YEARS OF POTENTIAL LIFE LOST (YPLL)**

Years of Potential Life Lost (YPLL) is a statistic used to measure the number of years of life lost in a population when persons in that population die prematurely. YPLL provides valuable information regarding the causes of death that contribute most significantly to premature mortality. For example, accidents accounted for 4.4 percent of all deaths in Delaware during 1988-1992. However, this same cause accounted for 17.1 percent of all YPLL during the same period.

In order to calculate YPLL, a standard must be chosen (e.g., 65 years of age) as a reference point for years of life lost. The number of years of life lost is then calculated for each person dying before the standard age. For example, assume that a standard of 65 years of age is chosen. A person dying at age 39 has lost 26 years of life relative to the standard (i.e., 65 years - 39 years = 26 years). To obtain YPLL, the number of years of life lost for each person in the population dying before the standard age is summed. Persons dying at 65 years of age or older would be excluded from the analysis because they have not lost years of life relative to the standard.

For the present report, a standard of 65 years of age was chosen to calculate YPLL. Although other standards are sometimes used (e.g., 70 years, 75 years, or life expectancy), 65 years was chosen because it is the most frequently used standard by the Centers for Disease Control and the National Center for Health Statistics. The standard of 65 years is not used with the implication that it is the maximum potential for years of life. Rather, it is used because deaths before age 65 are considered to be very premature.

## APPENDIX E

Comparable category codes and comparability ratios for selected causes of death.

Cause of death	Category codes according to		Comparability Ratio <sup>3</sup>
	ICD-10 <sup>1</sup>	ICD-9 <sup>2</sup>	
Diseases of the Heart	I00-I09, I11, I13, I20-I51	390-398, 402, 404, 410-429	0.9858
Malignant Neoplasms	C00-C97	140-208	1.0068
Cerebrovascular Diseases	I60-I69	430-434, 436-438	1.0588
Chronic Lower Respiratory Diseases	J40-J47	490-494, 496	1.0478
Diabetes mellitus	E10-E14	250	1.0082
Influenza and pneumonia	J10-J18	480-487	0.6982
Alzheimer's Disease	G30	331.0	1.5536
Nephritis, nephrotic syndrome, and nephrosis	N00-N07, N17-N19, N25-N27	580-589	1.232
Septicemia	A40-A41	038	1.1949
Intentional self-harm (suicide)	*U03, X60-X84, Y87.0	E950-E959	0.9962
Chronic liver disease and cirrhosis	K70, K73-K74	571	1.0367
Assault (Homicide)	*U01-*U02, X85-Y09, Y87.1	E960-E969	0.9983
Certain conditions originating in the perinatal period	P00-P96	760-771.2, 771.4-779	1.0658
Congenital malformations	Q00-Q99	740-759	0.8470
Human immunodeficiency virus (HIV)	B20-B24	042-044	1.0637
Accidents (unintentional injuries)	V01-X59, Y85-Y86	E800-E869, E880-E929	1.0305
Essential (primary) hypertension and hypertensive renal disease	I10, I12	401, 403	1.1192
Aortic aneurysm and dissection	I71	441	1.0012
Atherosclerosis	I70	440	0.9637

1. International Classification of Diseases, Tenth Revision.

2. International Classification of Diseases, Ninth Revision.

3. Comparability ratios are preliminary estimates by the National Center for Health Statistics presented in National Vital Statistics Report, Vol. 49, No. 2.

# APPENDIX F

## STATE OF DELAWARE CERTIFICATE OF LIVE BIRTH

DOC. NO.  
35-05-02-90-07-03

OFFICE OF  
VITAL  
STATISTICS

### CERTIFICATE OF LIVE BIRTH

*State of Delaware*

(107)

DEPARTMENT OF HEALTH AND SOCIAL SERVICES

STATE FILE NUMBER

	1. CHILD'S NAME (FIRST, MIDDLE, LAST)	2. DATE OF BIRTH (MO., DAY, YR.)	3. TIME OF BIRTH M
<b>CHILD</b>	4. SEX	5. CITY, TOWN, OR LOCATION OF BIRTH	6. COUNTY OF BIRTH
	7. PLACE OF BIRTH: <input type="checkbox"/> HOSPITAL <input type="checkbox"/> RESIDENCE <input type="checkbox"/> CLINIC (DOCTOR'S OFFICE) <input type="checkbox"/> FREESTANDING BIRTH CENTER <input type="checkbox"/> OTHER (SPECIFY)		8. FACILITY NAME (IF NOT INSTITUTION, GIVE STREET AND NUMBER)
<b>CERTIFIER ATTENDANT</b>	9. I CERTIFY THAT THIS CHILD WAS BORN ALIVE AT THE PLACE AND TIME ON THE DATE STATED	10. DATE SIGNED (MO., DAY, YR.)	11. ATTENDANT'S NAME AND TITLE (IF OTHER THAN CERTIFIER) (TYPE/PRINT) NAME <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> C.N.M. <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (SPECIFY)
	SIGNATURE ▶		13. ATTENDANT'S MAILING ADDRESS (STREET AND NUMBER OR RURAL ROUTE NUMBER, CITY OR TOWN, STATE, ZIP CODE)
	12. CERTIFIER'S NAME AND TITLE (TYPE/PRINT) NAME <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> HOSPITAL ADM. <input type="checkbox"/> C.N.M. <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (SPECIFY)	14. REGISTRAR'S SIGNATURE ▶	15. DATE FILED BY REGISTRAR (MO., DAY, YR.)
<b>MOTHER</b>	16A. MOTHER'S FULL MAIDEN NAME (FIRST, MIDDLE, LAST)	16B. MARRIED SURNAME	17. DATE OF BIRTH (MO., DAY, YR.)
	18. BIRTHPLACE (STATE OR FOREIGN COUNTRY)	19A. RESIDENCE - STATE	19B. COUNTY
	19C. CITY, TOWN OR LOCATION	19D. STREET AND NUMBER	19E. INSIDE CITY LIMITS <input type="checkbox"/> YES <input type="checkbox"/> NO
<b>FATHER</b>	20. MOTHER'S MAILING ADDRESS (IF SAME AS RESIDENCE, ENTER ZIP CODE ONLY)	21. FATHER'S NAME (FIRST, MIDDLE, LAST)	22A. DATE OF BIRTH (MO., DAY, YR.)
			22B. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
<b>INFORMANT</b>	23. I CERTIFY THAT THE PERSONAL INFORMATION PROVIDED ON THIS CERTIFICATE IS CORRECT TO THE BEST OF MY KNOWLEDGE		
	SIGNATURE OF PARENT OR OTHER INFORMANT ▶		
DEATH UNDER ONE YEAR OF AGE ENTER STATE FILE NUMBER OF DEATH CERTIFICATE FOR THIS CHILD.	<b>THE FOLLOWING CONFIDENTIAL STATISTICAL INFORMATION WILL NOT APPEAR ON A CERTIFIED COPY OF THIS BIRTH RECORD.</b>		
	PERMISSION GRANTED TO SOCIAL SECURITY ADMINISTRATION WITH DATA FROM THIS FORM FOR THE PURPOSE OF ISSUING A SOCIAL SECURITY NUMBER <input type="checkbox"/> YES <input type="checkbox"/> NO		
	PERMISSION GRANTED TO SOCIAL SECURITY ADMINISTRATION TO RELEASE ISSUED NUMBER TO THE DELAWARE OFFICE OF VITAL STATISTICS <input type="checkbox"/> YES <input type="checkbox"/> NO		
	MOTHER'S SOCIAL SECURITY NUMBER		FATHER'S SOCIAL SECURITY NUMBER
	DID MOTHER PARTICIPATE IN ANY OF THE FOLLOWING PROGRAMS DURING PREGNANCY? (CHECK ALL THAT APPLY) <input type="checkbox"/> WIC <input type="checkbox"/> AFDC <input type="checkbox"/> MEDICAID <input type="checkbox"/> FOOD STAMP <input type="checkbox"/> OTHER (SPECIFY) <input type="checkbox"/> NONE		
PRINCIPAL SOURCE OF PAYMENT FOR DELIVERY <input type="checkbox"/> MEDICAID <input type="checkbox"/> PRIVATE INSURANCE <input type="checkbox"/> SELF PAY <input type="checkbox"/> OTHER (SPECIFY)			

REV. 9/90

(1) ORIGINAL COPY - STATE

## APPENDIX F (cont.) STATE OF DELAWARE CERTIFICATE OF LIVE BIRTH STATISTICAL SECTION

INFORMATION FOR MEDICAL AND HEALTH USE ONLY					
<b>MOTHER</b>	24. OF HISPANIC ORIGIN? SPECIFY NO OR YES - IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, ETC.	25. RACE - AMERICAN INDIAN, BLACK, WHITE, ETC. (SPECIFY BELOW)	26. EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	27. OCCUPATION AND BUSINESS/INDUSTRY (WORKED DURING LAST YEAR)	
	24A. <input type="checkbox"/> NO <input type="checkbox"/> YES	25A.	26A. ELEMENTARY/SECONDARY (0-12) COLLEGE (1-4 OR 5+)	27A. OCCUPATION	27B. BUSINESS/INDUSTRY
<b>FATHER</b>	24B. <input type="checkbox"/> NO <input type="checkbox"/> YES	25B.	26B.	27C.	27D.
	SPECIFY:				
<b>MULTIPLE BIRTHS ENTER STATE FILE NUMBER FOR MATE(S) LIVE BIRTH(S)</b>	28. PREGNANCY HISTORY (COMPLETE EACH SECTION)		29. MOTHER MARRIED? (AT BIRTH, CONCEPTION, OR ANY TIME BETWEEN) (YES OR NO)		30. DATE LAST NORMAL MENSES BEGAN (MONTH, DAY, YEAR)
	LIVE BIRTHS (DO NOT INCLUDE THIS CHILD)	OTHER TERMINATION (SPONTANEOUS AND INDUCED AT ANY TIME AFTER CONCEPTION)		31. MONTH OF PREGNANCY PRENATAL CARE BEGAN FIRST, SECOND, THIRD, ETC. (SPECIFY)	
	28A. NOW LIVING	28B. NOW DEAD	28D. NUMBER		32. PRENATAL VISITS - TOTAL NUMBER (IF NONE, SO STATE)
	NUMBER	NUMBER	NUMBER		33. BIRTH WEIGHT (SPECIFY UNIT)
	<input type="checkbox"/> NONE	<input type="checkbox"/> NONE	<input type="checkbox"/> NONE		34. CLINICAL ESTIMATE OF GESTATION (WEEKS)
28C. DATE OF LAST LIVE BIRTH (MONTH, YEAR)		28E. DATE OF LAST OTHER TERMINATION (MONTH, YEAR)		35A. PLURALITY - SINGLE, TWIN, TRIPLET, ETC. (SPECIFY)	
36. APGAR SCORE A - 1 MIN. B . . . . .		37A. MOTHER TRANSFERRED PRIOR TO DELIVERY? <input type="checkbox"/> NO <input type="checkbox"/> YES IF YES, ENTER NAME OF FACILITY TRANSFERRED FROM.			
36C. WAS BLOOD DRAWN FOR NEWBORN SCREENING? <input type="checkbox"/> YES <input type="checkbox"/> NO		37B. INFANT TRANSFERRED? <input type="checkbox"/> NO <input type="checkbox"/> YES IF YES, ENTER NAME OF FACILITY TRANSFERRED TO.			
38A. MEDICAL RISK FACTORS FOR THE PREGNANCY (Circle all that apply)		40. COMPLICATIONS OF LABOR AND/OR DELIVERY (Circle all that apply)		43. CONGENITAL ANOMALIES OF CHILD: (Circle all that apply)	
Anemia (Hct. <30/Hgb. <10) . . . . . 01		Fever (>100° F. or 38° C.) . . . . . 01		Anencephalus . . . . . 01	
Cardiac disease . . . . . 02		Macronium, moderate/heavy . . . . . 02		Spina bifida/Meningocele . . . . . 02	
Acute or chronic lung disease . . . . . 03		Premature rupture of membrane (>12 hours) . . . . . 03		Hydrocephalus . . . . . 03	
Diabetes . . . . . 04		Abruptio placenta . . . . . 04		Microcephalus . . . . . 04	
Genital Herpes . . . . . 05		Placenta previa . . . . . 05		Other central nervous system anomalies . . . . . 04	
Hydramnios/Oligohydramnios . . . . . 06		Other excessive bleeding . . . . . 06		(Specify) . . . . . 05	
Hemoglobinopathy . . . . . 07		Seizures during labor . . . . . 07		Heart malformations . . . . . 06	
Hypertension, chronic . . . . . 08		Precipitous labor (<3 hours) . . . . . 08		Other circulatory/respiratory anomalies . . . . . 06	
Hypertension, pregnancy-associated . . . . . 09		Prolonged labor (>20 hours) . . . . . 09		(Specify) . . . . . 07	
Eclampsia . . . . . 10		Dysfunctional labor . . . . . 10		Rectal atresia/stenosis . . . . . 08	
Incompetent cervix . . . . . 11		Breech/Malpresentation . . . . . 11		Tracheo-esophageal fistula/Esoophageal atresia . . . . . 09	
Previous infant 4000+ grams . . . . . 12		Cephalopelvic disproportion . . . . . 12		Omphalocele/Gastroschisis . . . . . 10	
Previous preterm or small-for-gestational-age infant . . . . . 13		Cord prolapse . . . . . 13		Other gastrointestinal anomalies . . . . . 10	
Renal disease . . . . . 14		Anesthetic complications . . . . . 14		(Specify) . . . . . 11	
Rh sensitization . . . . . 15		Fetal distress . . . . . 15		Malformed genitalia . . . . . 12	
Uterine bleeding . . . . . 16		None . . . . . 00		Renal agenesis . . . . . 13	
None . . . . . 00		Other (Specify) . . . . . 16		Other urogenital anomalies . . . . . 13	
Other (Specify) . . . . . 17		41. METHOD OF DELIVERY (Circle all that apply)		Cleft lip/palate . . . . . 15	
38B. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		Vaginal . . . . . 01		Polydactyly/Syndactyly/Adactyly . . . . . 16	
Tobacco use during pregnancy . . . . . Yes No		Vaginal birth after previous C-section . . . . . 02		Club foot . . . . . 17	
Average number of cigarettes per day . . . . .		Primary C-section . . . . . 03		Diaphragmatic hernia . . . . . 18	
Alcohol use during pregnancy . . . . . Yes No		Repeat C-section . . . . . 04		Other musculoskeletal/integumental anomalies . . . . . 18	
Average number of drinks per week . . . . .		Forceps . . . . . 05		(Specify) . . . . . 14	
Weight gained during pregnancy . . . . . lbs.		Vacuum . . . . . 06		Down's syndrome . . . . . 20	
39. OBSTETRIC PROCEDURES (Circle all that apply)		42. ABNORMAL CONDITIONS OF THE NEWBORN (Circle all that apply)		Other chromosomal anomalies . . . . . 20	
Amniocentesis . . . . . 01		Anemia (Hct. <39/Hgb. <13) . . . . . 01		(Specify) . . . . . 21	
Electronic fetal monitoring . . . . . 02		Birth injury . . . . . 02		None . . . . . 00	
Induction of labor . . . . . 03		Fetal alcohol syndrome . . . . . 03		Other (Specify) . . . . . 09	
Stimulation of labor . . . . . 04		Hyaline membrane disease/RDS . . . . . 04		None . . . . . 00	
Tocolysis . . . . . 05		Meconium aspiration syndrome . . . . . 05		Other (Specify) . . . . . 22	
Ultrasound . . . . . 06		Assisted ventilation <30 min. . . . . 06		None . . . . . 00	
None . . . . . 00		Assisted ventilation ≥30 min. . . . . 07		Other (Specify) . . . . . 22	
Other (Specify) . . . . . 07		Seizures . . . . . 08		None . . . . . 00	
		None . . . . . 00			

# APPENDIX G

## STATE OF DELAWARE CERTIFICATE OF DEATH

DOC. NO.  
35-05-20-96/07/03

OFFICE OF  
VITAL  
STATISTICS

**CERTIFICATE OF DEATH**  
*State of Delaware* (107)

LOCAL REG NO. DEPARTMENT OF HEALTH AND SOCIAL SERVICES STATE FILE NUMBER

**DECEDENT**

TO FUNERAL DIRECTOR: After certificate has been signed by attending physician and completely filled in by funeral director, remove carbons, file parts 1 and 2 with Registrar within 72 hrs. after death and then use Burial-Transit Permit for disposition of body.

1. DECEDENT'S NAME (FIRST, MIDDLE, LAST)			2. SEX		3. DATE OF DEATH (MO., DAY, YR)	
4. SOCIAL SECURITY NO.		5A. AGE (YRS)	5B. UNDER 1 YEAR MONTHS	5C. UNDER 1 DAY HOURS	5C. UNDER 1 DAY MINUTES	6. DATE OF BIRTH (MO., DAY, YR.)
7. BIRTHPLACE (CITY AND STATE OR FOREIGN COUNTRY)		8. WAS DECEDENT EVER IN U.S. ARMED FORCES? <input type="checkbox"/> YES <input type="checkbox"/> NO		9. ANATOMICAL GIFT <input type="checkbox"/> CONSENT GRANTED <input type="checkbox"/> NOT GRANTED		10A. PLACE OF DEATH (CHECK ONLY ONE. SEE INSTRUCTIONS ON OTHER SIDE) <b>HOSPITAL</b> <input type="checkbox"/> INPATIENT <input type="checkbox"/> ER/OUTPATIENT <input type="checkbox"/> DOA <input type="checkbox"/> OTHER NURSING HOME <input type="checkbox"/> RESIDENCE <input type="checkbox"/> OTHER (SPECIFY)
10B. FACILITY NAME (IF NOT INSTITUTION GIVE STREET AND NUMBER)			10C. CITY, TOWN, OR LOCATION OF DEATH			10D. COUNTY OF DEATH
11. MARITAL STATUS — MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPEC.)		12. MOST RECENT SPOUSE <input type="checkbox"/> LIVING <input type="checkbox"/> DECEASED (MAIDEN NAME IF WIFE)		13A. DECEDENT'S USUAL OCCUPATION (KIND OF WORK DURING MOST OF WORKING LIFE. DO NOT USE RETIRED)		13B. KIND OF BUSINESS/INDUSTRY
14A. RESIDENCE — STATE		14B. COUNTY	14C. CITY, TOWN, OR LOCATION		14D. STREET AND NUMBER	
14E. INSIDE CITY LIMITS? (YES OR NO)	14F. ZIP CODE	15. WAS DECEDENT OF HISPANIC ORIGIN? (SPECIFY NO OR YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, ETC. <input type="checkbox"/> NO <input type="checkbox"/> YES (Specify))		16. RACE — AMERICAN INDIAN, BLACK, WHITE, ETC. (SPECIFY)	17. DECEDENT'S EDUCATION (SPECIFY HIGHEST GRADE COMPLETED) ELEMENTARY/SECONDARY (9-12) COLLEGE (1-4 OR 5+)	
18. FATHER'S NAME (FIRST, MIDDLE, LAST)			19. MOTHER'S NAME (FIRST, MIDDLE, MAIDEN SURNAME)			

**PARENTS**

20A. INFORMANT'S NAME		20B. MAILING ADDRESS (STREET AND NUMBER OR RURAL ROUTE NUMBER, CITY OR TOWN, STATE, ZIP CODE)			
-----------------------	--	---	--	--	--

**INFORMANT**

21A. METHOD OF DISPOSITION <input type="checkbox"/> BURIAL <input type="checkbox"/> CREMATION <input type="checkbox"/> REMOVAL <input type="checkbox"/> OTHER (SPECIFY)		21B. PLACE OF DISPOSITION (NAME OF CEMETERY, CREMATORY, OR OTHER PLACE)		21C. LOCATION (CITY, TOWN, STATE)	
--	--	---	--	-----------------------------------	--

**DISPOSITION**

22A. SIGNATURE OF FUNERAL HOME		22B. LICENSE NUMBER (OF LICENSEE)		23. NAME AND ADDRESS OF FACILITY	
--------------------------------	--	-----------------------------------	--	----------------------------------	--

**PRONOUNCING OFFICIAL**

24. REGISTRAR'S SIGNATURE		25. DATE FILED (MO., DAY, YR)			
---------------------------	--	-------------------------------	--	--	--

**CERTIFIER**

26A. TO THE BEST OF MY KNOWLEDGE DEATH OCCURRED AT THE TIME, DATE, AND PLACE STATED		26B. LICENSE NUMBER		26C. DATE SIGNED (MO., DAY, YR)	
---	--	---------------------	--	---------------------------------	--

**PRONOUNCING OFFICIAL**

27. TIME OF DEATH <input type="checkbox"/> AM <input type="checkbox"/> PM		28. DATE PRONOUNCED DEAD (MO., DAY, YR)		29. WAS CASE REFERRED TO MEDICAL EXAMINER? (YES OR NO)	
--	--	---	--	--	--

**CERTIFIER**

30A. CERTIFIER (CHECK ONLY ONE) <input type="checkbox"/> CERTIFYING PHYSICIAN (Physician certifying cause of death when another physician has pronounced death and completed item 26) To the best of my knowledge, death occurred due to the cause(s) and manner as stated. <input type="checkbox"/> PRONOUNCING AND CERTIFYING PHYSICIAN (Physician both pronouncing death and certifying the cause of death) To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner as stated. <input type="checkbox"/> MEDICAL EXAMINER On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner as stated.		30B. SIGNATURE AND TITLE OF CERTIFIER		30C. LICENSE NUMBER	
--	--	---------------------------------------	--	---------------------	--

**CERTIFIER**

31. NAME AND ADDRESS OF CERTIFIER WHO COMPLETED CAUSE OF DEATH (ITEM 40) (TYPE/PRINT)					
---	--	--	--	--	--

**CERTIFIER**

32A. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> YES <input type="checkbox"/> NO		32B. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? <input type="checkbox"/> YES <input type="checkbox"/> NO		33. MANNER OF DEATH <input type="checkbox"/> NATURAL <input type="checkbox"/> ACCIDENT <input type="checkbox"/> SUICIDE <input type="checkbox"/> HOMICIDE <input type="checkbox"/> PENDING INVESTIGATION <input type="checkbox"/> UNDETERMINED	
--	--	---	--	---	--

**CERTIFIER**

34. INJURY AT WORK? <input type="checkbox"/> YES <input type="checkbox"/> NO		35. DATE OF INJURY (MO., DAY, YR.)		37. DESCRIBE HOW INJURY OCCURRED	
---	--	------------------------------------	--	----------------------------------	--

**CERTIFIER**

36. TIME OF INJURY <input type="checkbox"/> AM <input type="checkbox"/> PM		38. PLACE OF INJURY (AT HOME, FARM, STREET, FACTORY, OFFICE BUILDING, ETC. (SPECIFY))			
---	--	---	--	--	--

**CERTIFIER**

39. LOCATION (STREET AND NUMBER OR RURAL ROUTE NUMBER, CITY OR TOWN, STATE)				
---	--	--	--	--

**CERTIFIER**

40. <b>PART I</b> DO NOT ENTER THE MODE OF DYING SUCH AS CARDIAC OR RESPIRATORY ARREST, SHOCK, OR HEART FAILURE. LIST ONLY ONE CAUSE PER EACH LINE. APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH				
--	--	--	--	--

**CERTIFIER**

IMMEDIATE CAUSE (FATAL DISEASE, INJURY OR CONDITION THAT IN YOUR OPINION CAUSED THE DEATH)		IMMEDIATE CAUSE (A)		
DUE TO (B)				
DUE TO (C)				
DUE TO (D)				

**CERTIFIER**

<b>PART II</b> OTHER SIGNIFICANT CONDITIONS— CONTRIBUTING TO CAUSE OF DEATH				
--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

**CERTIFIER**

--	--	--	--	--

TO HOSPITAL OR PHYSICIAN — DELAWARE LAW REQUIRES THAT THE DEATH CERTIFICATE BE EXECUTED WITHIN 72 HOURS AFTER DEATH

REV. 8/96

(1) ORIGINAL COPY—STATE

# APPENDIX H

## STATE OF DELAWARE CERTIFICATE OF FETAL DEATH

DOC. NO.  
35-05-02-88-09-10

OFFICE OF  
VITAL  
STATISTICS

### CERTIFICATE OF FETAL DEATH (STILLBIRTH)

State of Delaware (107)

DEPARTMENT OF HEALTH AND SOCIAL SERVICES

STATE FILE NUMBER

<b>FETUS</b>	1. NAME OF FETUS (FIRST, MIDDLE, LAST)		2. SEX OF FETUS	3. DATE OF DELIVERY	4. TIME OF DELIVERY	
	5A. NAME OF FACILITY (IF NOT AN INSTITUTION GIVE STREET AND NUMBER)			5B. CITY, TOWN, OR LOCATION	5C. COUNTY OF DELIVERY	
<b>PARENTS</b>	6A. MOTHER'S NAME (FIRST, MIDDLE, LAST)		6B. MAIDEN SURNAME		7. DATE OF BIRTH (MO., DAY, YR.)	
	8A. RESIDENCE STATE	8B. COUNTY	8C. CITY, TOWN, OR LOCATION		8D. STREET AND NUMBER	
	8E. INSIDE CITY LIMITS WILM., NEWARK, DOVER ONLY <input type="checkbox"/> YES <input type="checkbox"/> NO		8F. ZIP CODE	9. FATHER'S NAME (FIRST, MIDDLE, LAST)		10. DATE OF BIRTH (MO., DAY, YR.)
	11. PART I. FETAL DEATH WAS CAUSED BY: FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH					ENTER ONLY ONE CAUSE PER LINE (A), (B), (C)
<b>CAUSE</b>	(A) IMMEDIATE CAUSE				SPECIFY FETAL OR MATERNAL	
	(B) DUE TO, OR AS A RESULT OF FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE (A), STATE CAUSE LAST.					
12A. PART II. OTHER SIGNIFICANT CONDITIONS NOT RESULTING FROM THE IMMEDIATE CAUSE			12B. FETUS OR OTHER WHICH MAY HAVE CONTRIBUTED TO CAUSE OF DEATH IN PART I		12C. FETUS DIED BEFORE LABOR DURING LABOR OR DELIVERY, UNKNOWN (SPEC.)	
14. I CERTIFY THAT THIS DELIVERY OCCURRED ON THE DATE SHOWN AND THAT THE FETUS WAS BORN DEAD			15A. ATTENDANT <input type="checkbox"/> M.D. <input type="checkbox"/> D.O.		15B. DATE SIGNED	
<b>CERTIFIER</b>	SIGNATURE		16. IF NOT ATTENDED BY A PHYSICIAN (TYPE/PRINT NAME)			
	15C. MAILING ADDRESS		17C. LOCATION (CITY, TOWN, COUNTY) (STATE)			
	17A. BURIAL, CREMATION, OTHER		17B. NAME OF CEMETERY, OR CREMATORY		17C. LOCATION (CITY, TOWN, COUNTY) (STATE)	
18A. DATE RECEIVED BY REGISTRAR	18B. REGISTRAR'S SIGNATURE	19. FUNERAL DIRECTOR'S SIGNATURE		ADDRESS		

#### INFORMATION FOR STATISTICAL USE ONLY

<b>MOTHER</b>	20. OF HISPANIC ORIGIN (SPECIFY YES OR NO. IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, ETC. BELOW) <input type="checkbox"/> YES <input type="checkbox"/> NO		21A. RACE - AMERICAN INDIAN, WHITE, BLACK, ETC. (SPECIFY BELOW)	22A. EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED) ELEM./SEC. (0-12) COLLEGE (1-4 OR 5+)	23. OCCUPATION AND BUSINESS/INDUSTRY (WORKED DURING LAST YEAR)	
	20A. SPECIFY:		21B.	22B.	23A. OCCUPATION	23B. BUSINESS/INDUSTRY
<b>FATHER</b>	20B. <input type="checkbox"/> YES <input type="checkbox"/> NO		21C.	22C.	23C.	23D.
	20B. SPECIFY:		21D.	22D.	23E.	23F.
PREGNANCY HISTORY (COMPLETE EACH SECTION)			25. MOTHER MARRIED? (AT DELIVERY, CONCEPTION, OR ANY TIME BETWEEN) (YES OR NO)		26. DATE LAST NORMAL MENSES BEGAN (MO., DAY, YR.)	
LIVE BIRTHS			27. MONTH OF PREGNANCY PRENATAL CARE BEGAN - FIRST, SECOND, THIRD, ETC. (SPECIFY)		28. PRENATAL VISITS - TOTAL NUMBER (IF NONE, SO STATE)	
24A. NOW LIVING	24B. NOW DEAD	24C. (DO NOT INCLUDE THIS FETUS)		29. WEIGHT OF FETUS (SPECIFY UNIT)	30. CLINICAL ESTIMATE OF GESTATION (WEEKS)	31. DID MOTHER HAVE BLOOD TEST FOR SYPHILIS? (SPECIFY YES OR NO)
NUMBER _____ <input type="checkbox"/> NONE	NUMBER _____ <input type="checkbox"/> NONE	NUMBER _____ <input type="checkbox"/> NONE		32A. PLURALITY - SINGLE, TWIN, TRIPLET, ETC. (SPECIFY)	32B. NOT SINGLE BIRTH - BORN FIRST, SECOND, THIRD, ETC. (SPECIFY)	
24C. DATE OF LAST LIVE BIRTH (MO., DAY, YR.)		24E. DATE OF LAST OTHER TERMINATION (MO., DAY, YR.)				

REV. 1/89

ORIGINAL COPY - STATE

# APPENDIX I

## STATE OF DELAWARE CERTIFICATE OF MARRIAGE

1

TO OFFICIANT - PLEASE COMPLETE LOWER PART OF FORM AND MAIL WITHIN 4 DAYS, COPIES 1, 3, AND 4 TO: OFFICE OF VITAL STATISTICS, P.O. Box 637, Dover, DE 19903.

OFFICE OF VITAL STATISTICS		<b>CERTIFICATE OF MARRIAGE</b> <b>State of Delaware</b> DIVISION OF PUBLIC HEALTH				STATE FILE NUMBER			
LOCAL REGISTRAR'S NO.	LICENSE NO. <b>58801</b>	NO. LICENSE APPLICATION		PLACE LICENSE ISSUED					
<b>GROOM</b>			<b>BRIDE</b>						
NAME	FIRST	MIDDLE	LAST	FIRST	MIDDLE	LAST			
RESIDENCE STREET OR NUMBER, CITY			RESIDENCE STREET OR NUMBER, CITY						
STATE		ZIP	COUNTY	STATE		ZIP	COUNTY		
DATE OF BIRTH		AGE		DATE OF BIRTH		AGE			
BIRTHPLACE (STATE OR FOREIGN COUNTRY)			BIRTHPLACE (STATE OR FOREIGN COUNTRY)						
WE HEREBY CERTIFY THAT THE INFORMATION PROVIDED IS CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF AND THAT WE ARE FREE TO MARRY UNDER THE LAWS OF THIS STATE									
SIGNATURE OF GROOM <b>X</b>			SIGNATURE OF BRIDE <b>X</b>						
FATHER	NAME	FIRST	MIDDLE	LAST	FATHER	NAME	FIRST	MIDDLE	LAST
	BIRTHPLACE (STATE OR FOREIGN COUNTRY)				BIRTHPLACE (STATE OR FOREIGN COUNTRY)				
MOTHER	MAIDEN NAME	FIRST	MIDDLE	LAST	MOTHER	MAIDEN NAME	FIRST	MIDDLE	LAST
	BIRTHPLACE (STATE OR FOREIGN COUNTRY)				BIRTHPLACE (STATE OR FOREIGN COUNTRY)				
<i>I hereby certify that on the _____ day of _____, 19____, _____ M. the aforementioned persons were by me united in marriage at _____ (CITY, TOWN, OR LOCATION) County of _____, in accordance with the Laws of the State of Delaware.</i>									
Signature of Clergy or Other Official ▶ _____					TITLE _____				
RESIDENCE-STATE _____					COUNTY _____				
1. NAME _____					RESIDENCE _____				
2. NAME _____					RESIDENCE _____				
3. NAME _____					RESIDENCE _____				
REGISTRAR'S SIGNATURE _____					DATE RECEIVED BY LOCAL REGISTRAR _____				

VALID ONLY IN THE STATE OF DELAWARE

STATE FILE COPY

	Number of this Marriage - 1st, 2nd, etc. (Specify below)	If Previously Married			Race/American Indian, Black, White, etc. (Specify below)	Education (Specify highest grade completed)	
		Date of First Marriage (Mth./Day/Year)	Last Marriage Ended by Death Divorce or Annul. (Specify below)	Last Marriage Ended on: Mth./Day/Year		Elementary/Secondary (0-12)	College (1-4 or 5+)
<b>GROOM</b>							
<b>BRIDE</b>							



# APPENDIX K

## STATE OF DELAWARE REPORT OF INDUCED TERMINATION OF PREGNANCY



**DELAWARE HEALTH  
AND SOCIAL SERVICES**

### REPORT OF INDUCED TERMINATION OF PREGNANCY

1. FACILITY NAME (if not clinic or hospital, give address)		2. CITY, TOWN, OR LOCATION OF PREGNANCY TERMINATION		3. COUNTY OF PREGNANCY TERMINATION	
4. FORM NUMBER		5. AGE LAST BIRTHDAY	6. MARRIED? <input type="checkbox"/> Yes <input type="checkbox"/> No	7. DATE OF PREGNANCY TERMINATION (Month, Day, Year)	
8a. RESIDENCE - STATE		8b. COUNTY	8c. CITY, TOWN, OR LOCATION	8d. ZIP CODE	
9. OF HISPANIC ORIGIN? <small>(Specify No or Yes - Italian, spec. Cuban, Mexican, Puerto Rican, et.</small>		10. RACE <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Other (specify _____)		11. EDUCATION <small>(Specify only highest grade completed)</small>	
<input type="checkbox"/> No <input type="checkbox"/> Yes Specify: _____				<input type="checkbox"/> Elementary/Secondary (0-12) <input type="checkbox"/> College (1-4 or 5+)	
12. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)	13. CLINICAL ESTIMATE OF GESTATION (Weeks)	14. PREVIOUS PREGNANCIES (Complete each section)			
		LIVE BIRTHS		OTHER TERMINATIONS	
		14a. Now Living	14b. Not Living	14c. Spontaneous	14d. Induced (Do not include this termination)
Number _____ <input type="checkbox"/> None		Number _____ <input type="checkbox"/> None		Number _____ <input type="checkbox"/> None	Number _____ <input type="checkbox"/> None
15. TYPE OF TERMINATION PROCEDURE <small>(Check only one)</small>					
<input type="checkbox"/> Suction Curettage <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) _____ <input type="checkbox"/> Dilation and Evacuation (D&E) <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin) <input type="checkbox"/> Sharp Curettage (D&C) <input type="checkbox"/> Hysterotomy/Hysterectomy <input type="checkbox"/> Other (Specify) _____					

**Mail completed forms to:**  
 Bureau of Health Planning and Resources Management  
 P.O. Box 637  
 Federal and Water Streets  
 Dover, DE 19903

## REFERENCES

- Alexander, G.R., and Cornely, D.A. Prenatal Care Utilization: Its Measurement and Relationship to Pregnancy Outcome. American Journal of Preventative Medicine. 3(5): 243-253, 1987.
- Alexander, G.R., Tompkins, M.E., Peterson, D.J., Hulsey, T.C., and Mor, J. Discordance Between LMP-Based and Clinically-Estimated Gestational Age: Implications for Research, Programs and Policy. Public Health Rep. 1995 Jul-Aug: 110(4): 395-402, 1995.
- Anderson, R.N. and Rosenberg, H.M. Age Standardization of Death Rates: Implementation of the Year 2000 Standard. National Vital Statistics Reports. Vol. 47(3). Hyattsville, MD National Center for Health Statistics, 1998.
- International Classification of Diseases, Ninth Revision, Clinical Modification. World Health Organization. Volume 1. Annotated Edition Third Printing. Edward: Brothers, Inc., Ann Arbor, Michigan, 1987.
- Kessner, D.M., Singer, J., Kalk, C.E., and Schlesinger, E.R. Infant Death: An Analysis by Maternal Risk and Health Care. Contrasts in Health Status. Vol. I. Washington, D.C. Institute of Medicine. National Academy of Sciences, 1973.
- McCormick, M.C. The Contribution of Low Birth Weight to Infant Mortality and Childhood Morbidity. N. Engl. J. Med. 312,82-89, Jan. 1985.
- National Cancer Institute. W. Haenszel, D.B. Loveland, and M.G. Sirken. Lung Cancer Mortality as Related to Residence and Smoking Histories. I. White Males. Journal of the National Cancer Institute. 28: 947-1001, 1962.
- National Center for Health Statistics. Instruction Manual, Part 11: Computer Edits for Mortality Data, Effective 1990. Public Health Service, Hyattsville, MD. November 1990.
- National Center for Health Statistics. Instruction Manual, Part 12: Computer Edits for Natality Data, Effective 1989. Public Health Service, Hyattsville, MD. June 1991.
- National Center for Health Statistics. Vital Statistics of the United States, 1986, Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 88-1114. Public Health Service, Washington. U.S. Government Printing Office, 1988.
- National Office of Vital Statistics, C.L. Chiang. Standard Error of the Age-Adjusted Death Rate. Vital Statistics-Special Reports. Vol. 47, No. 9. Public Health Service. Washington, D.C., Aug. 1961.
- Pearson, E.S., and Hartley, H.O. Biometrika Tables for Statisticians. Vol I. Cambridge University Press, 1970.
- Ventura, S.J., Taffel, S., and Mosher, W.D. Estimates of Pregnancies and Pregnancy Rates for the United States, 1976-1981. Public Health Reports. 100(1): 31-34, 1985.