

“Concerns about Low Milk Production”
Selected Bibliography

Nancy Mohrbacher, IBCLC, FILCA

Odom, E.C., Li, R., Scanlon, K.S., et al. Reasons for earlier than desired cessation of breastfeeding. *Pediatrics* 2013; 131(3):e726-e731.

Normal Milk Production and Weight Loss After Birth

Berlin, C. M. "Exclusive" breastfeeding of quadruplets. *Breastfeeding Medicine* 2007; 2(2), 125-126.

Chantry et al. Excess weight loss in first-born breastfed newborns relates to maternal intrapartum fluid balance. *Pediatrics* 2011; 127(1): e171-e179.

Cox, D. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: Endocrine relationships. *Exp Physiology* 1999; 84:421-34.

Daly, S.J.E., Owens, R. A., and Hartmann, P.E. The short-term synthesis and infant-regulated removal of milk in lactating women. *Exp Physiol* 1993; 78:209-20.

Davanzo, R., Cannioto, Z. Ronfami, L., et al. Breastfeeding and neonatal weight loss in healthy term infants. *J Hum Lact* 2013; 29(1):45-53.

DeCarvalho, M. et al. Effect of frequent breast feeding on early milk production and infant weight gain. *Pediatrics* 1983; 72:307-11.

Heinig, J. et al. Energy and protein intakes of breast-fed and formula-fed infants during the first year of life and their association with growth velocity: the DARLING study. *Am J Clin Nutr* 1993; 58:152-61.

Houston, M. J., Howie, P. W., & McNeilly, A. S. Factors affecting the duration of breast feeding: 1. Measurement of breast milk intake in the first week of life. *Early Hum Dev* 1983; 8(1), 49-54.

Ingram, J. C., Woolridge, M. W., Greenwood, R. J., & McGrath, L. Maternal predictors of early breast milk output. *Acta Paediatrica* 1999; 88(5), 493-499.

Kent, J.C., Prime, D.K., & Garbine, C.P. Principles for maintaining or increasing breast milk production. *JOGNN* 2012; 41: 114-121.

Kent, J. C. How breastfeeding works. *Journal of Midwifery & Women's Health* 2007; 52(6):564-570.

Kent, J. C., Mitoulas, L. R., Cregan, M. D., Ramsay, D. T., Doherty, D. A., & Hartmann, P. E. Volume and frequency of breastfeedings and fat content of breast milk throughout the day. *Pediatrics* 2006; 117(3), e387-395.

Mohrbacher, N. The magic number and long-term milk production. *Clinical Lactation* 2011; 2(1):15-18.

Neville, M., et al. Studies in human lactation. Milk volumes in lactating women during onset of lactation and full lactation. *Am J Clin Nutr* 1988; 48:1375-1386.

Nielsen, S.B., Reilly, J.J., Frewtrell, M.S., et al. (2011). Adequacy of milk intake during exclusive breastfeeding: A longitudinal study. *Pediatrics*, 128(4):e907-e914.

Noel-Weiss, J., et al. An observational study of associations among maternal fluids during parturition, neonatal output, and breastfed newborn weight loss. *Int Breastfeed J* 2011; 6:9.

Nommsen-Rivers, L. A., Heinig, M. J., Cohen, R. J., & Dewey, K. G. Newborn wet and soiled diaper counts and timing of onset of lactation as indicators of breastfeeding inadequacy. *J Hum Lact* 2008; 24(1), 27-33.

Prentice, A. et al. Evidence for local feedback control of human milk secretion. *Biochem Soc Trans* 1989; 17:122.

Shrago, L., Reifsnider, E., & Insel, K. (2006). The neonatal bowel output study: Indicators of adequate breast milk intake in neonates. *Pediatr Nurs*, 32(3): 195-201.

Yamauchi, Y., & Yamanouchi, I. (1990). Breast-feeding frequency during the first 24 hours after birth in full-term neonates. *Pediatrics*, 86(2), 171-175.

Zangen, S., Di Lorenzo, C., Zangen, T., Mertz, H., Schwankovsky, L., & Hyman, P. E. (2001). Rapid maturation of gastric relaxation in newborn infants. *Pediatric Research*, 50(5), 629-632.

Delayed Secretory Activation (Lactogenesis II): Birth & Other Risk factors

Beck, C. T., & Watson, S. (2008). Impact of birth trauma on breast-feeding: a tale of two pathways. *Nursing Research*, 57(4), 228-236.

Betzold, C. M., Hoover, K. L., & Snyder, C. L. (2004). Delayed lactogenesis II: a comparison of four cases. *Journal of Midwifery & Women's Health*, 49(2), 132-137.

Bodley, V., & Powers, D. (1999). Patient with insufficient glandular tissue experiences milk supply increase attributed to progesterone treatment for luteal phase defect. *Journal of Human Lactation*, 15(4), 339-343.

Chapman, D. J., & Perez-Escamilla, R. (1999). Identification of risk factors for delayed onset of lactation. *Journal of the American Dietetic Association*, 99(4), 450-454; quiz 455-456.

Chen, D. C., Nommsen-Rivers, L., Dewey, K. G., & Lonnerdal, B. Stress during labor and delivery and early lactation performance. *American Journal of Clinical Nutrition* 1998; 68(2), 335-344.

Dewey, K. G. (2001). Maternal and fetal stress are associated with impaired lactogenesis in humans. *Journal of Nutrition*, 131(11), 3012S-3015S.

Dewey, K. G., Nommsen-Rivers, L. A., Heinig, M. J., & Cohen, R. J. (2003). Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. *Pediatrics*, 112(3 Pt 1), 607-619.

Glueck, C. J., Salehi, M., Aregawi, D., Sieve, L., & Wang, P. Polycystic Ovary Syndrome: pathophysiology, endocrinopathy, treatment, and lactation. In T. W. Hale & P. E. Hartmann (Eds.), *Hale & Hartmann's Textbook of Lactation* (pp. 343-353). Amarillo, TX: Hale Publishing, 2007.

Grajeda, R., & Perez-Escamilla, R. (2002). Stress during labor and delivery is associated with delayed onset of lactation among urban Guatemalan women. *Journal of Nutrition*, 132(10), 3055-3060.

Hartmann, P., & Cregan, M. (2001). Lactogenesis and the effects of insulin-dependent diabetes mellitus and prematurity. *J Nutr* 131(11), 3016S-3020S.

Hilson, J. A., Rasmussen, K. M., & Kjolhede, C. L. (2004). High prepregnant body mass index is associated with poor lactation outcomes among white, rural women independent of psychosocial and demographic correlates. *J Hum Lact*, 20(1), 18-29.

Hoover, K. L., Barbalinardo, L. H., & Platia, M. P. (2002). Delayed lactogenesis II secondary to gestational ovarian theca lutein cysts in two normal singleton pregnancies. *J Hum Lact*, 18(3), 264-268.

Huggins, K. E., Petok, E. S., & Mireles, O. (2000). Markers of lactation insufficiency: A study of 34 mothers. In *Current Issues in Clinical Lactation*. Boston, MA: Jones and Bartlett.

Kugyelka, J. G., Rasmussen, K. M., & Frongillo, E. A. (2004). Maternal obesity is negatively associated with breastfeeding success among Hispanic but not Black women. *Journal of Nutrition*, 134(7), 1746-1753.

Marasco, L., Marmet, C., & Shell, E. (2000). Polycystic ovary syndrome: a connection to insufficient milk supply? *J Hum Lact*, 16(2), 143-148.

Mok, E., Multon, C., Piguel, L., Barroso, E., Goua, V., Christin, P., et al. (2008). Decreased full breastfeeding, altered practices, perceptions, and infant weight change of pre-pregnant obese women: a need for extra support. *Pediatrics*, 121(5), e1319-1324.

Neifert, M., DeMarzo, S., Seacat, J., Young, D., Leff, M., & Orleans, M. (1990). The influence of breast surgery, breast appearance, and pregnancy-induced breast changes on lactation sufficiency as measured by infant weight gain. *Birth*, 17(1), 31-38.

Neifert, M. R., McDonough, S. L., & Neville, M. C. (1981). Failure of lactogenesis associated with placental retention. *American Journal of Obstetrics and Gynecology*, 140(4), 477-478.

Patel, R. R., Liebling, R. E., & Murphy, D. J. Effect of operative delivery in the second stage of labor on breastfeeding success. *Birth* 2003; 30(4), 255-260.

Rasmussen, K. M. (2007). Association of maternal obesity before conception with poor lactation performance. *Annual Review of Nutrition*, 27, 103-121.

Rasmussen, K. M., & Kjolhede, C. L. (2004). Prepregnant overweight and obesity diminish the prolactin response to suckling in the first week postpartum. *Pediatrics*, 113(5), e465-471.

Schrager, S., & Sabo, L. (2001). Sheehan syndrome: a rare complication of postpartum hemorrhage. *Journal of the American Board of Family Practice*, 14(5), 389-391.

Sert, M., Tetiker, T., Kirim, S., & Kocak, M. (2003). Clinical report of 28 patients with Sheehan's syndrome. *Endocrine Journal*, 50(3), 297-301.

Sozmen, M. (1982). Effects of early suckling of cesarean-born babies on lactation. *Biology of the Neonate*, 62, 67-68.

Vanky, E., Isaksen, H., Moen, M. H., & Carlsen, S. M. (2008). Breastfeeding in polycystic ovary syndrome. *Acta Obstetrica et Gynecologica Scandinavica*, 87(5), 531-535.

Vazirinejad, R., Darakhshan, S., Esmaeili, A., & Hadadian, S. (2009). The effect of maternal breast variations on neonatal weight gain in the first seven days of life. *International Breastfeeding Journal*, 4, 13.

West, D., & Hirsch, E. (2008). *Breastfeeding after Breast and Nipple Procedures*. Amarillo, TX: Hale Publishing.

West, D., & Marasco, L. (2009). *The Breastfeeding Mother's Guide to Making More Milk*. New York, NY: McGraw Hill.

Willis, C. E., & Livingstone, V. (1995). Infant insufficient milk syndrome associated with maternal postpartum hemorrhage. *Journal of Human Lactation*, 11(2), 123-126.

Zargar, A. H., Salahuddin, M., Laway, B. A., Masoodi, S. R., Ganie, M. A., & Bhat, M. H. (2000). Puerperal alactogenesis with normal prolactin dynamics: is prolactin resistance the cause? *Fertility and Sterility*, 74(3), 598-600.

Supplementation

Academy of Breastfeeding Medicine. ABM clinical protocol #3: Hospital guidelines for the use of supplementary feedings in the healthy term breastfed neonate. *Breastfeed Med* 2009; 4(3): 175-82

DaMota, K., Banuelos, J., Goldbronn, J., Vera-Beccera, L.E., & Heinig, MJ. Maternal request for in-hospital supplementation of healthy breastfed infants among low-income women. *J Hum Lact* 2012; 29(4):476-482.

Flaherman, V.J., Aby, J., Burgos, A.E., Lee, K.A., Cabana, M.D., & Newman, T. Effect of early limited formula on duration and exclusivity of breastfeeding in at-risk infants: An RCT. *Pediatrics* 2013; 131(6):1059-65.

Greer, et al. Effects of early nutritional interventions on the development of atopic disease in infants and children: The role of maternal dietary restriction, breastfeeding, timing of introduction of complementary foods, and hydrolyzed formulas. *Pediatrics* 2008; 121:183-91

Newton, K.N., Chaudhuri, J., Grossman, X., and Merewood, A. Factors associated with exclusive breastfeeding among Latina women giving birth at a inner-city Baby-Friendly hospital. *J Hum Lact* 2009; 25(1):28-33.

Tender, J., Janakiram, J., Arce, E., et al. Reasons for in-hospital formula supplementation of breastfed infants from low-income families. *J Hum Lact* 2009; 25:11-17.,

Breast Pumping

Chapman, D. J., Young, S., Ferris, A. M., & Perez-Escamilla, R. (2001). Impact of breast pumping on lactogenesis stage II after cesarean delivery: a randomized clinical trial. *Pediatrics*, 107(6), E94.

Chatterton, R. T., Jr., Hill, P. D., Aldag, J. C., Hodges, K. R., Belknap, S. M., & Zinaman, M. J. (2000). Relation of plasma oxytocin and prolactin concentrations to milk production in mothers of preterm infants: influence of stress. *Journal of Clinical Endocrinology and Metabolism*, 85(10), 3661-3668.

Cregan, M. D., De Mello, T. R., Kershaw, D., McDougall, K., & Hartmann, P. E. (2002). Initiation of lactation in women after preterm delivery. *Acta Obstet Gynecol Scand*, 81(9), 870-877.

Hill, P. D., & Aldag, J. C. (2005). Milk volume on day 4 and income predictive of lactation adequacy at 6 weeks of mothers of nonnursing preterm infants. *Journal of Perinatal and Neonatal Nursing*, 19(3), 273-282.

Hill, P. et al. Primary and secondary mediators' influence on milk output in lactating mother of preterm and term infants. *J Hum Lact* 2005b; 21(2):138-50.

Hill, P. et al. Comparison of milk output between mothers of preterm and term infants: The first 6 weeks after birth. *J Hum Lact* 2005a; 21(1):22-30.

Hill, P. D., Aldag, J. C., Chatterton, R. T., & Zinaman, M. (2005c). Psychological distress and milk volume in lactating mothers. *Western Journal of Nursing Research*, 27(6), 676-693; discussion 694-700.

Hill, P. D., Aldag, J. C., Zinaman, M., & Chatterton, R. T., Jr. (2007). Comparison of milk output between breasts in pump-dependent mothers. *Journal of Human Lactation*, 23(4), 333-337.

Hurst, N. M., Valentine, C. J., Renfro, L., Burns, P., & Ferlic, L. (1997). Skin-to-skin holding in the neonatal intensive care unit influences maternal milk volume. *Journal of Perinatology*, 17(3), 213-217.

Jones, E. et al. A randomised controlled trial to compare methods of milk expression after preterm delivery. *Arch Dis Child Fetal Neonatal Ed* 2001; 85:F91-95.

Kent, J.C., et al. Effect of warm breastshields on breast milk pumping. *J Hum Lact* 2011; 27(4):331-38.

Kent, J. et al. Importance of vacuum for breastmilk expression. *Breastfeed Med* 2008; 3(1):11-19.

Kent, J. C., Ramsay, D. T., Doherty, D., Larsson, M., & Hartmann, P. E. (2003). Response of breasts to different stimulation patterns of an electric breast pump. *J Hum Lact*, 19(2), 179-186; quiz 187-178, 218.

Meier, P. et al. Choosing a correctly-fitted breastshield for milk expression. *Medela Messenger* 2004; 21(1):8-9.

Mohrbacher, N. The Magic Number and long-term milk production. *Clin Lact* 2011; 2(1):15-18.

Morton, J., et al. Combining hand techniques with electric pumping increases the caloric content of milk in mothers of preterm infants. *J Perinatol* 2012; Jan 5:1-6.

Morton, J., Hall, J. Y., Wong, R. J., Thairu, L., Benitz, W. E., & Rhine, W. D. Combining hand techniques with electric pumping increases milk production in mothers of preterm infants. *J Perinatology* 2009; 29(11), 757-764.

Parker, L.A., et al. Effect of early breast milk expression on milk volume and timing of lactogenesis stage II among mothers of very low birth weight infants: A pilot study. *J Perinatol* 2012; 32:205-09.

Ramsay, D. et al. The use of ultrasound to characterize milk ejection in women using an electric breast pump. *J Hum Lact* 2005; 421-28.

Ramsay, D. et al. Ultrasound imaging of milk ejection in the breast of lactating women. *Pediatrics* 2004; 113(2):361-67.

Galactogogues

Academy of Breastfeeding Medicine Protocol Committee. (2011). Use of galactogogues in initiating or augmenting the rate of maternal milk secretion. *Breastfeed Med* 6(1):41-49.

Anderson, P.O. The galactogogue bandwagon. *J Hum Lact* 2013; 29(1):7-10.

Anderson, P. O., & Valdes, V. (2007). A critical review of pharmaceutical galactagogues. *Breastfeed Med*, 2(4), 229-242.

Anfinson, T. J. (2002). Akathisia, panic, agoraphobia, and major depression following brief exposure to metoclopramide. *Psychopharmacology Bulletin*, 36(1), 82-93.

Auer, C., & Gromada, K. K. (1998). A case report of breastfeeding quadruplets: factors perceived as affecting breastfeeding. *J Hum Lac*, 14(2), 135-141.

Bozzo, P., Koren, G., & Ito, S. (2012). Health Canada advisory on domperidone. *Canadian Family Physician*, 58:952-53.

- Brown, T. E., Fernandes, P. A., Grant, L. J., Hutsul, J. A., & McCoshen, J. A. (2000). Effect of parity on pituitary prolactin response to metoclopramide and domperidone: implications for the enhancement of lactation. *Journal of the Society for Gynecologic Investigation*, 7(1), 65-69.
- Campbell-Yeo, M. L., Allen, A. C., Joseph, K. S., Ledwidge, J. M., Caddell, K., Allen, V. M., et al. (2010). Effect of domperidone on the composition of preterm human breast milk. *Pediatrics*, 125(1), e107-114.
- da Silva, O. P., Knoppert, D. C., Angelini, M. M., & Forret, P. A. (2001). Effect of domperidone on milk production in mothers of premature newborns: a randomized, double-blind, placebo-controlled trial. *Canadian Medical Association Journal*, 164(1), 17-21.
- Donovan, T.J. & Buchanan, K. Medications for increasing milk supply in mothers expressing breastmilk for their preterm hospitalized infants (Review). *Cochrane Database of Systematic Reviews* 2012, Issue 3, Art. No.: CD005544. DOI: 10.1002/14651858.CD005544.pub2.
- Ehrenkranz, R. A., & Ackerman, B. A. (1986). Metoclopramide effect on faltering milk production by mothers of premature infants. *Pediatrics*, 78(4), 614-620.
- Gabay, M. P. (2002). Galactogogues: medications that induce lactation. *J Hum Lact*, 18(3), 274-279.
- Grzeskowiak, L.E., Lim, S.W., Thomas, A.E., et al. Audit of domperidone use as a galactagogue at an Australian tertiary teaching hospital. *J Hum Lact* 2013; 29(1):32-37.
- Gupta, A. P., & Gupta, P. K. (1985). Metoclopramide as a lactagogue. *Clinical Pediatrics*, 24(5), 269-272.
- Hale, T. (2008). *Medications and Mothers' Milk* (13 ed.). Amarillo, TX: Hale Publishing.
- Hansen, W. F., McAndrew, S., Harris, K., & Zimmerman, M. B. (2005). Metoclopramide effect on breastfeeding the preterm infant: a randomized trial. *Obste Gynecol*, 105(2), 383-389.
- Hofmeyr, G. J., Van Iddekinge, B., & Blott, J. A. (1985). Domperidone: secretion in breast milk and effect on puerperal prolactin levels. *British Journal of Obstetrics and Gynaecology*, 92(2), 141-144.
- Ingram, J., Taylor, H., Churchill, C., Pike, A., & Greenwood, R. (2012). Metoclopramide or domperidone for increasing maternal breast milk output: A randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed*, 97(4):F241-45.
- Kauppila, A., Arvela, P., Koivisto, M., Kivinen, S., Ylikorkala, O., & Pelkonen, O. (1983). Metoclopramide and breast feeding: transfer into milk and the newborn. *European Journal of Clinical Pharmacology*, 25(6), 819-823.
- Kauppila, A., Kivinen, S., & Ylikorkala, O. (1981). A dose response relation between improved lactation and metoclopramide. *Lancet*, 1(8231), 1175-1177.
- Knoppert, D.C., Page, A., Warren, J., et al. The effect of two different domperidone doses on maternal milk production. *J Hum Lact* 2013; 29(1):38-44.
- Mortel, M. & Mehta, S.D. Systematic review of the efficacy of herbal galactogogues. *J Hum Lact* 2013; 29(2):54-62.
- Patil, S. P., Niphadkar, P. V., & Bapat, M. M. (1997). Allergy to fenugreek (*Trigonella foenum graecum*). *Annals of Allergy, Asthma, and Immunology*, 78(3), 297-300.
- Reddymasu, S. C., Soykan, I., & McCallum, R. W. (2007). Domperidone: review of pharmacology and clinical applications in gastroenterology. *American Journal of Gastroenterology*, 102(9), 2036-2045.

Sakha, K., & Behbahan, A. G. (2008). Training for perfect breastfeeding or metoclopramide: which one can promote lactation in nursing mothers? *Breastfeeding Medicine*, 3(2), 120-123.

Soykan, I., Sarosiek, I., & McCallum, R. W. (1997). The effect of chronic oral domperidone therapy on gastrointestinal symptoms, gastric emptying, and quality of life in patients with gastroparesis. *American Journal of Gastroenterology*, 92(6), 976-980.

Swafford, S., & Berens, P. (2000). Effect of fenugreek on breast milk volume. *ABM News & Views*, 6(3), 21.

Wan, E. W., Davey, K., Page-Sharp, M., Hartmann, P. E., Simmer, K., & Ilett, K. F. (2008). Dose-effect study of domperidone as a galactagogue in preterm mothers with insufficient milk supply, and its transfer into milk. *British Journal of Clinical Pharmacology*, 66(2), 283-289.

Websites

<http://newborns.stanford.edu/Breastfeeding/> Stanford School of Medicine website with videos on hand expression and hands-on pumping