



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Routine Inspection

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 3 calendar days for priority items, 10 days for priority foundation items (8-405.11) or 90 days for core items (8-406.11).

Food Establishment Inspection Report

Page 1 of 4

Delaware Division of Public Health Office of Food Protection 417, Federal St., Dover, DE 19901

Establishment: La Quetzalhera Address: 21 Georgetown Plaza City/State: 19947 Zip Code: 19947 Telephone: 854 0218

License/Permit #: S108566 Permit Holder: ETNOPAMTO FOODS, INC Purpose of Inspection: Est. Type: Risk Category: Multi High

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Table with 16 rows for foodborne illness risk factors and public health interventions, including categories like Supervision, Employee Health, Good Hygienic Practices, etc.

Risk factors are important practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public health interventions are control measures to prevent foodborne illness or injury.

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Table with 24 rows for good retail practices, including categories like Safe Food and Water, Food Temperature Control, Food Identification, etc.

Person in Charge (Signature): [Signature] Date: 1/17/2020 Inspector (Signature): EHSU 901 SC Follow-up: YES NO (Circle one) Follow-up Date:





Inspection Report

Page 34 of 34

Delaware Division of Public Health  
Health Systems Protection  
417 Federal St., Dover, DE 19901

License/Permit #

S 108566

Date

11/17/2020

Establishment

Address

City/State

Zip Code

Telephone

La Que Pasa Tacos

OBSERVATIONS AND CORRECTIVE ACTIONS

Item Number	Description
* 1	(210211) PIC - Failure to Demonstrate Knowledge of Food Safety
* Repeat 21	(350116) Hot Holding in Steam table chicken was approx 120°F + Rice 105°F
* 38	(6501.111) observed large Rodent Droppings in the water heated Room + Dead Roaches in Bar + under Three compartment sink, also Dead roaches in the Dry storage Room.
* Repeat 28	(720212) Rodenticide improperly contained in the Hot water heater Room - Must be stored in <del>Plastic</del> PROOF Boxes ( ) observed <sup>impr</sup> children in Kitchen area unauthorized person in Food est
* Repeat 36	Core violations (41204.111) No thermometer in walk in cooler
* 40	(540211) Employee observed with No Hair Restraint
* Repeat 56	(630311) Low light intensity in walk in cooler
* 49	(4601.1) Heavy mullen observed on the Fan guards in the walk in cooler + Debris on walls.
* 47	(4501.6) Walk in cooler Door NOT shutting Properly - Repair
* 49	(4601.11) Heavy debris on the inside of dish machine Doors
* 38	(62021) observed a Fly strip <sup>Hang</sup> from ceiling in Food Prep
Person in Charge (Signature)	Date: 11/17/2020
Inspector (Signature) EHS II 401 SC	Date: 11/17/2020



Inspection Report

Page 4 of 4

Delaware Division of Public Health  
Health Systems Protection  
417 Federal St., Dover, DE 19901

License/Permit # 5108566

Date 11/17/2020

Establishment La Quetza Teco

Address

City/State Georgetown

Zip Code 19947

Telephone

OBSERVATIONS AND CORRECTIVE ACTIONS

- | Item Number | Description  |
|-------------|--|
| 55          | (6201.13) Numerous Holes, crevices, Remained covering + wall Board Detached From wall Insect/Rodent Harboring Points |
| 39          | (330711) observed a stuffed animal/toy on a <del>see</del> plate.  |
| 38          | (620215) observed two Doors improper Pest Proofed easy access By Rodents/Insects                                     |
| 47          | (8511) observed shelving in Food Prep to Be Dry Rotted - Replace   |
| 39          | (330711) Trash Dumpsters Lids NOT shut   |
| 2           | (210217) No certified food Protection Manager  |

Due to the Numerous priority violations, evidence of pest & gross unsanitary conditions, this Facility is closed until further notice.  
Please call 302-744-4546 For further instructions after all priority repeat core violations, evidence of pest have been corrected

A \$50 re-inspection fee has been assessed. Due to repeat priority + core violation failure to correct may result in a \$1100 Re-inspection fee + administrative action against your permit.

Note: Facility elevated to High Risk

Person in Charge (Signature) *[Signature]*

Date: 11/17/2020

Inspector (Signature) EHS II 401

Date: 11/17/2020