HOMEOWNER

A homeowner may install plumbing in his own home; however, a plumbing permit must be obtained. The work must be done in accordance with the <u>State of Delaware Regulations Governing a Detailed Plumbing Code</u> and must be inspected by a State Plumbing Inspector.

UNDERGROUND INSPECTION - Inspection of any plumbing that will be under ground. Inspections must be made while under test, before concrete is poured.

ROUGH-IN INSPECTION - Inspection must be made of any plumbing that will be concealed by walls. Inspection must be made while under test, before walls are installed in a two-story home or finished basement. A **water test** on plastic pipes must be placed on all drainage and water piping.

FINAL INSPECTION- Inspection must be made when all fixtures have been set and the water system and hot water heater are operating.

You <u>must</u> provide this office with your permit number when requesting an inspection.

A cleaner must be used on all plastic piping and fittings before the solvent is used. The solvent used must be for the **exact** same type of pipe used. "All purpose" solvents are prohibited.

Purple primer and PVC cement must be used on all PVC pipes and fittings.

Hangers and supports must be installed on pipes at least every 4 feet for drain pipe and every 3 feet for water pipe.

A sleeve must be used on the pipe that passes through foundation wall.

Lead-free solder is required.

Water lines underground must not be less than 160 lb. p.s.i.

Each Dwelling must have at least one 2" vent and vents must be extended at least 12" above the roof.

Each dwelling must have a clothes washer hook-up, kitchen sink, water closet and one lavatory. The standpipe for the washer must be no less than 18" or no greater than 42" in height.

A backflow prevention device must be installed where applicable and on all hose bibs.

The first 12" of connections to the water heater must be of metal pipe or an approved flex connector.

No vent should terminate within 10 feet of any window or opening.

"S" traps are prohibited. They have been replaced by the use of "P" traps.

Type M and Type WM copper are prohibited.

Automatic and/or mechanical vents are prohibited. Properly approved drain pans must be installed under storage tank type water heater. Expansion tanks are required on storage tank type water heaters that are connected to public water systems.

Low-volume, 1.5-gallon toilets are required.

Scald guard protection is required on shower faucets and deck mounted tubs.

All plumbing fixtures must be code compliant.

All plumbing must be done in a good workmanship-like manner.

Completed applications must be returned to the State Plumbing Office listed below.

KENT COUNTY SUSSEX COUNTY

Plumbing Inspection Program Plumbing Inspection Program

Thomas Collins Building Thurman Adams State Service Center

540 S. DuPont Highway, Suite 5, 3rd Floor 544 S. Bedford Street

Dover, DE 19901 Georgetown, DE 19947

Phone: (302) 741-9030 Phone: (302) 515-3280

Fax: (302) 739-1957 Fax: (302) 515-3281

Plumbing Inspectors: Plumbing Inspectors:

Curtis Davidson Kenny Archer

Marvin Sharp Eric Fairbee

Howard Hudson

Office Hours: Mon-Fri 8 AM to 4:30 PM Gary Ingram

Office Hours: Mon-Fri 8 Am to 4:30 PM

PERMIT APPLICATIONS CAN BE DROPPED OFF
ANYTIME BETWEEN THE HOURS LISTED ABOVE
FOR EACH OFFICE

The attached drawings of plumbing installations are intended to help refresh your memory when you actually install the plumbing in your home. They are not designed to teach plumbing or replace a meeting with State Plumbing Inspector. If you do not understand this material please consult with a technical advisor doe assistance. If you do not have a technical advisor. You may wish to consider employing a Delaware Licensed Plumber.

HOMEOWNER ONLY Page 1 of 2

Thomas Collins Building 540 South DuPont Highway Suite 5, 3rd Floor Dover, DE 19901 Phone (302) 741-9030 Fax (302) 739-1957



Thurman Adams State Service Center 544 South Bedford Street Georgetown, DE 19947 Phone (302) 515-3280 Fax (302) 515-3281

PLUMBING PERMIT APPLICATION

(PLUMBING PERMIT TO BE SECURED 24 HOURS BEFORE WORK STARTS)

	LDER INFORMA			Date	
Signature Home	owner				
Mailing Address	s of Permit Holder				
Primary Contact Number			Email		
				cription and plan is submitt	
JOB SITE INF	OPMATION				
			Т	ot No	
Road Name			Lot No Town		
Road NameHouse Number			Kent County or Sussex County		
Tiouse Trumber _					
Directions to job	site from permit offic	ce, be specific			
Number of Stori	90]	DESCRIPTION	OF PLAN	
Number of Stories		FIXTURES		For Office Use Only	
			_	For Office Use Offiny	
	Water Closet	How Many	_		
	Lavatory		Sticker #	UG	
ВАТН	Bath Tub				
BAIII	Shower			RI	
	Bidet				
KITCHEN	Kitchen Sink		Sticker #	E	
	Dishwasher				
				NO MINIS (TI AM	
	Ice Maker		_	NOTES (For office us	e only)
	Washer		_		
	Utility Sinks O/S Hose Bib		_		
UTILITIES	O/S Hose Bib		-		
UTILITIES	Water Conditioner		_		
	Water Heater		1		
	Bar Sinks				
	Back Flow				
OTHER					
The Div	vision of Public Health	has 3 working day	s to respond to an	inspection Request	
Please	make checks paya	ble to STATE	OF DELAWAR	RE.	
		FOR (OFFICIAL USE	ONLY	
STICI	KER #				
1	UG				
·	_	PERMIT I	SSUED	NO	
2	_RI				
		PERMIT I	SSUED BY		
3	_F				

1/06/21

SECTION 111.5 UNLAWFUL ACTS – SECTION 108.1

It shall be unlawful for any person to work as a licensed plumber in the State of Delaware unless such person has received a license from the Delaware Department of Administrative Services, Division of Professional Regulations, showing that said person has been duly licensed as a plumber, except as provided by 24 Delaware Code 1813, and has a permit issued by the Division of Public Health.

EXCEPTION

The homeowner of a single-family residence occupied,	or to be occupied by him/her, and not for sale, rent o
lease, may perform plumbing work only on such reside	nce itself, and/or auxiliary structures, and in
compliance with a permit issued by the Division of Pub	lic Health, or applicable authority, and in complianc
with all provisions of these regulations.	
Signature of Homeowner	Date

Must Include this Signed Form with Application