

Delaware Weekly Influenza Surveillance Report

Week 04 (January 23-29, 2011) Delaware Division of Public Health

National Synopsis-2010-2011:

NOTE: National data is updated Friday of each week. Please visit http://www.cdc.gov/flu/weekly/ for the most current information.

Delaware Influenza Surveillance-2010-2011:

†Influenza Positive and Confirmed Cases Reported During Week 04 (Week ending January 29, 2011)


Confirmed Flu Cases by Subtype		2010	2011				
		Wk40 thru Wk52	Wk1	Wk2	Wk3	Wk4	YTD
	A (2009 H1)	9	13	28	45	45	140
Statewide	A (H3)	33	20	22	34	31	140
	Unknown	0			0	1	1
ate	A (unable to subtype)	0			0	0	0
St	A (subtyping not performed)	2	2		6	16	26
	В	3	4	3	13	8	31
ıty	A (2009 H1)	2	7	8	12	7	36
New Castle County	A (H3)	15	7	9	5	5	41
<u>e</u>	Unknown	0				1	1
ast	A (unable to subtype)	0					0
> 3	A (subtyping not performed)	2			5	6	13
N S	В	2	1		7	2	12
	A (2009 H1)	6	5	14	26	25	76
nty	A (H3)	5	4	6	15	20	50
ino	Unknown	0					0
Kent County	A (unable to subtype)	0					0
<u>K</u> e	A (subtyping not performed)	0	1			6	7
	В	1	2	3	4	4	14
Sussex County	A (2009 H1)	1	1	6	7	13	28
	A (H3)	13	9	7	14	6	49
	Unknown	0					0
, sex	A (unable to subtype)	0					0
Sus	A (subtyping not performed)	0	1		1	4	6
	В	0	1		2	2	5

Number of Cases


45 40 35

Page 2 of 14


Confirmed Flu Cases by Age Group		2010			2011		
		Wk40 thru Wk52	Wk1	Wk2	Wk3	Wk4	YTD
	0-4 years	18	11	8	24	14	75
Statewide	5-24 years	9	14	23	35	54	135
tew	25-49 years	8	9	17	24	23	81
Sta	50-64 years	6	3	5	8	7	29
	65+ years	6	2		7	3	18
nty	0-4 years	7	3	3	7	2	22
noo	5-24 years	4	3	4	9	8	28
tle (25-49 years	4	5	7	7	7	30
Č	50-64 years	3	3	3	1	2	12
New Castle County	65+ years	3	1		5	2	11
<u>></u>	0-4 years	5	4	2	9	8	28
Kent County	5-24 years	2	6	14	21	34	77
ပိ	25-49 years	4	2	7	10	11	34
ent	50-64 years	1			4	1	6
~	65+ years	0			1	1	2
Sussex County	0-4 years	6	4	3	8	4	25
	5-24 years	3	5	5	5	12	30
ŭ ×	25-49 years	0	2	3	7	5	17
SSe	50-64 years	2		2	3	4	11
Su	65+ years	3	1		1	0	5



Flu Hospitalizations by Subtype		2010	2011				
		Wk40 thru Wk52	Wk1	Wk2	Wk3	Wk4	YTD
	A (2009 H1)	4	4	3	3		14
Statewide	A (H3)	11	4	1	5		21
	A (H1)	0				2	2
ate	A (unable to subtype)	0					C
St	A (subtyping not performed)	0			1		1
	В	0	2				2
nty	A (2009 H1)	1	4	2	1		8
oni	A (H3)	6	3	1	3		13
New Castle County	A (H1)	0				2	2
	A (unable to subtype)	0					C
	A (subtyping not performed)	0			1		1
Ne	В	0	1				1
	A (2009 H1)	3			2		5
nty	A (H3)	0					C
Kent County	A (H1)	0					C
nt (A (unable to subtype)	0					C
Ke	A (subtyping not performed)	0					C
	В	0	1				1
Sussex County	A (2009 H1)	0		1			1
	A (H3)	4	1	1	2		8
	A (H1)	0					0
	A (unable to subtype)	0					0
	A (subtyping not performed)	0					0
	В	0					0



Flu Hospitalizations by Age Group		2010	2011				
		Wk40 thru Wk52	Wk1	Wk2	Wk3	Wk4	YTD
	0-4 years	4	2				6
ide	5-24 years	0	1	1		1	3
Statewide	25-49 years	2	4	1	3	1	11
Stat	50-64 years	3	1	3	1		8
	65+ years	5	2		5		12
New Castle County	0-4 years	1	1				2
Cor	5-24 years	0	1			1	2
ıstle	25-49 years	1	4	1	1	1	8
°C ×	50-64 years	2	1	2			5
Ne	65+ years	3	1		3		7
>-	0-4 years	1	1				2
nu	5-24 years	0					0
8	25-49 years	1			2		3
Kent County	50-64 years	1					1
~	65+ years	0			1		1
Sussex County	0-4 years	2					2
	5-24 years	0		1			1
	25-49 years	0					0
	50-64 years	0		1	1		2
Su	65+ years	2	1		1		4



Total Flu-related Deaths in Delaware	Wk40 thru	Wk 01 thru	YTD
2010 – 2011 Influenza Season	Wk52	Wk04	
	0	0	0

Annual Seasonal Flu Case Totals				
2004	995			
2005	541			
2006	508			
2007	1401			
2008	738			
2009-2010	2, 247			
2010-2011	338			

- * Based on patients with positive nucleic acid and viral culture test results reported to the Division of Public Health.
- † Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks may be adjusted to reflect additional cases.
 - §§ Confirmed Influenza cases from all reporting sources (including State Lab)

NOTE: The data provided may not be a true reflection of the total number of people who have been infected with influenza virus in Delaware, chiefly due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.

Level of Influenza Activity in Delaware, Week 04:

Widespread

Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.


Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.

- No Activity: No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.
- Sporadic: Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
- ► Local: Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI <u>OR</u> two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties.
- ▶ Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)
- Widespread: Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.

ILINet (Sentinel) Provider Surveillance Network:


An ILINet (Sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the state health department and the Centers for Disease Control and Prevention. Data reported by ILINet (Sentinel) providers, in combination with other influenza surveillance data, provide a national and statewide picture of influenza virus and ILI activity in the U.S.

Influenza-like illness reported from ILINet (Sentinel) Providers
Delaware 2010-2011
10 of 17 Sentinels reporting




Regional Baseline for 2010-2011 applicable to: Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.6%.

Hospital Electronic Surveillance Data: Delaware 2010-2011 5 of 5 hospitals reporting




Hospital Manual Surveillance Data: Delaware 2010-2011 3 of 3 hospitals reporting




Page 11 of 14


Influenza-like illness reported from Federally Qualified Health Centers (FQHCs): Delaware 2010-2011 1 of 2 centers reporting (LaRed)




Influenza-like illness reported from Long-Term Care Facilities (LTCFs):
Delaware 2010-2011
11 of 19 facilities reporting



Influenza-like illness reported from Colleges/Universities: Delaware 2010-2011 Delaware 2010 - 2011 3 of 3 schools reporting




Influenza-like illness reported from Daycare Providers: Delaware 2010-2011 4 of 13 providers reporting



Page 13 of 14

Influenza-like illness reported from DE Correctional Facilities: Delaware 2010-2011 2 of 4 facilities reporting (Baylor & Sussex Correctional)



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit <u>flu.delaware.gov</u> or call (302) 744-4704.