

Delaware Weekly Influenza Report MMWR Week 49 (December 6-12, 2015) Delaware Division of Public Health

National Influenza Synopsis 2015-2016:

National data are updated Friday of each week. Please visit http://www.cdc.gov/flu/weekly/ for the most current information. During MMWR Week 49 (December 6-12, 2015) influenza activity increased slightly in the U.S. but remained low overall. The most frequently identified influenza virus type reported by public health laboratories continues to be influenza A viruses, with influenza A (H3) viruses predominating. The percentage or respiratory specimens testing positive for influenza in clinical laboratories remained low. Guam reported widespread spread activity. Regional activity was reported by Puerto Rico and two states (Maryland and New Hampshire). Local activity was reported by twelve states (Alabama, Arizona, Connecticut, Idaho, lowa, Kentucky, Massachusetts, Nevada, New Jersey, North Carolina, Texas and Utah). Sporadic activity was reported by 33 states, the District of Columbia and the U.S. Virgin Islands. No influenza activity was reported by three states (Delaware, Mississippi and Rhode Island). Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2015-2016:

During MMWR Week 49, there were no laboratory-confirmed cases of influenza reported among Delaware residents. Reports of influenza-like illness (ILI) received from participating providers, facilities and institutions in Delaware show ILI is 0.13%, compared with the baseline of 1.8%. Nationally, ILI is 1.9% (national baseline is 2.1%).

Level of Influenza Activity in Delaware, MMWR Week 49:

No Activity

No laboratory-confirmed cases of influenza and no reported increase in the number of cases of ILI.

Influenza-like illness (ILI) is defined as patients presenting with fever of 100° F or greater, cough and/or sore throat in the absence of a known cause other than influenza.

No Activity: No laboratory-confirmed cases of influenza and no reported increase in the number of cases of ILI.

Sporadic: Small numbers of laboratory-confirmed influenza cases or a single laboratory-confirmed influenza outbreak has been reported, but there is no increase in cases of ILI.

Local: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in a single region of the state.

Regional: Outbreaks of influenza or increases in ILI and recent laboratory-confirmed influenza in at least two but less than half the regions of the state with recent laboratory evidence of influenza in those regions.³

Widespread: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in at least half the regions of the state with recent laboratory evidence of influenza in the state.

Region = population under surveillance in a defined geographical subdivision of a state. Regions typically include several counties. Regional doesn't apply to states with \leq four counties.

In this report:	page
Influenza positive cases reported statewide and county, by subtype, Delaware 2015-16	2
Influenza positive cases reported statewide and county by age group, Delaware 2015-16	2
Confirmed cases of influenza by type and subtype, Delaware 2015-16	3
Influenza-related hospitalizations, statewide and county, by age group, Delaware 2015-16	3
Influenza-related deaths, Delaware 2015-16	3
Annual number of influenza cases reported by flu season, Delaware 2004-2005 through 2015-16	4
Percentage of visits for influenza-like illness reported by sentinel providers participating in the ILINet, Delaware 2015-16	4
Influenza-like illness reported by ILI reporting partners, Delaware 2015-16	5
Percentage of Delaware emergency department visits related to influenza, Delaware 2015-16	5
Summary of International Influenza Activity	6

¹ 2015-2016 Region 3 (DE, DC, MD, PA, VA and WV) baseline = 1.8%.

Laboratory-confirmed case = case confirmed by viral culture or PCR.

Table 1a. Influenza positive¹ cases reported² statewide and county by subtype (A) or lineage (B)³, Delaware 2015-16

	onfirmed Flu s by Subtype / Lineage	Week 40	Week 41	Week 42	Week 43	Week 44	Week 45	Week 46	Week 47	Week 48	Week 49	YTD	YTD Total	YTD County %
	A / 2009 H1N1	1	0	0	0	0	0	0	0	0	0	1		
ш	A / 2012 H3N2	0	0	1	0	0	0	0	0	1	0	2		
STATEWIDE	A / no subtype	0	0	0	0	1	0	0	0	1	0	2	9	
Į.	B / Yamagata	0	0	0	0	1	0	0	1	1	0	3	3	
ST/	B / Victoria	0	0	0	0	0	0	0	0	0	0	0	-	
	B / no lineage	0	1	0	0	0	0	0	0	0	0	1		
	A / 2009 H1N1	1	0	0	0	0	0	0	0	0	0	1		
a)	A / 2012 H3N2	0	0	1	0	0	0	0	0	0	0	1		44.4%
astle	A / no subtype	0	0	0	0	0	0	0	0	0	0	0	4	
New Castle County	B / Yamagata	0	0	0	0	0	0	0	1	1	0	2		
Š	B / Victoria	0	0	0	0	0	0	0	0	0	0	0		
	B / no lineage	0	0	0	0	0	0	0	0	0	0	0		
	A / 2009 H1N1	0	0	0	0	0	0	0	0	0	0	0		
	A / 2012 H3N2	0	0	0	0	0	0	0	0	0	0	0		
Kent	A / no subtype	0	0	0	0	1	0	0	0	1	0	2		00.00/
₹ S	B / Yamagata	0	0	0	0	0	0	0	0	0	0	0	3	33.3%
	B / Victoria	0	0	0	0	0	0	0	0	0	0	0		
	B / no lineage	0	1	0	0	0	0	0	0	0	0	1		
	A / 2009 H1N1	0	0	0	0	0	0	0	0	0	0	0		
	A / 2012 H3N2	0	0	0	0	0	0	0	0	1	0	1		
Sussex	A / no subtype	0	0	0	0	0	0	0	0	0	0	0		00.00/
Sus	B / Yamagata	0	0	0	0	1	0	0	0	0	0	1	2	22.2%
	B / Victoria	0	0	0	0	0	0	0	0	0	0	0		
	B / no lineage	0	0	0	0	0	0	0	0	0	0	0		

Table 1b. Influenza positive¹ cases reported² statewide and county by age group, Delaware 2015-16

Cas	firmed Flu ses by Age Group	Week 40	Week 41	Week 42	Week 43	Week 44	Week 45	Week 46	Week 47	Week 48	Week 49	YTD	YTD Total	YTD County %
ш	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
₽	5-24 years	0	0	0	0	0	0	0	0	3	0	3		
1	25-49 years	1	1	1	0	1	0	0	1	0	0	5	9	
STATEWIDE	50-64 years	0	0	0	0	1	0	0	0	0	0	1		
.,	65+ years	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
λ if	5-24 years	0	0	0	0	0	0	0	0	1	0	1	4	44.4%
New Castle County	25-49 years	1	0	1	0	0	0	0	1	0	0	3		
န္ ပိ	50-64 years	0	0	0	0	0	0	0	0	0	0	0		
z	65+ years	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
	5-24 years	0	0	0	0	0	0	0	0	1	0	1		
Kent	25-49 years	0	1	0	0	1	0	0	0	0	0	2	3	33.3%
ㅈ 호	50-64 years	0	0	0	0	0	0	0	0	0	0	0		
	65+ years	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
ž ž	5-24 years	0	0	0	0	0	0	0	0	1	0	1		
Sussex	25-49 years	0	0	0	0	0	0	0	0	0	0	0	2	22.2%
S O	50-64 years	0	0	0	0	1	0	0	0	0	0	1		
	65+ years	0	0	0	0	0	0	0	0	0	0	0		


Based on patients with positive nucleic acid or viral culture test results reported to the Division of Public Health.

MMWR Week 49 = December 6-12, 2015

Reports are by the date the laboratory results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.

The Division of Public Health Laboratory now has the capability to identify lineage for Influenza B. Since some laboratories in the state do not have this capability, those influenza cases will be categorized as Influenza B, no lineage identified.

Figure 1. Confirmed cases¹ of influenza by type and subtype/lineage, Delaware 2015-16*



Based on patients with positive nucleic acid or viral culture test results reported to the Delaware Division of Public Health.

Table 2. Influenza-related hospitalizations statewide and county, by age group, Delaware 2015-16

Cas	oitalized Flu ses by Age Group	Week 40	Week 41	Week 42	Week 43	Week 44	Week 45	Week 46	Week 47	Week 48	Week 49	YTD	YTD Total	YTD County %
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
₽	5-24 years	0	0	0	0	0	0	0	0	1	0	1		
Ī	25-49 years	0	0	0	0	0	0	0	0	0	0	0	1	
STATEWIDE	50-64 years	0	0	0	0	0	0	0	0	0	0	0		
0,	65+ years	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
y tle	5-24 years	0	0	0	0	0	0	0	0	1	0	1		
New Castle County	25-49 years	0	0	0	0	0	0	0	0	0	0	0	1	100.0%
န္ခ ပိ	50-64 years	0	0	0	0	0	0	0	0	0	0	0		
Z	65+ years	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
	5-24 years	0	0	0	0	0	0	0	0	0	0	0		
Kent	25-49 years	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
ㅈ 호	50-64 years	0	0	0	0	0	0	0	0	0	0	0		
	65+ years	0	0	0	0	0	0	0	0	0	0	0		
	0-4 years	0	0	0	0	0	0	0	0	0	0	0		
tç şe	5-24 years	0	0	0	0	0	0	0	0	0	0	0		
Sussex	25-49 years	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
S O	50-64 years	0	0	0	0	0	0	0	0	0	0	0		
	65+ years	0	0	0	0	0	0	0	0	0	0	0		

Table 3. Influenza-related deaths, Delaware 2015-16

	fluenza- Related	Week 40	Week 41	Week 42	Week 43	Week 44	Week 45	Week 46	Week 47	Week 48	Week 49	YTD
ı	Deaths	0	0	0	0	0	0	0	0	0	0	0


Table 4. Annual number of influenza cases reported by flu season, Delaware 2004-05 through 2015-16

Influenza Season	Total Annual Influenza Cases
2004 – 2005	995
2005 – 2006	541
2006 – 2007	508
2007 – 2008	1,401
2008 – 2009	738
2009 – 2010	2,247
2010 – 2011	1,479
2011 – 2012	267
2012 – 2013	1,781
2013 – 2014	1,842
2014 – 2015	2,390
2015 – 2016 (YTD)	9

U.S. Outpatient Influenza-Like Illness Surveillance Network (ILINet) Sentinel Providers

An ILINet (sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention (CDC). Data reported by ILINet providers, in combination with other influenza surveillance data, provide a national and statewide picture of influenza activity in the U.S.


Figure 2. Percentage of visits for influenza-like illness reported by sentinel providers¹ participating in the U.S. Outpatient ILI Surveillance Network (ILINet), Delaware 2015-16



¹ Eleven of 17 sentinel providers reported.

² Regional baseline is calculated by CDC using non-influenza weeks from the previous three influenza seasons. Delaware is in Region 3 that includes DE, DC, MD, PA, VA and WV.

Figure 3. Influenza-like illness reported by influenza surveillance ILI reporting partners¹, Delaware 2015-16




¹ ILINet reporting partners include long-term care facilities, colleges / universities, correctional facilities and daycare facilities. Federally qualified health centers are now CDC ILINet sentinel providers.

Note that the sentine of the sent

5 % ILI= percentage of children absent with ILI; No daycare providers reported.

Figure 4.



 [%] ILI= percentage of residents with ILI symptoms. Seven long-term care facilities reported.
 % ILI= percentage of student visits for ILI; Two universities reported.
 % ILI= percentage of visits for ILI at the correctional facility; Ten correctional facilities reported.

Summary of International Influenza Activity

Globally, influenza activity generally remained low in both hemispheres. In North America, influenza and other respiratory virus activity continued at low, inter-seasonal levels. In the Caribbean, low influenza and other respiratory virus activity was reported in most countries. In Central America, influenza and other respiratory virus activity remained low overall. Influenza A(H3N2) activity continued to increase in recent weeks in Costa Rica and El Salvador, while influenza A(H1N1)pdm09 activity continued to increase in Nicaragua.

In Northern Europe, there were slight increases in influenza detections in recent weeks and in the rest of Europe influenza activity continued at low, inter-seasonal levels. Countries in Southern and South East Asia reported low influenza activity overall except Thailand where activity mainly due to B viruses continued to be reported. In a few countries in Central Asia and in Eastern Asia, influenza activity continued at low, inter-seasonal levels. In western Asia, Oman reported increased influenza activity while Bahrain reported a decline in influenza activity.

In Northern Africa, influenza activity continued at low, inter-seasonal levels. Few influenza virus detections were reported by countries in tropical Africa. In temperate countries of the southern hemisphere, respiratory virus activity was generally low in recent weeks, with low levels of influenza A(H3N2) and B virus detections reported.

Source: World Health Organization (WHO), 2015. Influenza Update Number 252 (12/14/15). Retrieved on December 17, 2015, from http://www.who.int/influenza/surveillance_monitoring/updates/latest_update_GIP_surveillance/en/ Reports are updated biweekly.

NOTE: The data provided do not reflect the total number of individuals who have been infected with the influenza virus in Delaware during the reporting period due to the following factors:

- Many people ill with influenza-like symptoms do not seek medical care.
- Many who do seek medical care are not tested for influenza.
- > The Delaware Public Health Laboratory is limited by capacity to processing a maximum of three specimens per day from each reporting entity.

The Delaware Division of Public Health (DPH) is committed to serving you better by providing the most accurate, up-to-date influenza data available.

- For general information on influenza, visit flu.delaware.gov or http://dhss.delaware.gov/dhss/dph/dpc/immunize-flu.html.
- > For specific information on DPH flu clinics, visit http://dhss.delaware.gov/dhss/dph/fluclinics.html.
- > For questions on Delaware's weekly flu report, call the DPH Office of Infectious Disease Epidemiology: 302-744-4990.
- For questions regarding influenza vaccination, please call 302-744-1060.