

DELAWARE VITAL STATISTICS ANNUAL REPORT MORTALITY, 2020



Suggested Citation:


Delaware Health Statistics Center. *Delaware Vital Statistics Annual Report, 2020*.
Delaware Department of Health and Social Services, Division of Public Health: 2023.

CHILD MORTALITY

For 2016-2020, 293 children and adolescents between the ages of 1 and 19 died in Delaware, representing 0.6 percent of the total deaths that occurred during that time. Males accounted for 68 percent of all child deaths in 2015-2019.

Mortality rates for children ages 1 to 19 have been on a downward trend since 2000-2004, which had the highest rate of 35.6. By 2016-2020, the rate decreased 26 percent to 26.5 child deaths (ages 1-19) per 100,000 population.


Figure 43. Five-year Average Child (1-19) Mortality Rates, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

Figure 44. Leading Causes of Child Mortality, Delaware, 2016-2020


Accidents, homicide, suicide, and birth defects were the four most common causes of child mortality in 2016-2020. Together, they accounted for nearly two-thirds of all child deaths.



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

From 2000-2004 to 2016-2020, rates for one of the four leading causes of mortality in children ages 1-19 declined. Unintentional injury mortality rates declined 58 percent (16.6 to 6.9 deaths per 100,000 children). Homicide mortality rates increased by 107 percent from 2000-2004 to 2016-2020 (2.8 to 5.8 deaths per 100,000 children), suicide mortality rates increased four percent to 2.5 deaths per 100,000 children, and birth defects remained constant at 1.6 deaths per 100,000 children. Cancer deaths were the fifth leading cause of deaths for children although the rate decreased 57 percent from 2000-2004 to 2016-2020 (3.0 to 1.3 deaths per 100,000 children).

Figure 45. Five-year Average Child (1-19) Mortality Rates, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

The most common causes of child deaths in 2016-2020 are:


- Motor vehicle crashes accounted for 58 percent of all deaths due to unintentional injuries. The second and third most common causes of unintentional injury deaths of children were poisoning and drowning, which accounted for 18 and 11 percent of unintentional deaths, respectively.
- Most child homicides were due to firearms (80%) and cut/pierce (3%).
- The majority of child cancer deaths were due to brain cancer (36%) and leukemia (7%).
- Suffocation (46%), followed by firearms (32%), were the most common methods of suicide, which accounted for 78 percent of the total suicide deaths.

MORTALITY

More Delaware residents died in 2020 than in 2019. A total of 10,688 residents died, 56 of whom were infants under the age of 1. Deaths were split almost equally between males (51%) and females(49%). Cancer and heart disease were the most common causes of death, accounting for 39 percent of all deaths in 2020.

- Thirty percent of the Delawareans who died in 2020 were 85 or older. Deaths of those 75 and older accounted for more than half of all deaths.

Figure 46. Percentage of Deaths by Age, Delaware, 2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

- A Delaware resident born in 2020 could expect to live an average of 78 years.
- In 2020, life expectancy at birth varied by race and sex; non-Hispanic white females had the highest life expectancy (80.3) while non-Hispanic black males had the lowest (70.2).
- In 1989, 80 percent of Delaware decedents were buried and 15 percent were cremated. By 2020, the distribution had shifted: 39 percent of decedents were buried and 57 percent were cremated.
- In 2020, cancer was the leading cause of death in Delaware. Heart disease, COVID-19, accidents and strokes made up the remaining top five, while influenza and pneumonia became the tenth leading cause of death.

Figure 47. Number of Deaths by Leading Cause Delaware, 2020


Rank	Leading Cause of Death	Number
1	Malignant neoplasms	2,087
2	Diseases of heart	2,057
3	COVID-19	965
4	Accidents (unintentional injuries)	720
5	Cerebrovascular diseases	688
6	Alzheimer's disease	467
7	Chronic lower respiratory diseases	452
8	Diabetes mellitus	322
9	Nephritis, nephrotic syndrome & nephrosis	171
10	Influenza & pneumonia	150

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

MORTALITY

- Of the 720 deaths due to unintentional injury in 2020 (6.7% of all deaths), 15 percent were due to motor vehicle accidents and 84 percent were due to non-transport accidents. More than two thirds (71%) of the 431 non-transport accidents were caused by unintentional poisonings; the majority (98%) of unintentional poisonings were drug-induced poisonings.
- Unintentional poisonings surpassed motor vehicle injuries as the leading cause of unintentional injury death in 2020.
 - Poisonings caused the most unintentional injuries for non-Hispanic white and non-Hispanic black decedents. Motor vehicle traffic accidents were the second highest unintentional injuries for both non-Hispanic black males and females whereas falls were the second highest unintentional injuries for both non-Hispanic white males and females.
- In 2016-2020, accidents were the number one cause of deaths for people 1-44 years of age, and they were responsible for 45 percent of all deaths of people 15-24 years of age. For decedents ages 15-24, accidents, homicides, and suicides were the three most frequent causes of death and accounted for 82% of total deaths for that age group.

Figure 48. Accidental Causes of Death by Specific Cause of Injury, Delaware, 2020




Note: Classification of causes of death are specified in the Technical Notes and Appendices section of the report.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Cent

The leading causes of death varied by race and ethnicity. In 2019, the most common causes of death for non-Hispanic white, non-Hispanic black, and Hispanic Delawareans were:

Figure 49. Leading Causes of Death by Race and Ethnicity, Delaware, 2018




Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

Cancer mortality rates decreased in all three counties since the 2000-2004 time period. In 2016-2020, the five-year age-adjusted cancer mortality rate was 152 deaths per 100,000 population in Sussex County, 159 deaths per 100,000 population in New Castle County, and 173 deaths per 100,000 population in Kent County. The cancer mortality rate in Wilmington exceeded that of Kent County at 176 and is 11 percent higher than the Delaware age-adjusted cancer mortality rate of 159 deaths per 100,000 population .

Cancer mortality rates for non-Hispanic black and non-Hispanic white decedents followed the same declining trend. The disparity between the two has declined. In 2016-2020, the non-Hispanic black cancer mortality rate of 174 deaths per 100,000 population was 6.7 % higher than non-Hispanic white rate of 163 deaths per 100,000 population whereas in 2000-2004 the non-Hispanic black rate was 16 % higher (235.3 vs 202.8).


Figure 50. Five-year Age-Adjusted Cancer Mortality Rates by Race, Delaware, 2000-2020



Source: Delaware Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals

The same decreasing trend in the age-adjusted cancer mortality rates were reflected in the age-specific rates. Cancer mortality rates declined for all age groups between the 2000-2004 and 2016-2020 time periods. The 15-24 and 35-44 age groups experienced the largest decreases; 46 and 31 percent decreases, respectively.


Figure 51. Five-year Average Age-Specific Cancer Mortality Rates, Delaware, 2000-2004 and 2016-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

In 2016-2020, heart disease was the most common cause of death for non-Hispanic white and second most common cause of death for non-Hispanic black Delawareans. Both non-Hispanic black and non-Hispanic white heart disease mortality rates have declined significantly since 2000-2004, with non-Hispanic black rates declining 43 percent and the non-Hispanic white rates declining 36 percent.


Figure 52. Five-year Age-Adjusted Heart Disease Mortality Rates by Race, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals

Both non-Hispanic black and non-Hispanic white stroke mortality rates decreased from 2000-2004 to 2016-2020 (10% and 11%). In 2016-2020, the non-Hispanic black stroke mortality rate of 60 deaths per 100,000 population was 41 percent higher than the non-Hispanic white rate of 42 deaths per 100,000 population.

Figure 53. Five-year Age-Adjusted Stroke Mortality Rates by Race, Delaware, 2000-2020




Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals.

MORTALITY

Although non-Hispanic black mortality rates for diabetes declined 31 percent since 2000-2004, their rates were double that of non-Hispanic white rates in 2016-2020


Figure 54. Five-year Age-Adjusted Diabetes Mortality Rates by Race, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals

HIV/AIDS mortality has disproportionately affected Delaware's non-Hispanic black population. Although non-Hispanic black HIV/AIDS mortality rates decreased 83 percent since 2000-2004, their 2016-2020 mortality rate of 6 deaths per 100,000 population was 15 times that of the non-Hispanic white mortality rate. Non-Hispanic black residents made up only 22 percent of the total Delaware population in 2016-2020; however, non-Hispanic black decedents accounted for 76 percent of all deaths due to HIV/AIDS.

Figure 55. Five-year Age-Adjusted HIV/AIDS Mortality Rates by Race, Delaware, 2000-2020




In 2016-2020, HIV was the eighteenth leading cause of death for non-Hispanic black Delawareans; it ranked fifteenth for non-Hispanic black males.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals

Suicide mortality trends for non-Hispanic white populations increased 16 percent from 2000-2004 to 2016-2020, with the non-Hispanic white rate (15.1 deaths per 100,000 population) more than twice the non-Hispanic black rate (5.7 deaths per 100,000 population).


Figure 56. Five-year Age-Adjusted Suicide Mortality Rates by Race, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals

Homicide mortality rates increased 76 percent from 3.8 in 2000-2004 to 6.7 deaths per 100,000 population in 2016-2020. During the same period, the non-Hispanic black homicide rate increased 139 percent to 23.2 deaths per 100,000 population and the non-Hispanic white homicide mortality rate increased 29 percent from 1.7 to 2.2 deaths per 100,000 population.

Figure 57. Five-year Age-Adjusted Homicide Mortality Rates by Race, Delaware, 2000-2020




Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
 Note: Dashes represent upper or lower confidence intervals

MORTALITY

In 2000-2004, non-Hispanic white mortality rates for drug-induced deaths were 11 percent higher than non-Hispanic black rates. In 2016-2020, the disparity between these rates increased significantly with non-Hispanic white rates nearly twice the non-Hispanic black rates. Although the disparity exists between the races, both the non-Hispanic white and black mortality rates for drug-induced deaths increased since 2000-2004. In 2016-2020, the non-Hispanic white rate increased fivefold from 10.7 deaths per 100,000 population in 2000-2004 to 55.4 deaths per 100,000 population while the non-Hispanic black rates increased more than three times (9.6 to 31.9 deaths per 100,000 population) in the same timeframe.


Figure 58. Five-year Age-adjusted Mortality Rates for Drug-induced Deaths by Race, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

Non-Hispanic black decedents accounted for only 17 percent of drug induced deaths in 2016-2020. Fifty three percent of all drug-induced deaths were non-Hispanic white males. Non-Hispanic white males aged 25- to-54 made up the highest percentage of drug-induced deaths at 40 percent.


Figure 59. Distribution of Drug-induced Deaths by Race, Sex, and Age group, Delaware 2016-2020



Source: Delaware Health and Social Services, Division of Public Health, Delaware Health Statistics Center

In 2000-2004, the non-Hispanic white five-year age-adjusted drug overdose mortality rate of 9.43 was 21 percent higher than the non-Hispanic black rate of 7.78 deaths per 100,000 population. In 2016-2020, the non-Hispanic white five-year age-adjusted mortality rate for drug overdose deaths increased sixfold to 54 deaths per 100,000 population, while the non-Hispanic black rate increased four times to 31 deaths per 100,000 population.


Figure 60. Five-Year Age-adjusted Mortality Rates for Drug Overdose by Race, Delaware 2000-2020



Source: Delaware Department of Social Services, Division of Public Health, Delaware Health Statistics Center

In 2016-2020, 87 percent of drug overdose deaths were opioid related, 68 percent involved synthetic opioids other than methadone, 66 percent involved fentanyl, and 30 percent included heroin. Thirty seven percent of overdose deaths included cocaine. In the same timeframe, methadone contributed to the least number of drug overdose deaths at 7 percent.

Figure 61. Percentage of Drug Overdose Deaths by Type of Drug, Delaware, 2016-2020




Note: ICD codes Opioid: T40.0 to T40.4 and T40.6, Heroin: T40.1, Natural and semi-synthetic opioids: T40.2, Methadone: T40.3, Synthetic opioids, other than methadone :T40.4 (includes Fentanyl), Cocaine: T40.5, Other and unspecified narcotics: T40.6, Fentanyl is based on literal

Source: Delaware Department of Social Services, Division of Public Health, Delaware Health Statistics Center

In 2020, the U.S became consumed by the COVID-19 pandemic making it the third leading cause of death in 2020. Consistent with the whole of the U.S., COVID-19 was the third leading cause of death for Delaware residents in 2020 with 965 deaths, nine percent of the total deaths. COVID-19 deaths were split nearly evenly with males at 51%(487) and females at 49% (478) of the total COVID-19 deaths.


Figure 62. Number of Deaths by Leading Cause and Sex, Delaware, 2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center


COVID-19 was the third leading cause of death for both non-Hispanic white and non-Hispanic black decedents. Non-Hispanic white decedents had the largest number of deaths at 610, although COVID-19 was only 7 percent of the deaths for this group. COVID-19 was the leading cause of death for Hispanic decedents making up 18 percent of deaths in that group, 51 of the 285 Hispanic deaths in 2020. Eighty-three percent (799) of decedents that died from COVID-19 were sixty-five and older.

Figure 63. Percentage of COVID-19 Deaths by Race/Ethnicity, Delaware 2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

Figure 64. Percentage of COVID-19 Deaths by Age-Group, Delaware 2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-1. NUMBER OF DEATHS BY RACE, COUNTIES AND CITY OF WILMINGTON, U.S., DELAWARE, 2007-2020

Area/ Race	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
U.S.														
All Races	2,423,712	2,471,984	2,437,163	2,468,435	2,515,458	2,543,279	2,596,993	2,626,418	2,712,630	2,744,248	2,813,503	2,839,205	2,854,838	-
Non-Hispanic White	1,939,606	1,981,242	1,944,606	1,969,916	2,006,319	2,016,896	2,052,660	2,066,949	2,123,631	2,133,463	2,179,857	2,188,349	2,189,567	-
Non-Hispanic Black	286,366	285,522	282,982	283,438	286,797	291,179	299,227	303,844	315,254	326,810	335,667	343,393	348,761	-
Other Non-Hispanic	62,221	65,979	67,999	215,081	222,342	235,204	245,106	255,625	273,745	283,975	297,979	307,463	316,510	-
Delaware														
All Races	7,246	7,602	7,498	7,667	7,816	7,873	7,967	8,252	8,580	8,872	9,173	9,437	9,147	10,688
Non-Hispanic White	5,826	6,140	5,971	6,178	6,307	6,230	6,365	6,467	6,798	6,986	7,095	7,329	7,071	7,971
Non-Hispanic Black	1,162	1,200	1,254	1,245	1,248	1,387	1,284	1,424	1,438	1,504	1,703	1,682	1,641	2,119
Other Non-Hispanic	80	73	109	102	117	108	118	127	127	113	137	151	169	313
Kent														
All Races	1,255	1,367	1,379	1,345	1,368	1,462	1,422	1,524	1,592	1,626	1,622	1,766	1,660	1,995
Non-Hispanic White	993	1,106	1,078	1,064	1,072	1,138	1,110	1,146	1,215	1,216	1,235	1,300	1,198	1,407
Non-Hispanic Black	213	215	259	229	237	272	246	298	301	321	325	372	370	487
Other Non-Hispanic	18	13	19	27	33	21	27	27	27	25	30	40	40	56
New Castle														
All Races	4,101	4,290	4,100	4,221	4,394	4,260	4,338	4,334	4,547	4,666	4,881	4,972	4,872	5,647
Non-Hispanic White	3,187	3,336	3,125	3,259	3,413	3,190	3,301	3,218	3,423	3,472	3,500	3,625	3,555	3,929
Non-Hispanic Black	762	792	792	818	815	907	841	892	907	962	1,126	1,088	1,051	1,328
Other Non-Hispanic	36	46	64	54	65	70	75	73	78	71	85	83	101	205
Wilmington														
All Races	705	726	692	713	697	691	651	729	666	716	738	664	672	779
Non-Hispanic White	317	305	299	279	299	269	247	283	264	270	251	259	287	294
Non-Hispanic Black	353	385	355	403	360	382	362	390	359	403	431	358	336	415
Other Non-Hispanic	1	3	3	3	9	9	7	8	6	7	8	5	9	22
Balance of NC County														
All Races	3,396	3,564	3,408	3,508	3,697	3,569	3,687	3,605	3,881	3,950	4,143	4,308	4,200	4,868
Non-Hispanic White	2,870	3,031	2,826	2,980	3,114	2,921	3,054	2,935	3,159	3,202	3,249	3,366	3,268	3,635
Non-Hispanic Black	409	407	437	415	455	525	479	502	548	559	695	730	715	913
Other Non-Hispanic	35	43	61	51	56	61	68	65	72	64	77	78	92	183
Sussex														
All Races	1,890	1,945	2,019	2,101	2,054	2,151	2,207	2,394	2,441	2,580	2,670	2,699	2,615	3,046
Non-Hispanic White	1,646	1,698	1,768	1,855	1,822	1,902	1,954	2,103	2,160	2,298	2,360	2,404	2,318	2,635
Non-Hispanic Black	187	193	203	198	196	208	197	234	230	221	252	222	220	304
Other Non-Hispanic	26	14	26	21	19	17	16	27	22	17	22	28	28	52

Note:
2019 US data are unavailable from NCHS.

Sources: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center
National Center for Health Statistics

TABLE F-2. NUMBER OF DEATHS BY AGE, RACE, AND HISPANIC ORIGIN, COUNTIES AND CITY OF WILMINGTON, DELAWARE, 2020

Area/ Age	All Races	Non-Hispanic								Hispanic Origin ²
		White	Black	American Indian ¹	Asian or Pacific Islander (API)				All Other	
					Chinese	Japanese	Filipino	Other API		
Delaware	10,688	7,971	2,119	19	23	7	24	72	168	285
<1	56	22	24	0	0	0	0	1	4	5
1-4	6	4	2	0	0	0	0	0	0	0
5-14	11	6	5	0	0	0	0	0	0	0
15-24	107	31	59	0	0	0	0	0	3	14
25-34	232	120	84	0	0	0	0	5	6	17
35-44	303	191	79	1	2	0	1	2	1	26
45-54	564	344	171	0	3	1	1	3	10	31
55-64	1,312	857	376	5	1	0	3	9	24	37
65-74	2,181	1,559	501	4	2	0	4	14	42	55
75+	5,916	4,837	818	9	15	6	15	38	78	100
Unknown	0	0	0	0	0	0	0	0	0	0
Kent	1,995	1,407	487	4	3	2	5	7	35	45
<1	18	7	9	0	0	0	0	0	2	0
1-4	2	2	0	0	0	0	0	0	0	0
5-14	1	1	0	0	0	0	0	0	0	0
15-24	19	8	10	0	0	0	0	0	0	1
25-34	35	14	17	0	0	0	0	0	3	1
35-44	59	40	16	0	0	0	1	1	0	1
45-54	105	53	41	0	1	0	1	0	5	4
55-64	243	158	72	1	0	0	1	0	4	7
65-74	460	310	130	0	0	0	0	2	8	10
75+	1,053	814	192	3	2	2	2	4	13	21
Unknown	0	0	0	0	0	0	0	0	0	0
New Castle	5,647	3,929	1,328	3	18	3	12	53	116	185
<1	34	12	15	0	0	0	0	1	2	4
1-4	4	2	2	0	0	0	0	0	0	0
5-14	8	3	5	0	0	0	0	0	0	0
15-24	69	16	44	0	0	0	0	0	0	9
25-34	149	76	58	0	0	0	0	4	2	9
35-44	174	99	52	0	2	0	0	1	1	19
45-54	345	198	115	0	2	0	0	2	5	23
55-64	707	426	238	0	1	0	2	5	16	19
65-74	1,088	706	299	2	1	0	3	11	31	35
75+	3,069	2,391	500	1	12	3	7	29	59	67
Unknown	0	0	0	0	0	0	0	0	0	0
Wilmington	779	294	415	0	1	1	2	2	16	48
<1	3	0	3	0	0	0	0	0	0	0
1-4	2	0	2	0	0	0	0	0	0	0
5-14	3	0	3	0	0	0	0	0	0	0
15-24	16	1	11	0	0	0	0	0	0	4
25-34	23	2	20	0	0	0	0	0	0	1
35-44	33	10	17	0	0	0	0	0	1	5
45-54	62	23	32	0	0	0	0	0	1	6
55-64	122	26	81	0	0	0	0	0	5	10
65-74	166	56	93	0	1	0	0	0	7	9
75+	349	176	153	0	0	1	2	2	2	13
Unknown	0	0	0	0	0	0	0	0	0	0
Balance of NC County	4,868	3,635	913	3	17	2	10	51	100	137
<1	31	12	12	0	0	0	0	1	2	4
1-4	2	2	0	0	0	0	0	0	0	0
5-14	5	3	2	0	0	0	0	0	0	0
15-24	53	15	33	0	0	0	0	0	0	5
25-34	126	74	38	0	0	0	0	4	2	8
35-44	141	89	35	0	2	0	0	1	0	14
45-54	283	175	83	0	2	0	0	2	4	17
55-64	585	400	157	0	1	0	2	5	11	9
65-74	922	650	206	2	0	0	3	11	24	26
75+	2,720	2,215	347	1	12	2	5	27	57	54
Unknown	0	0	0	0	0	0	0	0	0	0
Sussex	3,046	2,635	304	12	2	2	7	12	17	55
<1	4	3	0	0	0	0	0	0	0	1
1-4	0	0	0	0	0	0	0	0	0	0
5-14	2	2	0	0	0	0	0	0	0	0
15-24	19	7	5	0	0	0	0	0	3	4
25-34	48	30	9	0	0	0	0	1	1	7
35-44	70	52	11	1	0	0	0	0	0	6
45-54	114	93	15	0	0	1	0	1	0	4
55-64	362	273	66	4	0	0	0	4	4	11
65-74	633	543	72	2	1	0	1	1	3	10
75+	1,794	1,632	126	5	1	1	6	5	6	12
Unknown	0	0	0	0	0	0	0	0	0	0

Notes:

1. Includes any deaths that may have occurred to Aleut and Eskimo Indians.
2. People of Hispanic origin may be of any race. See Hispanic Origin and Race in the Technical Notes.

Source: Delaware Department Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-3. NUMBER OF DEATHS BY AGE AND RACE, COUNTIES AND CITY OF WILMINGTON, DELAWARE, 2020

BOTH SEXES

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	10,688	56	6	3	8	35	72	232	303	564	1,312	2,181	5,916	0
Non-Hispanic White	7,971	22	4	2	4	4	27	120	191	344	857	1,559	4,837	0
Non-Hispanic Black	2,119	24	2	1	4	25	34	84	79	171	376	501	818	0
Other Non-Hispanic	313	5	0	0	0	2	1	11	7	18	42	66	161	0
Hispanic	285	5	0	0	0	4	10	17	26	31	37	55	100	0
Kent														
All Races	1,995	18	2	1	0	5	14	35	59	105	243	460	1,053	0
Non-Hispanic White	1,407	7	2	1	0	1	7	14	40	53	158	310	814	0
Non-Hispanic Black	487	9	0	0	0	4	6	17	16	41	72	130	192	0
Other Non-Hispanic	56	2	0	0	0	0	0	3	2	7	6	10	26	0
Hispanic	45	0	0	0	0	0	1	1	1	4	7	10	21	0
New Castle														
All Races	5,647	34	4	1	7	25	44	149	174	345	707	1,088	3,069	0
Non-Hispanic White	3,929	12	2	0	3	3	13	76	99	198	426	706	2,391	0
Non-Hispanic Black	1,328	15	2	1	4	19	25	58	52	115	238	299	500	0
Other Non-Hispanic	205	3	0	0	0	0	0	6	4	9	24	48	111	0
Hispanic	185	4	0	0	0	3	6	9	19	23	19	35	67	0
Wilmington														
All Races	779	3	2	0	3	5	11	23	33	62	122	166	349	0
Non-Hispanic White	294	0	0	0	0	0	1	2	10	23	26	56	176	0
Non-Hispanic Black	415	3	2	0	3	4	7	20	17	32	81	93	153	0
Other Non-Hispanic	22	0	0	0	0	0	0	0	1	1	5	8	7	0
Hispanic	48	0	0	0	0	1	3	1	5	6	10	9	13	0
Balance of NC County														
All Races	4,868	31	2	1	4	20	33	126	141	283	585	922	2,720	0
Non-Hispanic White	3,635	12	2	0	3	3	12	74	89	175	400	650	2,215	0
Non-Hispanic Black	913	12	0	1	1	15	18	38	35	83	157	206	347	0
Other Non-Hispanic	183	3	0	0	0	0	0	6	3	8	19	40	104	0
Hispanic	137	4	0	0	0	2	3	8	14	17	9	26	54	0
Sussex														
All Races	3,046	4	0	1	1	5	14	48	70	114	362	633	1,794	0
Non-Hispanic White	2,635	3	0	1	1	0	7	30	52	93	273	543	1,632	0
Non-Hispanic Black	304	0	0	0	0	2	3	9	11	15	66	72	126	0
Other Non-Hispanic	52	0	0	0	0	2	1	2	1	2	12	8	24	0
Hispanic	55	1	0	0	0	1	3	7	6	4	11	10	12	0

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-4. NUMBER OF DEATHS BY AGE AND RACE, COUNTIES AND CITY OF WILMINGTON, DELAWARE, 2020

MALES

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	5,479	27	4	1	3	24	51	184	186	362	776	1,231	2,630	0
Non-Hispanic White	4,052	9	3	0	2	1	17	93	117	222	513	887	2,188	0
Non-Hispanic Black	1,094	11	1	1	1	18	24	69	46	108	216	275	324	0
Non-Hispanic Other	158	3	0	0	0	1	1	7	4	9	24	36	73	0
Hispanic	175	4	0	0	0	4	9	15	19	23	23	33	45	0
Kent														
All Races	1,021	7	1	0	0	2	10	27	30	64	139	258	483	0
Non-Hispanic White	707	2	1	0	0	0	5	10	19	34	89	174	373	0
Non-Hispanic Black	256	3	0	0	0	2	4	14	9	24	43	70	87	0
Non-Hispanic Other	31	2	0	0	0	0	0	2	1	4	3	8	11	0
Hispanic	27	0	0	0	0	0	1	1	1	2	4	6	12	0
New Castle														
All Races	2,860	17	3	1	3	18	32	124	111	220	420	605	1,306	0
Non-Hispanic White	1,964	5	2	0	2	1	8	63	63	124	259	404	1,033	0
Non-Hispanic Black	682	8	1	1	1	14	19	49	30	74	136	158	191	0
Non-Hispanic Other	101	1	0	0	0	0	0	4	3	4	14	24	51	0
Hispanic	113	3	0	0	0	3	5	8	15	18	11	19	31	0
Wilmington														
All Races	387	2	1	0	1	4	9	18	22	43	76	87	124	0
Non-Hispanic White	137	0	0	0	0	0	1	1	7	17	16	29	66	0
Non-Hispanic Black	209	2	1	0	1	3	6	16	10	22	52	48	48	0
Non-Hispanic Other	11	0	0	0	0	0	0	0	1	0	2	5	3	0
Hispanic	30	0	0	0	0	1	2	1	4	4	6	5	7	0
Balance of NC County														
All Races	2,473	15	2	1	2	14	23	106	89	177	344	518	1,182	0
Non-Hispanic White	1,827	5	2	0	2	1	7	62	56	107	243	375	967	0
Non-Hispanic Black	473	6	0	1	0	11	13	33	20	52	84	110	143	0
Non-Hispanic Other	90	1	0	0	0	0	0	4	2	4	12	19	48	0
Hispanic	83	3	0	0	0	2	3	7	11	14	5	14	24	0
Sussex														
All Races	1,598	3	0	0	0	4	9	33	45	78	217	368	841	0
Non-Hispanic White	1,381	2	0	0	0	0	4	20	35	64	165	309	782	0
Non-Hispanic Black	156	0	0	0	0	2	1	6	7	10	37	47	46	0
Non-Hispanic Other	26	0	0	0	0	1	1	1	0	1	7	4	11	0
Hispanic	35	1	0	0	0	1	3	6	3	3	8	8	2	0

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-5. NUMBER OF DEATHS BY AGE AND RACE, COUNTIES AND CITY OF WILMINGTON, DELAWARE, 2020

FEMALES

Area/ Race	Age of Decedent													Unk
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
Delaware														
All Races	5,209	29	2	2	5	11	21	48	117	202	536	950	3,286	0
Non-Hispanic White	3,919	13	1	2	2	3	10	27	74	122	344	672	2,649	0
Non-Hispanic Black	1,025	13	1	0	3	7	10	15	33	63	160	226	494	0
Non-Hispanic Other	155	2	0	0	0	1	0	4	3	9	18	30	88	0
Hispanic	110	1	0	0	0	0	1	2	7	8	14	22	55	0
Kent														
All Races	974	11	1	1	0	3	4	8	29	41	104	202	570	0
Non-Hispanic White	700	5	1	1	0	1	2	4	21	19	69	136	441	0
Non-Hispanic Black	231	6	0	0	0	2	2	3	7	17	29	60	105	0
Non-Hispanic Other	25	0	0	0	0	0	0	1	1	3	3	2	15	0
Hispanic	18	0	0	0	0	0	0	0	0	2	3	4	9	0
New Castle														
All Races	2,787	17	1	0	4	7	12	25	63	125	287	483	1,763	0
Non-Hispanic White	1,965	7	0	0	1	2	5	13	36	74	167	302	1,358	0
Non-Hispanic Black	646	7	1	0	3	5	6	9	22	41	102	141	309	0
Non-Hispanic Other	104	2	0	0	0	0	0	2	1	5	10	24	60	0
Hispanic	72	1	0	0	0	0	1	1	4	5	8	16	36	0
Wilmington														
All Races	392	1	1	0	2	1	2	5	11	19	46	79	225	0
Non-Hispanic White	157	0	0	0	0	0	0	1	3	6	10	27	110	0
Non-Hispanic Black	206	1	1	0	2	1	1	4	7	10	29	45	105	0
Non-Hispanic Other	11	0	0	0	0	0	0	0	0	1	3	3	4	0
Hispanic	18	0	0	0	0	0	1	0	1	2	4	4	6	0
Balance of NC County														
All Races	2,395	16	0	0	2	6	10	20	52	106	241	404	1,538	0
Non-Hispanic White	1,808	7	0	0	1	2	5	12	33	68	157	275	1,248	0
Non-Hispanic Black	440	6	0	0	1	4	5	5	15	31	73	96	204	0
Non-Hispanic Other	93	2	0	0	0	0	0	2	1	4	7	21	56	0
Hispanic	54	1	0	0	0	0	0	1	3	3	4	12	30	0
Sussex														
All Races	1,448	1	0	1	1	1	5	15	25	36	145	265	953	0
Non-Hispanic White	1,254	1	0	1	1	0	3	10	17	29	108	234	850	0
Non-Hispanic Black	148	0	0	0	0	0	2	3	4	5	29	25	80	0
Non-Hispanic Other	26	0	0	0	0	1	0	1	1	1	5	4	13	0
Hispanic	20	0	0	0	0	0	0	1	3	1	3	2	10	0

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-6. MORTALITY TRENDS BY RACE, ETHNICITY, GENDER, AND AGE, DELAWARE, 2010-2020

CHARACTERISTIC		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Resident Deaths												
	Number	7,667	7,816	7,873	7,967	8,252	8,580	8,872	9,173	9,437	9,147	10,688
	Crude Rate	852.3	861.4	860.0	865.1	886.9	912.9	934.9	953.0	970.5	930.8	1077.4
	AADR ²	761.4	761.2	745.7	727.9	729.0	736.2	738.3	740.5	745.8	703.3	807.2
Decedent's Race/Ethnicity												
White Non-Hispanic	Number	6,178	6,307	6,230	6,365	6,467	6,798	6,986	7,095	7,329	7,071	7,971
	Percent	80.6%	80.7%	79.1%	79.9%	78.4%	79.2%	78.7%	77.3%	77.7%	77.3%	74.6%
	AADR ²	764.1	769.0	741.1	735.3	724.4	748.0	748.3	747.0	758.0	714.6	818.5
Black Non-Hispanic	Number	1,245	1,248	1,387	1,284	1,424	1,438	1,504	1,703	1,682	1,641	2,119
	Percent	16.2%	16.0%	17.6%	16.1%	17.3%	16.8%	17.0%	18.6%	17.8%	17.9%	19.8%
	AADR ²	856.8	822.0	896.4	781.8	841.1	806.8	807.3	862.7	826.1	768.9	977.0
Hispanic ¹	Number	142	144	148	200	234	217	269	238	275	266	285
	Percent	1.9%	1.8%	1.9%	2.5%	2.8%	2.5%	3.0%	2.6%	2.9%	2.9%	2.7%
	AADR ²	542.8	495.7	465.6	608.6	700.4	586.9	717.8	610.0	626.4	512.0	512.5
Decedent's Gender												
Female	Number	3,802	3,946	4,015	3,936	4,062	4,209	4,275	4,426	4,513	4,311	5,209
	Percent	49.6%	50.5%	51.0%	49.4%	49.2%	49.1%	48.2%	48.3%	47.8%	47.1%	48.7%
	AADR ²	645.2	661.9	649.8	617.0	615.3	621.8	609.5	613.9	608.0	570.5	672.6
Male	Number	3,865	3,870	3,858	4,031	4,190	4,371	4,597	4,747	4,924	4,836	5,479
	Percent	50.4%	49.5%	49.0%	50.6%	50.8%	50.9%	51.8%	51.7%	52.2%	52.9%	51.3%
	AADR ²	902.3	881.6	861.5	865.8	872.3	876.8	895.5	894.2	912.9	864.3	967.7
Decedent's age												
<1	Number	88	98	84	68	74	100	87	72	62	68	56
	Percent	1.1%	1.3%	1.1%	0.9%	0.9%	1.2%	1.0%	0.8%	0.7%	0.7%	0.5%
1-14	Number	18	28	30	29	22	22	24	26	32	32	17
	Percent	0.2%	0.4%	0.4%	0.4%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.2%
15-24	Number	97	86	89	82	88	90	95	105	100	87	107
	Percent	1.3%	1.1%	1.1%	1.0%	1.1%	1.0%	1.1%	1.1%	1.1%	1.0%	1.0%
25-44	Number	362	356	388	359	375	410	430	463	528	559	535
	Percent	4.7%	4.6%	4.9%	4.5%	4.5%	4.8%	4.8%	5.0%	5.6%	6.1%	5.0%
45-64	Number	1,578	1,579	1,620	1,739	1,610	1,662	1,681	1,796	1,719	1,677	1,876
	Percent	20.6%	20.2%	20.6%	21.8%	19.5%	19.4%	18.9%	19.6%	18.2%	18.3%	17.6%
65-74	Number	1,307	1,357	1,325	1,385	1,546	1,605	1,763	1,881	1,808	1,760	2,181
	Percent	17.0%	17.4%	16.8%	17.4%	18.7%	18.7%	19.9%	20.5%	19.2%	19.2%	20.4%
75-84	Number	1,976	2,077	1,897	1,931	2,048	2,097	2,165	2,139	2,305	2,240	2,714
	Percent	25.8%	26.6%	24.1%	24.2%	24.8%	24.4%	24.4%	23.3%	24.4%	24.5%	25.4%
85+	Number	2,241	2,235	2,440	2,374	2,489	2,594	2,627	2,691	2,882	2,724	3,202
	Percent	29.2%	28.6%	31.0%	29.8%	30.2%	30.2%	29.6%	29.3%	30.5%	29.8%	30.0%

Notes:

1. Because of the small numbers of Hispanic deaths and the resulting variability in annual mortality rates, Hispanic mortality rates should be interpreted with caution.
2. Age-Adjusted Death Rate per 100,000, adjusted to 2000 U.S. Standard Population.
3. Figures for decedent's age may not equal total number of annual deaths due to deaths of unknown age.

Sources: Delaware Department of Health and Social Services, Division of Public Health

TABLE F-7. NUMBER OF DEATHS AND MEDIAN AGE AT DEATH BY SEX FOR TWENTY LEADING CAUSES, ALCOHOL-INDUCED DEATHS, AND DRUG-INDUCED DEATHS, DELAWARE, 2020


Cause of Death ¹	Deaths		Median Age at Death	
	Number	Percent	Male	Female
All causes	10,688	100.0	74	80
Malignant neoplasms	2,087	19.5	73	73
Diseases of heart	2,057	19.2	76	83
COVID-19	965	9.0	76	83
Accidents (unintentional injuries)	720	6.7	49	55
Cerebrovascular diseases	688	6.4	81	86
Alzheimer's disease	467	4.4	85	87
Chronic lower respiratory diseases	452	4.2	75	78
Dementia	434	4.1	85	89
Diabetes mellitus	322	3.0	70	74
Nephritis, nephrotic syndrome & nephrosis	171	1.6	78	78
Influenza & pneumonia	150	1.4	74	79
Chronic liver disease & cirrhosis	135	1.3	64	64
Other diseases of respiratory system	126	1.2	76	79
Parkinson's disease	121	1.1	81	83
Intentional self-harm (suicide)	120	1.1	47	48
Essential (primary) hypertension & hypertensive renal dis	106	1.0	71	82
Septicemia	94	0.9	75	80
Assault (homicide)	80	0.7	28	23
Pneumonitis due to solids & liquids	69	0.6	82	82
In situ neopl, benign neopl & neopl of uncert or unk behav	58	0.5	81	78
Alcohol-induced deaths²	126	1.2	58	55
Drug-induced deaths²	440	4.1	42	44

Notes:

1. Classified according to ICD-10 Codes, Tenth Revision. See Appendix E for listing of ICD-10 Codes.
2. Included in selected categories.


Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

Figure F-1. Leading Causes of Death, Delaware, 2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

Figure F-2. Five-year Age-adjusted Drug- and Alcohol-Induced Mortality Rates by Sex, Delaware, 2002-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-8. LEADING CAUSES OF DEATH, COUNTIES AND CITY OF WILMINGTON, DELAWARE, 2016-2020

Kent

Cause of Death*	Deaths	
	#	%
Diseases of heart	1,945	22.4
Malignant neoplasms	1,891	21.8
Accidents (unintentional injuries)	552	6.4
Chronic lower respiratory diseases	509	5.9
Cerebrovascular diseases	509	5.9
Alzheimer's disease	366	4.2
Diabetes mellitus	270	3.1
Nephritis, nephrotic syndrome & nephrosis	188	2.2
COVID-19	187	2.2
Influenza & pneumonia	132	1.5
Septicemia	128	1.5
Intentional self-harm (suicide)	106	1.2
Chronic liver disease & cirrhosis	94	1.1
Pneumonitis due to solids & liquids	86	1.0
Parkinson's disease	77	0.9
disease	70	0.8
All other causes	1,559	18.0
Total	8,669	100.0

New Castle

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	5,357	21.4
Diseases of heart	4,956	19.8
Accidents (unintentional injuries)	1,909	7.6
Cerebrovascular diseases	1,699	6.8
Chronic lower respiratory diseases	1,221	4.9
Alzheimer's disease	975	3.9
Diabetes mellitus	677	2.7
Nephritis, nephrotic syndrome & nephrosis	558	2.2
COVID-19	496	2.0
Influenza & pneumonia	441	1.8
Intentional self-harm (suicide)	321	1.3
Septicemia	296	1.2
Parkinson's disease	267	1.1
Chronic liver disease & cirrhosis	253	1.0
Assault (homicide)	236	0.9
Essential (primary) hypertension & hypertensive renal disease	171	0.7
All other causes	5,205	20.8
Total	25,038	100.0

City of Wilmington

Cause of Death*	Deaths	
	#	%
Diseases of heart	707	19.8
Malignant neoplasms	675	18.9
Accidents (unintentional injuries)	322	9.0
Cerebrovascular diseases	218	6.1
Chronic lower respiratory diseases	178	5.0
Diabetes mellitus	124	3.5
Alzheimer's disease	112	3.1
Assault (homicide)	104	2.9
Nephritis, nephrotic syndrome & nephrosis	86	2.4
COVID-19	71	2.0
Influenza & pneumonia	57	1.6
Septicemia	51	1.4
Chronic liver disease & cirrhosis	41	1.1
Intentional self-harm (suicide)	38	1.1
Certain conditions originating in the perinatal period	35	1.0
Essential (primary) hypertension & hypertensive renal disease	28	0.8
All other causes	722	20.2
Total	3,569	100.0

Sussex

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	3,191	23.4
Diseases of heart	3,089	22.7
Accidents (unintentional injuries)	841	6.2
Chronic lower respiratory diseases	787	5.8
Cerebrovascular diseases	745	5.5
Alzheimer's disease	583	4.3
Diabetes mellitus	328	2.4
COVID-19	282	2.1
Nephritis, nephrotic syndrome & nephrosis	254	1.9
Chronic liver disease & cirrhosis	205	1.5
Influenza & pneumonia	183	1.3
Septicemia	170	1.2
Parkinson's disease	165	1.2
Intentional self-harm (suicide)	147	1.1
Essential (primary) hypertension & hypertensive renal disease	132	1.0
Pneumonitis due to solids & liquids	109	0.8
All other causes	2,399	17.6
Total	13,610	100.0

Note:*Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-9. TEN LEADING CAUSES OF DEATH BY SEX AND RACE GROUP, DELAWARE, 2016-2020

All Races, Male

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	5,583	22.7
Diseases of heart	5,435	22.1
Accidents (unintentional injuries)	2,204	9.0
Cerebrovascular diseases	1,279	5.2
Chronic lower respiratory diseases	1,098	4.5
Diabetes mellitus	731	3.0
Alzheimer's disease	638	2.6
Nephritis, nephrotic syndrome & nephrosis	558	2.3
COVID-19	487	2.0
Intentional self-harm (suicide)	474	1.9
All other causes	6,096	24.8
Total	24,583	100.0

All Races, Female

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	4,856	21.4
Diseases of heart	4,555	20.0
Cerebrovascular diseases	1,674	7.4
Chronic lower respiratory diseases	1,419	6.2
Alzheimer's disease	1,286	5.7
Accidents (unintentional injuries)	1,098	4.8
Diabetes mellitus	544	2.4
COVID-19	478	2.1
Nephritis, nephrotic syndrome & nephrosis	442	1.9
Influenza & pneumonia	383	1.7
All other causes	5,999	26.4
Total	22,734	100.0

Non-Hispanic White, Both Sexes

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	8,187	22.5
Diseases of heart	7,937	21.8
Accidents (unintentional injuries)	2,475	6.8
Cerebrovascular diseases	2,215	6.1
Chronic lower respiratory diseases	2,172	6.0
Alzheimer's disease	1,570	4.3
Diabetes mellitus	838	2.3
Nephritis, nephrotic syndrome & nephrosis	663	1.8
Influenza & pneumonia	612	1.7
COVID-19	610	1.7
All other causes	9,173	25.2
Total	36,452	100.0

Non-Hispanic Black, Both Sexes

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	1,842	21.3
Diseases of heart	1,672	19.3
Accidents (unintentional injuries)	614	7.1
Cerebrovascular diseases	581	6.7
Diabetes mellitus	357	4.1
Chronic lower respiratory diseases	294	3.4
Nephritis, nephrotic syndrome & nephrosis	290	3.4
Alzheimer's disease	274	3.2
Assault (homicide)	247	2.9
COVID-19	215	2.5
All other causes	2,263	26.2
Total	8,649	100.0

Hispanic, Both Sexes

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	242	18.2
Diseases of heart	231	17.3
Accidents (unintentional injuries)	160	12.0
Cerebrovascular diseases	92	6.9
COVID-19	51	3.8
Alzheimer's disease	50	3.8
Diabetes mellitus	50	3.8
Certain conditions originating in the perinatal period	34	2.6
Chronic lower respiratory diseases	28	2.1
Chronic liver disease & cirrhosis	24	1.8
All other causes	371	27.8
Total	1,333	100.0

Notes:

1. Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.
2. There was a three-way tie for the tenth most common cause of Hispanic death; Alzheimer's disease also accounted for 19 deaths.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-10. TEN LEADING CAUSES OF DEATH BY RACE-SEX GROUP, DELAWARE, 2016-2020

Non-Hispanic White Male

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	4,450	23.7
Diseases of heart	4,299	22.9
Accidents (unintentional injuries)	1,617	8.6
Chronic lower respiratory diseases	930	5.0
Cerebrovascular diseases	927	4.9
Alzheimer's disease	544	2.9
Diabetes mellitus	465	2.5
Intentional self-harm (suicide)	397	2.1
Nephritis, nephrotic syndrome & nephrosis	372	2.0
COVID-19	303	1.6
All other causes	4,464	23.8
Total	18,768	100.0

Non-Hispanic White Females

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	3,737	21.1
Diseases of heart	3,638	20.6
Cerebrovascular diseases	1,288	7.3
Chronic lower respiratory diseases	1,242	7.0
Alzheimer's disease	1,026	5.8
Accidents (unintentional injuries)	858	4.9
Diabetes mellitus	373	2.1
Influenza & pneumonia	317	1.8
COVID-19	307	1.7
Nephritis, nephrotic syndrome & nephrosis	291	1.6
All other causes	4,607	26.1
Total	17,684	100.0

Non-Hispanic Black Males

Cause of Death*	Deaths	
	#	%
Diseases of heart	916	20.0
Malignant neoplasms	896	19.6
Accidents (unintentional injuries)	425	9.3
Cerebrovascular diseases	276	6.0
Diabetes mellitus	223	4.9
Assault (homicide)	210	4.6
Nephritis, nephrotic syndrome & nephrosis	164	3.6
Chronic lower respiratory diseases	146	3.2
COVID-19	103	2.3
Alzheimer's disease	73	1.6
All other causes	1,141	25.0
Total	4,573	100.0

Non-Hispanic Black Females

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	946	23.2
Diseases of heart	756	18.5
Cerebrovascular diseases	305	7.5
Alzheimer's disease	201	4.9
Accidents (unintentional injuries)	189	4.6
Chronic lower respiratory diseases	148	3.6
Diabetes mellitus	134	3.3
Nephritis, nephrotic syndrome & nephrosis	126	3.1
COVID-19	112	2.7
Septicemia	53	1.3
All other causes	1,106	27.1
Total	4,076	100.0

Hispanic Males

Cause of Death*	Deaths	
	#	%
Malignant neoplasms	142	18.3
Accidents (unintentional injuries)	132	17.0
Diseases of heart	129	16.6
Cerebrovascular diseases	50	6.4
COVID-19	34	4.4
Diabetes mellitus	25	3.2
Certain conditions originating in the perinatal period	18	2.3
Intentional self-harm (suicide)	16	2.1
Chronic liver disease & cirrhosis	16	2.1
Chronic lower respiratory diseases	15	1.9
All other causes	201	25.8
Total	778	100.0

Hispanic Females

Cause of Death*	Deaths	
	#	%
Diseases of heart	102	18.4
Malignant neoplasms	100	18.0
Cerebrovascular diseases	42	7.6
Alzheimer's disease	35	6.3
Accidents (unintentional injuries)	28	5.0
Diabetes mellitus	25	4.5
COVID-19	17	3.1
Certain conditions originating in the perinatal period	16	2.9
Chronic lower respiratory diseases	13	2.3
chromosomal abnormalities	11	2.0
All other causes	166	29.9
Total	555	100.0

Note: *Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-11. TEN LEADING CAUSES OF DEATH BY AGE, DELAWARE, 2016-2020

1-4 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	12	19.7
Assault (homicide)	10	16.4
Congenital malformations, deformations, & Certain conditions originating in the perinatal period	9	14.8
Malignant neoplasms	2	3.3
COVID-19	1	1.6
Complications of medical & surgical care	1	1.6
Chronic lower respiratory diseases	1	1.6
Cerebrovascular diseases	1	1.6
Diseases of heart	1	1.6
All other causes	21	34.4
Total	61	100.0

5-14 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	14	20.0
Congenital malformations, deformations, & chromosomal abnormalities	8	11.4
Malignant neoplasms	7	10.0
Diseases of heart	5	7.1
Intentional self-harm (suicide)	4	5.7
Assault (homicide)	3	4.3
Chronic lower respiratory diseases	3	4.3
Complications of medical & surgical care	1	1.4
Certain conditions originating in the perinatal period	1	1.4
Influenza & pneumonia	1	1.4
All other causes	23	32.9
Total	70	100.0

15-24 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	223	45.1
Assault (homicide)	115	23.3
Intentional self-harm (suicide)	66	13.4
Diseases of heart	18	3.6
Malignant neoplasms	13	2.6
Chronic lower respiratory diseases	5	1.0
Diabetes mellitus	4	0.8
COVID-19	3	0.6
Anemias	2	0.4
Human immunodeficiency virus (HIV) disease	2	0.4
All other causes	43	8.7
Total	494	100.0

25-44 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	1,219	48.5
Diseases of heart	211	8.4
Malignant neoplasms	198	7.9
Intentional self-harm (suicide)	186	7.4
Assault (homicide)	152	6.0
Diabetes mellitus	52	2.1
Cerebrovascular diseases	39	1.6
Chronic liver disease & cirrhosis	33	1.3
Influenza & pneumonia	22	0.9
Human immunodeficiency virus (HIV) disease	16	0.6
All other causes	387	15.4
Total	2,515	100.0

45-64 Years

Cause of Death*	Deaths	
	Number	Percent
Malignant neoplasms	2,514	28.7
Diseases of heart	1,544	17.6
Accidents (unintentional injuries)	1,026	11.7
Diabetes mellitus	346	4.0
Chronic lower respiratory diseases	329	3.8
Cerebrovascular diseases	291	3.3
Chronic liver disease & cirrhosis	260	3.0
Intentional self-harm (suicide)	218	2.5
Nephritis, nephrotic syndrome & nephrosis	175	2.0
COVID-19	147	1.7
All other causes	1,899	21.7
Total	8,749	100.0

65+ Years

Cause of Death*	Deaths	
	Number	Percent
Diseases of heart	8,207	23.4
Malignant neoplasms	7,705	22.0
Cerebrovascular diseases	2,619	7.5
Chronic lower respiratory diseases	2,168	6.2
Alzheimer's disease	1,906	5.4
Diabetes mellitus	872	2.5
Nephritis, nephrotic syndrome & nephrosis	809	2.3
COVID-19	799	2.3
Accidents (unintentional injuries)	793	2.3
Influenza & pneumonia	609	1.7
All other causes	8,596	24.5
Total	35,083	100.0

Note:

*Cause of death categories were derived using the NCHS list of 50 rankable causes of death as specified by NCHS. For specific codes, see Appendix E.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-12. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

ALL RACES, BOTH SEXES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	2,057	1	0	0	1	1	3	9	32	97	211	417	1,285	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	13	0	0	0	0	0	0	0	0	0	0	3	10	0
Hypertensive heart disease (I11)	142	0	0	0	0	0	0	3	7	4	18	34	76	0
Hypertensive heart and renal disease (I13)	28	0	0	0	0	0	0	1	1	3	4	3	16	0
Ischemic heart disease (I20-I25)	1,084	0	0	0	0	0	0	2	14	59	121	243	645	0
All other forms of heart disease (I26-I51)	790	1	0	0	1	1	3	3	10	31	68	134	538	0
Malignant neoplasms (C00-C97)	2,087	0	0	1	0	1	0	8	28	108	351	642	948	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	39	0	0	0	0	0	0	0	0	1	11	11	16	0
Malignant neoplasms of digestive organs (C15-C26)	577	0	0	0	0	0	0	2	6	36	108	187	238	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	521	0	0	0	0	0	0	1	5	23	106	191	195	0
Malignant neoplasms of breast (C50)	147	0	0	0	0	0	0	0	2	9	32	38	66	0
Malignant neoplasms of female genital organs, (C51-C58)	104	0	0	0	0	0	0	0	5	6	12	35	46	0
Malignant neoplasms of male genital organs, (C60-C63)	112	0	0	0	0	0	0	0	0	3	10	26	73	0
Malignant neoplasms of urinary tract (C64-C68)	123	0	0	0	0	0	0	0	0	6	13	28	76	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	49	0	0	1	0	0	0	3	4	4	9	13	15	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	185	0	0	0	0	0	0	1	4	5	21	54	100	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	230	0	0	0	0	1	0	1	2	15	29	59	123	0
Cerebrovascular diseases (I60-I69)	688	0	0	0	0	0	0	1	7	12	41	100	527	0

**TABLE F-12. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2019
ALL RACES, BOTH SEXES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	452	0	0	0	1	1	2	1	0	5	53	126	263	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	94	1	0	0	0	0	0	0	0	7	15	20	51	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	111	1	0	0	0	8	13	21	9	12	12	17	18	0
Nontransport Accidents (W00-X59, Y86)	604	3	1	0	2	1	23	90	132	85	103	42	122	0
Diabetes mellitus (E10-E14)	322	0	0	0	1	0	1	3	4	32	55	98	128	0
Influenza and pneumonia (J10-J18)	150	0	0	0	0	0	0	3	3	7	16	32	89	0
Alzheimer's disease (G30)	467	0	0	0	0	0	0	0	0	0	6	35	426	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	171	0	0	0	0	0	0	1	3	4	32	38	93	0
Septicemia (A40-A41)	94	1	0	0	0	0	0	0	0	7	15	20	51	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	120	0	0	0	1	4	7	22	22	17	24	9	14	0
Chronic liver disease and cirrhosis (K70, K73-K74)	135	0	0	0	0	0	0	3	4	22	41	36	29	0
Essential hypertension and hypertensive renal disease (I10, I12)	106	0	0	0	0	0	0	0	0	9	17	22	58	0
Aortic aneurysm and dissection (I71)	27	0	0	0	0	0	0	0	0	1	3	8	15	0
Assault (homicide) (X85-Y09, Y87.1)	80	0	0	0	1	15	16	34	10	3	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	18	0	0	0	0	0	0	3	1	4	5	3	2	0
Certain conditions originating in the perinatal period (P00-P96)	30	29	0	0	1	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	24	11	0	1	0	0	0	2	0	3	3	4	0	0
COVID-19	965	0	1	0	0	0	3	8	7	40	107	192	607	0
All other causes	2,601	13	5	1	2	13	40	134	182	186	317	379	1,329	0
TOTAL	10,688	56	6	3	8	35	72	232	303	564	1,312	2,181	5,916	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-13. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, KENT COUNTY, DELAWARE, 2020

ALL RACES, BOTH SEXES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	422	1	0	0	0	1	2	2	5	16	43	105	247	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Hypertensive heart disease (I11)	24	0	0	0	0	0	0	1	0	0	2	9	12	0
Hypertensive heart and renal disease (I13)	10	0	0	0	0	0	0	1	0	0	2	1	6	0
Ischemic heart disease (I20-I25)	235	0	0	0	0	0	0	0	1	11	24	57	142	0
All other forms of heart disease (I26-I51)	151	1	0	0	0	1	2	0	4	5	15	38	85	0
Malignant neoplasms (C00-C97)	373	0	0	0	0	0	0	1	6	27	61	124	154	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	0	1	4	1	0
Malignant neoplasms of digestive organs (C15-C26)	94	0	0	0	0	0	0	1	2	10	20	26	35	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	94	0	0	0	0	0	0	0	2	5	11	41	35	0
Malignant neoplasms of breast (C50)	23	0	0	0	0	0	0	0	0	3	7	8	5	0
Malignant neoplasms of female genital organs, (C51-C58)	19	0	0	0	0	0	0	0	0	0	2	8	9	0
Malignant neoplasms of male genital organs, (C60-C63)	14	0	0	0	0	0	0	0	0	0	1	3	10	0
Malignant neoplasms of urinary tract (C64-C68)	30	0	0	0	0	0	0	0	0	3	4	8	15	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	10	0	0	0	0	0	0	0	2	0	3	0	5	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	34	0	0	0	0	0	0	0	0	2	5	13	14	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	49	0	0	0	0	0	0	0	0	4	7	13	25	0
Cerebrovascular diseases (I60-I69)	131	0	0	0	0	0	0	1	2	4	9	20	95	0

TABLE F-13. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, KENT COUNTY, DELAWARE, 2020

ALL RACES, BOTH SEXES - CON.

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	89	0	0	0	0	0	0	0	0	0	13	30	46	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	17	0	0	0	0	0	3	2	1	3	1	3	4	0
Nontransport Accidents (W00-X59, Y86)	87	1	0	0	0	0	5	12	28	10	12	5	14	0
Diabetes mellitus (E10-E14)	80	0	0	0	0	0	0	0	3	4	13	21	39	0
Influenza and pneumonia (J10-J18)	26	0	0	0	0	0	0	1	1	2	4	6	12	0
Alzheimer's disease (G30)	82	0	0	0	0	0	0	0	0	0	1	5	76	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	27	0	0	0	0	0	0	0	0	1	5	7	14	0
Septicemia (A40-A41)	28	1	0	0	0	0	0	0	0	1	4	9	13	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	18	0	0	0	0	0	3	2	3	0	5	2	3	0
Chronic liver disease and cirrhosis (K70, K73-K74)	26	0	0	0	0	0	0	1	0	6	8	7	4	0
Essential hypertension and hypertensive renal disease (I10, I12)	15	0	0	0	0	0	0	0	0	0	3	6	6	0
Aortic aneurysm and dissection (I71)	5	0	0	0	0	0	0	0	0	0	1	1	3	0
Assault (homicide) (X85-Y09, Y87.1)	13	0	0	0	0	3	1	6	3	0	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	4	0	0	0	0	0	0	0	0	1	1	2	0	0
Certain conditions originating in the perinatal period (P00-P96)	7	7	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	12	6	0	1	0	0	0	1	0	1	2	1	0	0
COVID-19	187	0	0	0	0	0	0	2	0	10	17	41	117	0
All other causes	450	3	2	0	0	1	8	18	36	32	53	73	224	0
TOTAL	1,995	18	2	1	0	5	14	35	59	105	243	460	1,053	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-14. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, NEW CASTLE COUNTY, DELAWARE, 2020

ALL RACES, BOTH SEXES

Cause of Death*	Age of Decedent													Unk
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
Diseases of the heart (I00-I09, I11, I13, I20-I51)	1,017	0	0	0	0	0	0	7	24	63	107	208	608	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	6	0	0	0	0	0	0	0	0	0	0	2	4	0
Hypertensive heart disease (I11)	89	0	0	0	0	0	0	2	7	4	12	22	42	0
Hypertensive heart and renal disease (I13)	9	0	0	0	0	0	0	0	1	3	2	2	1	0
Ischemic heart disease (I20-I25)	469	0	0	0	0	0	0	2	11	31	55	116	254	0
All other forms of heart disease (I26-I51)	444	0	0	0	0	0	0	3	5	25	38	66	307	0
Malignant neoplasms (C00-C97)	1,054	0	0	0	0	1	0	7	15	64	180	308	479	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	21	0	0	0	0	0	0	0	0	1	6	5	9	0
Malignant neoplasms of digestive organs (C15-C26)	309	0	0	0	0	0	0	1	2	21	60	99	126	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	262	0	0	0	0	0	0	1	3	15	56	91	96	0
Malignant neoplasms of breast (C50)	77	0	0	0	0	0	0	0	1	5	14	19	38	0
Malignant neoplasms of female genital organs, (C51-C58)	52	0	0	0	0	0	0	0	3	4	8	17	20	0
Malignant neoplasms of male genital organs, (C60-C63)	57	0	0	0	0	0	0	0	0	2	6	12	37	0
Malignant neoplasms of urinary tract (C64-C68)	53	0	0	0	0	0	0	0	0	3	4	13	33	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	26	0	0	0	0	0	0	3	1	4	3	7	8	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	79	0	0	0	0	0	0	1	3	1	9	14	51	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	118	0	0	0	0	1	0	1	2	8	14	31	61	0
Cerebrovascular diseases (I60-I69)	394	0	0	0	0	0	0	0	4	6	27	52	305	0

TABLE F-14. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, NEW CASTLE COUNTY, DELAWARE, 2020

ALL RACES, BOTH SEXES - CON.

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	208	0	0	0	1	1	0	1	0	4	25	57	119	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	60	1	0	0	0	6	8	13	6	7	8	4	7	0
Nontransport Accidents (W00-X59, Y86)	354	2	1	0	2	1	14	54	70	52	61	25	72	0
Diabetes mellitus (E10-E14)	164	0	0	0	1	0	1	3	0	22	30	44	63	0
Influenza and pneumonia (J10-J18)	85	0	0	0	0	0	0	2	2	4	9	19	49	0
Alzheimer's disease (G30)	236	0	0	0	0	0	0	0	0	0	5	21	210	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	109	0	0	0	0	0	0	1	1	2	26	25	54	0
Septicemia (A40-A41)	47	0	0	0	0	0	0	0	0	3	8	9	27	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	72	0	0	0	1	3	3	14	15	13	12	5	6	0
Chronic liver disease and cirrhosis (K70, K73-K74)	59	0	0	0	0	0	0	2	3	13	17	15	9	0
Essential hypertension and hypertensive renal disease (I10, I12)	60	0	0	0	0	0	0	0	0	8	9	12	31	0
Aortic aneurysm and dissection (I71)	11	0	0	0	0	0	0	0	0	1	1	2	7	0
Assault (homicide) (X85-Y09, Y87.1)	58	0	0	0	1	10	15	24	5	2	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	9	0	0	0	0	0	0	3	0	1	4	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	22	21	0	0	1	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	10	5	0	0	0	0	0	0	0	2	1	2	0	0
COVID-19	496	0	1	0	0	0	1	0	4	23	50	95	322	0
All other causes	1,536	8	3	1	2	10	24	85	101	114	196	213	779	0
TOTAL	5,647	34	4	1	7	25	44	149	174	345	707	1,088	3,069	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-15. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, WILMINGTON, DELAWARE, 2020

ALL RACES, BOTH SEXES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	140	0	0	0	0	0	0	1	5	7	17	40	70	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	1	1	0
Hypertensive heart disease (I11)	9	0	0	0	0	0	0	0	1	0	1	3	4	0
Hypertensive heart and renal disease (I13)	1	0	0	0	0	0	0	0	0	0	1	0	0	0
Ischemic heart disease (I20-I25)	77	0	0	0	0	0	0	0	2	3	9	27	36	0
All other forms of heart disease (I26-I51)	51	0	0	0	0	0	0	1	2	4	6	9	29	0
Malignant neoplasms (C00-C97)	120	0	0	0	0	0	0	0	3	12	23	32	50	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	4	0	0	0	0	0	0	0	0	1	1	1	1	0
Malignant neoplasms of digestive organs (C15-C26)	43	0	0	0	0	0	0	0	1	3	11	15	13	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	22	0	0	0	0	0	0	0	1	3	6	5	7	0
Malignant neoplasms of breast (C50)	9	0	0	0	0	0	0	0	0	2	1	2	4	0
Malignant neoplasms of female genital organs, (C51-C58)	5	0	0	0	0	0	0	0	0	0	0	1	4	0
Malignant neoplasms of male genital organs, (C60-C63)	7	0	0	0	0	0	0	0	0	0	0	4	3	0
Malignant neoplasms of urinary tract (C64-C68)	7	0	0	0	0	0	0	0	0	1	0	0	6	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	3	0	0	0	0	0	0	0	0	1	0	1	1	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	9	0	0	0	0	0	0	0	1	0	2	0	6	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	11	0	0	0	0	0	0	0	0	1	2	3	5	0
Cerebrovascular diseases (I60-I69)	48	0	0	0	0	0	0	0	1	2	8	9	28	0

TABLE F-15. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, WILMINGTON, DELAWARE, 2020

ALL RACES, BOTH SEXES - CON.

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	32	0	0	0	1	0	0	0	0	1	4	10	16	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	4	0	0	0	0	0	0	1	0	1	2	0	0	0
Nontransport Accidents (W00-X59, Y86)	61	0	1	0	0	0	3	7	14	9	15	5	7	0
Diabetes mellitus (E10-E14)	27	0	0	0	0	0	0	0	0	5	6	9	7	0
Influenza and pneumonia (J10-J18)	17	0	0	0	0	0	0	0	0	2	4	3	8	0
Alzheimer's disease (G30)	26	0	0	0	0	0	0	0	0	0	1	2	23	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	18	0	0	0	0	0	0	0	0	0	6	4	8	0
Septicemia (A40-A41)	6	0	0	0	0	0	0	0	0	0	3	1	2	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	7	0	0	0	1	1	0	1	0	2	1	0	1	0
Chronic liver disease and cirrhosis (K70, K73-K74)	12	0	0	0	0	0	0	0	0	5	3	3	1	0
Essential hypertension and hypertensive renal disease (I10, I12)	9	0	0	0	0	0	0	0	0	1	1	3	4	0
Aortic aneurysm and dissection (I71)	2	0	0	0	0	0	0	0	0	1	0	1	0	0
Assault (homicide) (X85-Y09, Y87.1)	25	0	0	0	1	4	6	9	3	2	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	3	0	0	0	0	0	0	1	0	0	1	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	2	2	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVID-19	71	0	0	0	0	0	1	0	2	2	6	17	43	0
All other causes	214	1	2	0	0	0	4	11	19	20	38	31	88	0
TOTAL	779	3	2	0	3	5	11	23	33	62	122	166	349	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-16. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, SUSSEX COUNTY, DELAWARE, 2020

ALL RACES, BOTH SEXES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	618	0	0	0	1	0	1	0	3	18	61	104	430	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	5	0	0	0	0	0	0	0	0	0	0	1	4	0
Hypertensive heart disease (I11)	29	0	0	0	0	0	0	0	0	0	4	3	22	0
Hypertensive heart and renal disease (I13)	9	0	0	0	0	0	0	0	0	0	0	0	9	0
Ischemic heart disease (I20-I25)	380	0	0	0	0	0	0	0	2	17	42	70	249	0
All other forms of heart disease (I26-I51)	195	0	0	0	1	0	1	0	1	1	15	30	146	0
Malignant neoplasms (C00-C97)	660	0	0	1	0	0	0	0	7	17	110	210	315	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	12	0	0	0	0	0	0	0	0	0	4	2	6	0
Malignant neoplasms of digestive organs (C15-C26)	174	0	0	0	0	0	0	0	2	5	28	62	77	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	165	0	0	0	0	0	0	0	0	3	39	59	64	0
Malignant neoplasms of breast (C50)	47	0	0	0	0	0	0	0	1	1	11	11	23	0
Malignant neoplasms of female genital organs, (C51-C58)	33	0	0	0	0	0	0	0	2	2	2	10	17	0
Malignant neoplasms of male genital organs, (C60-C63)	41	0	0	0	0	0	0	0	0	1	3	11	26	0
Malignant neoplasms of urinary tract (C64-C68)	40	0	0	0	0	0	0	0	0	0	5	7	28	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	13	0	0	1	0	0	0	0	1	0	3	6	2	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	72	0	0	0	0	0	0	0	1	2	7	27	35	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	63	0	0	0	0	0	0	0	0	3	8	15	37	0
Cerebrovascular diseases (I60-I69)	163	0	0	0	0	0	0	0	1	2	5	28	127	0

TABLE F-16. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, SUSSEX COUNTY, DELAWARE, 2020

ALL RACES, BOTH SEXES - CON.

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	155	0	0	0	0	0	2	0	0	1	15	39	98	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	199	0	0	0	0	2	7	30	36	25	33	23	43	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	34	0	0	0	0	2	2	6	2	2	3	10	7	0
Nontransport Accidents (W00-X59, Y86)	163	0	0	0	0	0	4	24	34	23	30	12	36	0
Diabetes mellitus (E10-E14)	78	0	0	0	0	0	0	0	1	6	12	33	26	0
Influenza and pneumonia (J10-J18)	39	0	0	0	0	0	0	0	0	1	3	7	28	0
Alzheimer's disease (G30)	149	0	0	0	0	0	0	0	0	0	0	9	140	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	35	0	0	0	0	0	0	0	2	1	1	6	25	0
Septicemia (A40-A41)	19	0	0	0	0	0	0	0	0	3	3	2	11	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	30	0	0	0	0	1	1	6	4	4	7	2	5	0
Chronic liver disease and cirrhosis (K70, K73-K74)	50	0	0	0	0	0	0	0	1	3	16	14	16	0
Essential hypertension and hypertensive renal disease (I10, I12)	31	0	0	0	0	0	0	0	0	1	5	4	21	0
Aortic aneurysm and dissection (I71)	11	0	0	0	0	0	0	0	0	0	1	5	5	0
Assault (homicide) (X85-Y09, Y87.1)	9	0	0	0	0	2	0	4	2	1	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	5	0	0	0	0	0	0	0	1	2	0	0	2	0
Certain conditions originating in the perinatal period (P00-P96)	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	2	0	0	0	0	0	0	1	0	0	0	1	0	0
COVID-19	282	0	0	0	0	0	2	6	3	7	40	56	168	0
All other causes	510	3	0	0	0	0	1	1	9	22	50	90	334	0
TOTAL	3,046	4	0	1	1	5	14	48	70	114	362	633	1,794	0

Note:*ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-17. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

ALL RACES, MALES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	1,090	0	0	0	0	0	2	8	19	70	131	252	608	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Hypertensive heart disease (I11)	74	0	0	0	0	0	0	3	7	4	11	21	28	0
Hypertensive heart and renal disease (I13)	12	0	0	0	0	0	0	1	1	2	4	0	4	0
Ischemic heart disease (I20-I25)	617	0	0	0	0	0	0	2	8	42	77	154	334	0
All other forms of heart disease (I26-I51)	385	0	0	0	0	0	2	2	3	22	39	77	240	0
Malignant neoplasms (C00-C97)	1,118	0	0	0	0	1	0	8	10	57	194	339	509	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	30	0	0	0	0	0	0	0	0	1	9	10	10	0
Malignant neoplasms of digestive organs (C15-C26)	337	0	0	0	0	0	0	2	3	22	68	112	130	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	278	0	0	0	0	0	0	1	3	13	61	103	97	0
Malignant neoplasms of breast (C50)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Malignant neoplasms of male genital organs, (C60-C63)	112	0	0	0	0	0	0	0	0	3	10	26	73	0
Malignant neoplasms of urinary tract (C64-C68)	82	0	0	0	0	0	0	0	0	2	9	16	55	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	21	0	0	0	0	0	0	3	1	3	4	3	7	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	113	0	0	0	0	0	0	1	2	5	14	30	61	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	143	0	0	0	0	1	0	1	1	8	19	39	74	0
Cerebrovascular diseases (I60-I69)	288	0	0	0	0	0	0	0	3	7	27	51	200	0

**TABLE F-17. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
ALL RACES, MALES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	214	0	0	0	0	1	1	1	0	2	27	75	107	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	466	2	0	0	1	7	25	81	89	73	72	38	78	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	71	1	0	0	0	6	10	14	5	9	7	8	11	0
Nontransport Accidents (W00-X59, Y86)	391	1	0	0	1	1	14	67	84	64	64	28	67	0
Diabetes mellitus (E10-E14)	193	0	0	0	0	0	1	3	3	21	36	62	67	0
Influenza and pneumonia (J10-J18)	63	0	0	0	0	0	0	3	2	4	8	17	29	0
Alzheimer's disease (G30)	142	0	0	0	0	0	0	0	0	0	2	10	130	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	102	0	0	0	0	0	0	0	3	2	24	20	53	0
Septicemia (A40-A41)	53	0	0	0	0	0	0	0	0	4	11	11	27	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	106	0	0	0	0	3	7	22	18	13	22	7	14	0
Chronic liver disease and cirrhosis (K70, K73-K74)	85	0	0	0	0	0	0	3	4	13	24	24	17	0
Essential hypertension and hypertensive renal disease (I10, I12)	46	0	0	0	0	0	0	0	0	7	8	11	20	0
Aortic aneurysm and dissection (I71)	13	0	0	0	0	0	0	0	0	0	2	3	8	0
Assault (homicide) (X85-Y09, Y87.1)	66	0	0	0	1	9	13	31	9	2	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	11	0	0	0	0	0	0	2	0	1	4	2	2	0
Certain conditions originating in the perinatal period (P00-P96)	17	16	0	0	1	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	11	5	0	0	0	0	0	2	0	3	0	1	0	0
COVID-19	487	0	1	0	0	0	1	4	5	20	66	119	271	0
All other causes	908	4	3	1	0	3	1	16	21	63	118	189	489	0
TOTAL	5,479	27	4	1	3	24	51	184	186	362	776	1,231	2,630	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-18. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

ALL RACES, FEMALES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	967	1	0	0	1	1	1	1	13	27	80	165	677	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	11	0	0	0	0	0	0	0	0	0	0	3	8	0
Hypertensive heart disease (I11)	68	0	0	0	0	0	0	0	0	0	7	13	48	0
Hypertensive heart and renal disease (I13)	16	0	0	0	0	0	0	0	0	1	0	3	12	0
Ischemic heart disease (I20-I25)	467	0	0	0	0	0	0	0	6	17	44	89	311	0
All other forms of heart disease (I26-I51)	405	1	0	0	1	1	1	1	7	9	29	57	298	0
Malignant neoplasms (C00-C97)	969	0	0	1	0	0	0	0	18	51	157	303	439	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	9	0	0	0	0	0	0	0	0	0	2	1	6	0
Malignant neoplasms of digestive organs (C15-C26)	240	0	0	0	0	0	0	0	3	14	40	75	108	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	243	0	0	0	0	0	0	0	2	10	45	88	98	0
Malignant neoplasms of breast (C50)	145	0	0	0	0	0	0	0	2	9	32	38	64	0
Malignant neoplasms of female genital organs, (C51-C58)	104	0	0	0	0	0	0	0	5	6	12	35	46	0
Malignant neoplasms of urinary tract (C64-C68)	41	0	0	0	0	0	0	0	0	4	4	12	21	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	28	0	0	1	0	0	0	0	3	1	5	10	8	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	72	0	0	0	0	0	0	0	2	0	7	24	39	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	87	0	0	0	0	0	0	0	1	7	10	20	49	0
Cerebrovascular diseases (I60-I69)	400	0	0	0	0	0	0	1	4	5	14	49	327	0

**TABLE F-18. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
ALL RACES, FEMALES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	238	0	0	0	1	0	1	0	0	3	26	51	156	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	254	2	1	0	1	2	12	30	52	24	44	24	62	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	40	0	0	0	0	2	3	7	4	3	5	9	7	0
Nontransport Accidents (W00-X59, Y86)	213	2	1	0	1	0	9	23	48	21	39	14	55	0
Diabetes mellitus (E10-E14)	129	0	0	0	1	0	0	0	1	11	19	36	61	0
Influenza and pneumonia (J10-J18)	87	0	0	0	0	0	0	0	1	3	8	15	60	0
Alzheimer's disease (G30)	325	0	0	0	0	0	0	0	0	0	4	25	296	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	69	0	0	0	0	0	0	1	0	2	8	18	40	0
Septicemia (A40-A41)	41	1	0	0	0	0	0	0	0	3	4	9	24	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	14	0	0	0	1	1	0	0	4	4	2	2	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	50	0	0	0	0	0	0	0	0	9	17	12	12	0
Essential hypertension and hypertensive renal disease (I10, I12)	60	0	0	0	0	0	0	0	0	2	9	11	38	0
Aortic aneurysm and dissection (I71)	14	0	0	0	0	0	0	0	0	1	1	5	7	0
Assault (homicide) (X85-Y09, Y87.1)	14	0	0	0	0	6	3	3	1	1	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	7	0	0	0	0	0	0	1	1	3	1	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	13	13	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	13	6	0	1	0	0	0	0	0	0	3	3	0	0
COVID-19	478	0	0	0	0	0	2	4	2	20	41	73	336	0
All Other Causes	1,067	6	1	0	0	1	2	7	20	33	98	148	751	0
TOTAL	5,209	29	2	2	5	11	21	48	117	202	536	950	3,286	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-19. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

NON-HISPANIC WHITE, BOTH SEXES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	1,613	1	0	0	1	1	1	6	16	58	138	298	1,093	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	9	0	0	0	0	0	0	0	0	0	0	1	8	0
Hypertensive heart disease (I11)	109	0	0	0	0	0	0	3	4	2	15	24	61	0
Hypertensive heart and renal disease (I13)	21	0	0	0	0	0	0	0	0	2	3	3	13	0
Ischemic heart disease (I20-I25)	866	0	0	0	0	0	0	1	8	40	85	181	551	0
All other forms of heart disease (I26-I51)	608	1	0	0	1	1	1	2	4	14	35	89	460	0
Malignant neoplasms (C00-C97)	1,604	0	0	1	0	0	0	3	15	70	251	484	780	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	32	0	0	0	0	0	0	0	0	0	8	9	15	0
Malignant neoplasms of digestive organs (C15-C26)	429	0	0	0	0	0	0	0	2	25	73	138	191	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	418	0	0	0	0	0	0	1	4	14	81	153	165	0
Malignant neoplasms of breast (C50)	110	0	0	0	0	0	0	0	1	5	23	26	55	0
Malignant neoplasms of female genital organs, (C51-C58)	73	0	0	0	0	0	0	0	3	4	7	22	37	0
Malignant neoplasms of male genital organs, (C60-C63)	83	0	0	0	0	0	0	0	0	1	7	17	58	0
Malignant neoplasms of urinary tract (C64-C68)	91	0	0	0	0	0	0	0	0	4	9	19	59	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	37	0	0	1	0	0	0	2	1	2	7	11	13	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	147	0	0	0	0	0	0	0	2	4	18	43	80	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	184	0	0	0	0	0	0	0	2	11	18	46	107	0
Cerebrovascular diseases (I60-I69)	506	0	0	0	0	0	0	0	2	4	22	63	415	0

**TABLE F-19. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC WHITE, BOTH SEXES - CON.**

	Age of Decedent													
	Total	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	397	0	0	0	0	1	1	1	0	3	45	109	237	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	517	1	0	0	1	0	18	70	106	71	84	40	126	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	53	0	0	0	0	0	2	10	4	7	6	9	15	0
Nontransport Accidents (W00-X59, Y86)	460	1	0	0	1	0	15	60	102	64	78	28	111	0
Diabetes mellitus (E10-E14)	204	0	0	0	1	0	0	1	2	19	30	63	88	0
Influenza and pneumonia (J10-J18)	119	0	0	0	0	0	0	2	1	4	10	24	78	0
Alzheimer's disease (G30)	373	0	0	0	0	0	0	0	0	0	5	22	346	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	111	0	0	0	0	0	0	1	1	2	11	22	74	0
Septicemia (A40-A41)	61	0	0	0	0	0	0	0	0	4	8	13	36	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	98	0	0	0	0	0	4	17	18	16	21	9	13	0
Chronic liver disease and cirrhosis (K70, K73-K74)	104	0	0	0	0	0	0	3	3	16	33	23	26	0
Essential hypertension and hypertensive renal disease (I10, I12)	70	0	0	0	0	0	0	0	0	4	10	14	42	0
Aortic aneurysm and dissection (I71)	21	0	0	0	0	0	0	0	0	0	1	6	14	0
Assault (homicide) (X85-Y09, Y87.1)	9	0	0	0	0	2	1	2	3	1	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	5	0	0	0	0	0	0	0	1	0	2	0	2	0
Certain conditions originating in the perinatal period (P00-P96)	7	6	0	0	1	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	19	8	0	1	0	0	0	2	0	2	2	4	0	0
COVID-19	610	0	1	0	0	0	1	1	0	15	45	107	440	0
All other causes	1,523	6	3	0	0	0	1	11	23	55	139	258	1,027	0
TOTAL	7,971	22	4	2	4	4	27	120	191	344	857	1,559	4,837	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-20. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

NON-HISPANIC WHITE MALES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	855	0	0	0	0	0	0	5	12	44	85	182	527	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Hypertensive heart disease (I11)	59	0	0	0	0	0	0	3	4	2	9	15	26	0
Hypertensive heart and renal disease (I13)	7	0	0	0	0	0	0	0	0	1	3	0	3	0
Ischemic heart disease (I20-I25)	502	0	0	0	0	0	0	1	7	31	55	117	291	0
All other forms of heart disease (I26-I51)	285	0	0	0	0	0	0	1	1	10	18	50	205	0
Malignant neoplasms (C00-C97)	877	0	0	0	0	0	0	3	7	35	145	264	423	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	25	0	0	0	0	0	0	0	0	0	7	9	9	0
Malignant neoplasms of digestive organs (C15-C26)	250	0	0	0	0	0	0	0	2	13	46	85	104	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	227	0	0	0	0	0	0	1	3	7	51	84	81	0
Malignant neoplasms of breast (C50)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Malignant neoplasms of male genital organs, (C60-C63)	83	0	0	0	0	0	0	0	0	1	7	17	58	0
Malignant neoplasms of urinary tract (C64-C68)	65	0	0	0	0	0	0	0	0	2	6	12	45	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	16	0	0	0	0	0	0	2	0	1	4	2	7	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	91	0	0	0	0	0	0	0	1	4	13	24	49	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	118	0	0	0	0	0	0	0	1	7	11	31	68	0
Cerebrovascular diseases (I60-I69)	212	0	0	0	0	0	0	0	0	2	14	31	165	0

**TABLE F-20. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC WHITE MALES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	187	0	0	0	0	1	1	1	0	1	23	64	96	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	328	0	0	0	1	0	11	53	62	52	55	23	71	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	32	0	0	0	0	0	2	6	1	4	5	4	10	0
Nontransport Accidents (W00-X59, Y86)	293	0	0	0	1	0	8	47	61	48	50	17	61	0
Diabetes mellitus (E10-E14)	116	0	0	0	0	0	0	1	2	10	20	39	44	0
Influenza and pneumonia (J10-J18)	47	0	0	0	0	0	0	2	1	1	3	14	26	0
Alzheimer's disease (G30)	119	0	0	0	0	0	0	0	0	0	2	6	111	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	66	0	0	0	0	0	0	0	1	1	7	13	44	0
Septicemia (A40-A41)	33	0	0	0	0	0	0	0	0	3	6	6	18	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	88	0	0	0	0	0	4	17	15	12	20	7	13	0
Chronic liver disease and cirrhosis (K70, K73-K74)	64	0	0	0	0	0	0	3	3	9	19	15	15	0
Essential hypertension and hypertensive renal disease (I10, I12)	27	0	0	0	0	0	0	0	0	4	4	7	12	0
Aortic aneurysm and dissection (I71)	12	0	0	0	0	0	0	0	0	0	1	3	8	0
Assault (homicide) (X85-Y09, Y87.1)	3	0	0	0	0	0	1	0	2	0	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	3	0	0	0	0	0	0	0	0	0	1	0	2	0
Certain conditions originating in the perinatal period (P00-P96)	4	3	0	0	1	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	8	3	0	0	0	0	0	2	0	2	0	1	0	0
COVID-19	303	0	1	0	0	0	0	1	0	7	27	66	201	0
All other causes	700	3	2	0	0	0	0	5	12	39	81	146	412	0
TOTAL	4,052	9	3	0	2	1	17	93	117	222	513	887	2,188	0

Note:*ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-21. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

NON-HISPANIC WHITE FEMALES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	758	1	0	0	1	1	1	1	4	14	53	116	566	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	7	0	0	0	0	0	0	0	0	0	0	1	6	0
Hypertensive heart disease (I11)	50	0	0	0	0	0	0	0	0	0	6	9	35	0
Hypertensive heart and renal disease (I13)	14	0	0	0	0	0	0	0	0	1	0	3	10	0
Ischemic heart disease (I20-I25)	364	0	0	0	0	0	0	0	1	9	30	64	260	0
All other forms of heart disease (I26-I51)	323	1	0	0	1	1	1	1	3	4	17	39	255	0
Malignant neoplasms (C00-C97)	727	0	0	1	0	0	0	0	8	35	106	220	357	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	7	0	0	0	0	0	0	0	0	0	1	0	6	0
Malignant neoplasms of digestive organs (C15-C26)	179	0	0	0	0	0	0	0	0	12	27	53	87	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	191	0	0	0	0	0	0	0	1	7	30	69	84	0
Malignant neoplasms of breast (C50)	108	0	0	0	0	0	0	0	1	5	23	26	53	0
Malignant neoplasms of female genital organs, (C51-C58)	73	0	0	0	0	0	0	0	3	4	7	22	37	0
Malignant neoplasms of urinary tract (C64-C68)	26	0	0	0	0	0	0	0	0	2	3	7	14	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	21	0	0	1	0	0	0	0	1	1	3	9	6	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	56	0	0	0	0	0	0	0	1	0	5	19	31	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	66	0	0	0	0	0	0	0	1	4	7	15	39	0
Cerebrovascular diseases (I60-I69)	294	0	0	0	0	0	0	0	2	2	8	32	250	0

**TABLE F-21. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC WHITE FEMALES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	210	0	0	0	0	0	0	0	0	2	22	45	141	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	189	1	0	0	0	0	7	17	44	19	29	17	55	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	21	0	0	0	0	0	0	4	3	3	1	5	5	0
Nontransport Accidents (W00-X59, Y86)	167	1	0	0	0	0	7	13	41	16	28	11	50	0
Diabetes mellitus (E10-E14)	88	0	0	0	1	0	0	0	0	9	10	24	44	0
Influenza and pneumonia (J10-J18)	72	0	0	0	0	0	0	0	0	3	7	10	52	0
Alzheimer's disease (G30)	254	0	0	0	0	0	0	0	0	0	3	16	235	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	45	0	0	0	0	0	0	1	0	1	4	9	30	0
Septicemia (A40-A41)	28	0	0	0	0	0	0	0	0	1	2	7	18	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	10	0	0	0	0	0	0	0	3	4	1	2	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	40	0	0	0	0	0	0	0	0	7	14	8	11	0
Essential hypertension and hypertensive renal disease (I10, I12)	43	0	0	0	0	0	0	0	0	0	6	7	30	0
Aortic aneurysm and dissection (I71)	9	0	0	0	0	0	0	0	0	0	0	3	6	0
Assault (homicide) (X85-Y09, Y87.1)	6	0	0	0	0	2	0	2	1	1	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	2	0	0	0	0	0	0	0	1	0	1	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	3	3	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	11	5	0	1	0	0	0	0	0	0	2	3	0	0
COVID-19	307	0	0	0	0	0	1	0	0	8	18	41	239	0
All other causes	823	3	1	0	0	0	1	6	11	16	58	112	615	0
TOTAL	3,919	13	1	2	2	3	10	27	74	122	344	672	2,649	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-22. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

NON-HISPANIC BLACK, BOTH SEXES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	372	0	0	0	0	0	1	3	13	33	64	105	153	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	4	0	0	0	0	0	0	0	0	0	0	2	2	0
Hypertensive heart disease (I11)	30	0	0	0	0	0	0	0	2	1	3	10	14	0
Hypertensive heart and renal disease (I13)	7	0	0	0	0	0	0	1	1	1	1	0	3	0
Ischemic heart disease (I20-I25)	181	0	0	0	0	0	0	1	5	15	34	52	74	0
All other forms of heart disease (I26-I51)	150	0	0	0	0	0	1	1	5	16	26	41	60	0
Malignant neoplasms (C00-C97)	387	0	0	0	0	1	0	1	8	29	81	135	132	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	1	2	2	1	0
Malignant neoplasms of digestive organs (C15-C26)	115	0	0	0	0	0	0	0	3	7	27	42	36	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	85	0	0	0	0	0	0	0	1	8	20	31	25	0
Malignant neoplasms of breast (C50)	30	0	0	0	0	0	0	0	1	3	8	11	7	0
Malignant neoplasms of female genital organs, (C51-C58)	26	0	0	0	0	0	0	0	0	2	5	11	8	0
Malignant neoplasms of male genital organs, (C60-C63)	25	0	0	0	0	0	0	0	0	0	3	8	14	0
Malignant neoplasms of urinary tract (C64-C68)	24	0	0	0	0	0	0	0	0	2	1	8	13	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	8	0	0	0	0	0	0	0	2	2	2	1	1	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	31	0	0	0	0	0	0	1	1	1	3	9	16	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	37	0	0	0	0	1	0	0	0	3	10	12	11	0
Cerebrovascular diseases (I60-I69)	150	0	0	0	0	0	0	1	3	5	18	32	91	0

**TABLE F-22. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC BLACK, BOTH SEXES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	46	0	0	0	1	0	1	0	0	2	7	15	20	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	154	3	1	0	1	7	13	25	26	23	28	18	9	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	43	1	0	0	0	6	8	6	3	4	6	7	2	0
Nontransport Accidents (W00-X59, Y86)	110	2	1	0	1	1	5	19	23	19	21	11	7	0
Diabetes mellitus (E10-E14)	89	0	0	0	0	0	0	2	2	8	20	27	30	0
Influenza and pneumonia (J10-J18)	23	0	0	0	0	0	0	1	2	3	4	5	8	0
Alzheimer's disease (G30)	71	0	0	0	0	0	0	0	0	0	1	9	61	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	51	0	0	0	0	0	0	0	1	1	20	14	15	0
Septicemia (A40-A41)	23	1	0	0	0	0	0	0	0	3	6	5	8	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	15	0	0	0	1	1	3	3	3	1	3	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	16	0	0	0	0	0	0	0	0	2	5	7	2	0
Essential hypertension and hypertensive renal disease (I10, I12)	34	0	0	0	0	0	0	0	0	4	7	8	15	0
Aortic aneurysm and dissection (I71)	3	0	0	0	0	0	0	0	0	1	0	2	0	0
Assault (homicide) (X85-Y09, Y87.1)	68	0	0	0	1	12	15	31	6	2	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	11	0	0	0	0	0	0	3	0	3	2	3	0	0
Certain conditions originating in the perinatal period (P00-P96)	16	16	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	3	1	0	0	0	0	0	0	0	1	1	0	0	0
COVID-19	215	0	0	0	0	0	0	5	1	15	40	50	104	0
All other causes	372	3	1	1	0	4	1	9	14	35	69	66	169	0
TOTAL	2,119	24	2	1	4	25	34	84	79	171	376	501	818	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-23. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020

NON-HISPANIC BLACK MALES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	195	0	0	0	0	0	1	3	6	22	39	60	64	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	13	0	0	0	0	0	0	0	2	1	2	6	2	0
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	0	1	1	1	1	0	1	0
Ischemic heart disease (I20-I25)	94	0	0	0	0	0	0	1	1	9	20	31	32	0
All other forms of heart disease (I26-I51)	83	0	0	0	0	0	1	1	2	11	16	23	29	0
Malignant neoplasms (C00-C97)	191	0	0	0	0	1	0	1	2	17	39	63	68	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	4	0	0	0	0	0	0	0	0	1	1	1	1	0
Malignant neoplasms of digestive organs (C15-C26)	65	0	0	0	0	0	0	0	1	6	16	24	18	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	41	0	0	0	0	0	0	0	0	6	9	13	13	0
Malignant neoplasms of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of male genital organs, (C60-C63)	25	0	0	0	0	0	0	0	0	0	3	8	14	0
Malignant neoplasms of urinary tract (C64-C68)	12	0	0	0	0	0	0	0	0	0	1	3	8	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	3	0	0	0	0	0	0	0	0	2	0	1	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	20	0	0	0	0	0	0	1	1	1	1	6	10	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	21	0	0	0	0	1	0	0	0	1	8	7	4	0
Cerebrovascular diseases (I60-I69)	60	0	0	0	0	0	0	0	2	3	13	18	24	0

**TABLE F-23. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC BLACK MALES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	24	0	0	0	0	0	0	0	0	1	4	10	9	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	101	2	0	0	0	5	8	17	18	19	13	14	5	0
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	28	1	0	0	0	4	5	5	2	4	2	4	1	0
Nontransport Accidents (W00-X59, Y86)	72	1	0	0	0	1	3	12	16	15	10	10	4	0
Diabetes mellitus (E10-E14)	60	0	0	0	0	0	0	2	1	7	14	18	18	0
Influenza and pneumonia (J10-J18)	14	0	0	0	0	0	0	1	1	3	3	3	3	0
Alzheimer's disease (G30)	19	0	0	0	0	0	0	0	0	0	0	3	16	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	31	0	0	0	0	0	0	0	1	1	16	6	7	0
Septicemia (A40-A41)	13	0	0	0	0	0	0	0	0	1	4	3	5	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	12	0	0	0	0	1	3	3	2	1	2	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	10	0	0	0	0	0	0	0	0	1	4	4	1	0
Essential hypertension and hypertensive renal disease (I10, I12)	18	0	0	0	0	0	0	0	0	2	4	4	8	0
Aortic aneurysm and dissection (I71)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) (X85-Y09, Y87.1)	60	0	0	0	1	8	12	30	6	2	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	7	0	0	0	0	0	0	2	0	1	2	2	0	0
Certain conditions originating in the perinatal period (P00-P96)	8	8	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	2	1	0	0	0	0	0	0	0	1	0	0	0	0
COVID-19	103	0	0	0	0	0	0	2	0	6	26	30	39	0
All other causes	166	0	1	1	0	3	0	8	7	20	33	37	56	0
TOTAL	1,094	11	1	1	1	18	24	69	46	108	216	275	324	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-24. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC BLACK FEMALES

Cause of Death*	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Diseases of the heart (I00-I09, I11, I13, I20-I51)	177	0	0	0	0	0	0	0	7	11	25	45	89	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	4	0	0	0	0	0	0	0	0	0	0	2	2	0
Hypertensive heart disease (I11)	17	0	0	0	0	0	0	0	0	0	1	4	12	0
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	0	0	0	2	0
Ischemic heart disease (I20-I25)	87	0	0	0	0	0	0	0	4	6	14	21	42	0
All other forms of heart disease (I26-I51)	67	0	0	0	0	0	0	0	3	5	10	18	31	0
Malignant neoplasms (C00-C97)	196	0	0	0	0	0	0	0	6	12	42	72	64	0
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	2	0	0	0	0	0	0	0	0	0	1	1	0	0
Malignant neoplasms of digestive organs (C15-C26)	50	0	0	0	0	0	0	0	2	1	11	18	18	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	44	0	0	0	0	0	0	0	1	2	11	18	12	0
Malignant neoplasms of breast (C50)	30	0	0	0	0	0	0	0	1	3	8	11	7	0
Malignant neoplasms of female genital organs, (C51-C58)	26	0	0	0	0	0	0	0	0	2	5	11	8	0
Malignant neoplasms of urinary tract (C64-C68)	12	0	0	0	0	0	0	0	0	2	0	5	5	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	5	0	0	0	0	0	0	0	2	0	2	0	1	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	11	0	0	0	0	0	0	0	0	0	2	3	6	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	16	0	0	0	0	0	0	0	0	2	2	5	7	0
Cerebrovascular diseases (I60-I69)	90	0	0	0	0	0	0	1	1	2	5	14	67	0

**TABLE F-24. NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH, DELAWARE, 2020
NON-HISPANIC BLACK FEMALES - CON.**

	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Chronic lower respiratory diseases (J40-J47)	22	0	0	0	1	0	1	0	0	1	3	5	11	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	53	1	1	0	1	2	5	8	8	4	15	4	4	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	15	0	0	0	0	2	3	1	1	0	4	3	1	0
Nontransport Accidents (W00-X59, Y86)	38	1	1	0	1	0	2	7	7	4	11	1	3	0
Diabetes mellitus (E10-E14)	29	0	0	0	0	0	0	0	1	1	6	9	12	0
Influenza and pneumonia (J10-J18)	9	0	0	0	0	0	0	0	1	0	1	2	5	0
Alzheimer's disease (G30)	52	0	0	0	0	0	0	0	0	0	1	6	45	0
Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)	20	0	0	0	0	0	0	0	0	0	4	8	8	0
Septicemia (A40-A41)	10	1	0	0	0	0	0	0	0	2	2	2	3	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	3	0	0	0	1	0	0	0	1	0	1	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	6	0	0	0	0	0	0	0	0	1	1	3	1	0
Essential hypertension and hypertensive renal disease (I10, I12)	16	0	0	0	0	0	0	0	0	2	3	4	7	0
Aortic aneurysm and dissection (I71)	3	0	0	0	0	0	0	0	0	1	0	2	0	0
Assault (homicide) (X85-Y09, Y87.1)	8	0	0	0	0	4	3	1	0	0	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	4	0	0	0	0	0	0	1	0	2	0	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	8	8	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	1	0	0	0	0	0	0	0	0	0	1	0	0	0
COVID-19	112	0	0	0	0	0	0	3	1	9	14	20	65	0
All other causes	206	3	0	0	0	1	1	1	7	15	36	29	113	0
TOTAL	1,025	13	1	0	3	7	10	15	33	63	160	226	494	0

Note: *ICD Codes, Tenth Revision.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-25. HIV INFECTION/AIDS¹ DEATHS BY COUNTY, RACE, HISPANIC² ORIGIN AND SEX, DELAWARE, 2006-2020


Area/ Race	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Delaware	53	55	58	41	46	36	36	36	38	31	17	16	25	16	18
Males	33	33	27	27	33	28	24	28	24	19	10	13	16	13	11
Non-Hispanic White	9	13	10	4	7	5	5	8	4	6	3	2	2	1	3
Non-Hispanic Black	24	20	16	22	25	21	19	20	16	12	7	10	14	12	7
Females	20	22	31	14	13	8	12	8	14	12	7	3	9	3	7
Non-Hispanic White	0	0	6	2	4	0	3	0	1	3	0	0	3	0	2
Non-Hispanic Black	19	21	25	12	9	8	9	7	13	9	6	1	6	3	4
Kent	11	9	8	5	10	5	8	4	4	8	3	1	6	2	4
Males	7	5	2	5	6	5	6	4	2	6	1	0	3	2	3
Non-Hispanic White	1	2	1	2	2	1	2	1	0	1	0	0	0	1	0
Non-Hispanic Black	6	3	1	3	4	3	4	3	2	5	1	0	3	1	3
Females	4	4	6	0	4	0	2	0	2	2	2	1	3	0	1
Non-Hispanic White	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1
Non-Hispanic Black	4	4	5	0	4	0	2	0	2	2	1	1	2	0	0
New Castle	34	39	42	34	31	25	27	27	27	18	9	9	17	14	9
Males	19	21	17	21	23	18	17	19	18	10	5	8	11	11	6
Non-Hispanic White	5	6	3	1	2	3	3	4	3	2	1	1	0	0	1
Non-Hispanic Black	14	15	13	19	20	14	14	15	11	7	4	7	11	11	4
Females	15	18	25	13	8	7	10	8	9	8	4	1	6	3	3
Non-Hispanic White	0	0	5	1	4	0	3	0	1	2	0	0	2	0	0
Non-Hispanic Black	14	17	20	12	4	7	7	7	8	6	4	0	4	3	3
Wilmington	19	22	29	27	19	15	15	18	21	8	3	8	6	5	3
Males	7	10	13	16	16	9	9	13	16	4	1	7	5	4	2
Non-Hispanic White	0	0	1	0	0	0	2	1	2	0	0	0	0	0	0
Non-Hispanic Black	7	10	12	15	15	9	7	12	11	4	1	7	5	4	1
Females	12	12	16	11	3	6	6	5	5	4	2	1	1	1	1
Non-Hispanic White	0	0	3	1	1	0	0	0	0	1	0	0	0	0	0
Non-Hispanic Black	11	11	13	10	2	6	6	4	5	3	2	0	1	1	1
Bal of NCCo	15	17	13	7	12	10	12	9	6	10	6	1	11	9	6
Males	12	11	4	5	7	9	8	6	2	6	4	1	6	7	4
Non-Hispanic White	5	6	2	1	2	3	1	3	1	2	1	1	0	0	1
Non-Hispanic Black	7	5	1	4	5	5	7	3	0	3	3	0	6	7	3
Females	3	6	9	2	5	1	4	3	4	4	2	0	5	2	2
Non-Hispanic White	0	0	2	0	3	0	3	0	1	1	0	0	2	0	0
Non-Hispanic Black	3	6	7	2	2	1	1	3	3	3	2	0	3	2	2
Sussex	8	7	8	2	5	6	1	5	7	5	5	6	2	0	5
Males	7	7	8	1	4	5	1	5	4	3	4	5	2	0	2
Non-Hispanic White	3	5	6	1	3	1	0	3	1	3	2	1	2	0	2
Non-Hispanic Black	4	2	2	0	1	4	1	2	3	0	2	3	0	0	0
Females	1	0	0	1	1	1	0	0	3	2	1	1	0	0	3
Non-Hispanic White	0	0	0	1	0	0	0	0	0	1	0	0	0	0	1
Non-Hispanic Black	1	0	0	0	1	1	0	0	3	1	1	0	0	0	1
Hispanic	1	1	1	1	1	2	1	4	1	1	3	3	0	0	2
Males	0	0	1	1	1	2	0	4	1	0	1	1	0	0	1
Females	1	1	0	0	0	0	1	0	0	1	2	2	0	0	1

Notes:

1. See Table F-12 for ICD-9 and ICD-10 Codes.
2. People of Hispanic origin may be of any race. See Hispanic Origin in the Technical Notes.

Sources: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center National Center for Health Statistics

Figure F-3. Number of HIV Deaths by Race and Sex, Delaware, 2000-2020



Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-26. NUMBER AND PERCENT OF DEATHS BY METHOD OF DISPOSITION, RACE, COUNTY, AND CITY OF WILMINGTON, DELAWARE, 2020

Area/ Method of Disposition	Race							
	All Races		White Non-Hispanic		Black Non-Hispanic		Other Non-Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Delaware	10,688	100.0	7,971	100.0	2,119	100.0	313	100.0
Burial	4,201	39.3	2,785	34.9	1,198	56.5	113	36.1
Cremation	6,056	56.7	4,812	60.4	895	42.2	189	60.4
Donation	116	1.1	109	1.4	5	0.2	2	0.6
Entombment	138	1.3	126	1.6	5	0.2	6	1.9
Removal from State	128	1.2	100	1.3	13	0.6	2	0.6
Unknown	49	0.5	39	0.5	3	0.1	1	0.3
Kent	1,995	100.0	1,407	100.0	487	100.0	56	100.0
Burial	869	43.6	561	39.9	267	54.8	25	44.6
Cremation	1,071	53.7	798	56.7	215	44.1	29	51.8
Donation	12	0.6	11	0.8	0	0.0	1	1.8
Entombment	13	0.7	11	0.8	1	0.2	1	1.8
Removal from State	29	1.5	26	1.8	3	0.6	0	0.0
Unknown	1	0.1	0	0.0	1	0.2	0	0.0
New Castle	5,647	100.0	3,929	100.0	1,328	100.0	205	100.0
Burial	2,288	40.5	1,419	36.1	729	54.9	70	34.1
Cremation	3,117	55.2	2,307	58.7	581	43.8	128	62.4
Donation	43	0.8	39	1.0	3	0.2	1	0.5
Entombment	99	1.8	90	2.3	4	0.3	4	2.0
Removal from State	98	1.7	73	1.9	10	0.8	2	1.0
Unknown	2	0.0	1	0.0	1	0.1	0	0.0
Wilmington	779	100.0	294	100.0	415	100.0	22	100.0
Burial	357	45.8	99	33.7	229	55.2	7	31.8
Cremation	397	51.0	177	60.2	183	44.1	14	63.6
Donation	4	0.5	4	1.4	0	0.0	0	0.0
Entombment	11	1.4	10	3.4	1	0.2	0	0.0
Removal from State	9	1.2	3	1.0	2	0.5	1	4.5
Unknown/Other	1	0.1	1	0.3	0	0.0	0	0.0
Balance of NC County	4,868	100.0	3,635	100.0	913	100.0	183	100.0
Burial	1,931	39.7	1,320	36.3	500	54.8	63	34.4
Cremation	2,720	55.9	2,130	58.6	398	43.6	114	62.3
Donation	39	0.8	35	1.0	3	0.3	1	0.5
Entombment	88	1.8	80	2.2	3	0.3	4	2.2
Removal from State	89	1.8	70	1.9	8	0.9	1	0.5
Unknown	1	0.0	0	0.0	1	0.1	0	0.0
Sussex	3,046	100.0	2,635	100.0	304	100.0	52	100.0
Burial	1,044	34.3	805	30.6	202	66.4	18	34.6
Cremation	1,868	61.3	1,707	64.8	99	32.6	32	61.5
Donation	61	2.0	59	2.2	2	0.7	0	0.0
Entombment	26	0.9	25	0.9	0	0.0	1	1.9
Removal from State	1	0.0	1	0.0	0	0.0	0	0.0
Unknown	46	1.5	38	1.4	1	0.3	1	1.9

Note: Percentages are calculated based upon the total number of deaths in each race category.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

**TABLE F-27. LIFE EXPECTANCY AT BIRTH* BY RACE AND SEX,
DELAWARE, 2003-2020**

Year	Race and Sex								
	All Races			Non-Hispanic White			Non-Hispanic Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
2020	77.7	74.8	80.5	77.7	75.1	80.3	73.9	70.2	77.4
2019	79.0	75.9	82.2	79.1	76.1	82.2	77.0	73.1	80.8
2018	78.5	75.4	81.6	78.5	75.6	81.5	75.9	71.8	79.9
2017	78.5	75.5	81.4	78.4	75.6	81.3	75.8	72.1	79.3
2016	78.6	75.6	81.6	78.5	75.5	81.6	77.2	73.1	80.9
2015	78.6	76.0	81.2	78.5	75.8	81.1	77.2	74.5	79.6
2014	78.9	76.4	81.4	79.1	76.5	81.6	76.8	74.0	79.2
2013	78.9	76.3	81.4	78.9	76.4	81.3	77.5	74.3	80.4
2012	78.5	76.1	80.8	78.8	76.4	81.0	75.4	73.0	77.7
2011	78.3	75.9	80.6	78.3	76.1	80.4	76.6	73.4	79.6
2010	78.6	76.0	81.0	78.6	76.4	80.7	76.2	72.4	79.8
2009	78.5	76.1	80.8	78.9	76.6	81.2	75.4	72.4	78.2
2008	77.9	75.5	80.3	78.3	75.8	80.7	75.6	72.8	78.1
2007	78.4	75.7	81.0	78.8	76.2	81.4	75.9	72.8	78.8
2006	78.1	75.4	80.5	78.6	76.1	81.1	74.4	71.1	77.3
2005	77.4	74.8	79.8	77.9	75.3	80.5	73.6	70.9	76.1
2004	77.3	74.6	79.9	77.8	75.3	80.2	73.4	69.9	76.7
2003	77.1	74.3	79.8	77.9	75.2	80.5	72.4	68.8	75.8

Note:

*Life expectancy at birth is the average expected lifetime of people born in the listed year.

Source:

Delaware Health and Social Services, Division of Public Health, Delaware Health Statistics Center

**TABLE F-28. AVERAGE REMAINING YEARS OF LIFE* BY AGE, RACE,
AND SEX, DELAWARE, 2020**

Age Group	Race and Sex								
	All Races			Non-Hispanic White			Non-Hispanic Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
0-5	77.7	74.8	80.5	77.7	75.1	80.3	73.9	70.2	77.4
5-10	73.1	70.2	75.9	73.1	70.4	75.7	69.5	65.8	73.1
10-15	68.1	65.2	71.0	68.1	65.4	70.8	64.5	60.8	68.1
15-20	63.1	60.2	66.0	63.1	60.4	65.9	59.6	55.9	63.3
20-25	58.3	55.5	61.1	58.2	55.5	60.9	55.1	51.5	58.6
25-30	53.6	50.9	56.3	53.4	50.8	56.1	50.7	47.3	53.9
30-35	49.0	46.4	51.5	48.7	46.2	51.3	46.2	43.1	49.1
35-40	44.5	42.2	46.7	44.2	41.9	46.5	41.9	39.1	44.4
40-45	40.0	37.8	42.1	39.9	37.7	41.9	37.4	34.8	39.8
45-50	35.5	33.4	37.5	35.4	33.3	37.5	33.0	30.5	35.4
50-55	31.1	29.1	32.9	31.1	29.1	33.0	28.8	26.5	30.7
55-60	26.9	25.1	28.5	26.9	25.2	28.6	24.8	22.8	26.6
60-65	22.8	21.2	24.3	22.8	21.2	24.3	21.2	19.4	22.7
65-70	19.1	17.6	20.4	19.0	17.6	20.3	17.8	16.2	19.0
70-75	15.6	14.3	16.7	15.4	14.2	16.4	14.8	13.4	15.9
75-80	12.3	11.3	13.1	12.0	11.0	12.9	12.1	11.4	12.7
80-85	9.5	8.9	10.0	9.2	8.4	9.7	9.9	9.9	9.9
85+	7.0	6.5	7.3	6.6	6.0	7.0	7.7	7.8	7.7

Note: *Average number of years of life remaining at the beginning of the age interval.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

**TABLE F-29. MATERNAL DEATHS BY COUNTY,
DELAWARE, 1995-2020**

Year	Area			
	Delaware	Kent	New Castle	Sussex
2020	2	0	2	0
2019	0	0	0	0
2018	2	0	1	1
2017	1	0	1	0
2016	1	0	1	0
2015	1	0	1	0
2014	1	0	1	0
2013	0	0	0	0
2012	2	0	0	2
2011	1	0	0	1
2010	2	0	0	2
2009	4	1	3	0
2008	3	1	2	0
2007	1	0	1	0
2006	1	0	1	0
2005	3	0	3	0
2004	1	0	1	0
2003	2	0	2	0
2002	0	0	0	0
2001	2	0	1	1
2000	3	1	2	0
1999	1	0	1	0
1998	2	0	2	0
1997	1	0	1	0
1996	0	0	0	0
1995	0	0	0	0

Note: Prior to 1999, maternal deaths included ICD-9 categories 630-676. For 1999 and later, maternal deaths include ICD-10 categories O00-O95, O98-O99, and A34.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-30. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED CAUSES OF DEATH BY COUNTY, DELAWARE, 2016-2020

LEADING CAUSES OF DEATH	AREA				NON-HISPANIC	
	DE	Kent	NCC	Sussex	White	Black
Malignant neoplasms	158.5	172.6	159.1	151.5	163.3	174.2
Diseases of the heart	152.6	183.0	147.3	145.6	155.1	165.4
Chronic lower respiratory diseases	37.9	46.6	36.7	36.0	41.9	29.4
Cerebrovascular diseases	44.8	48.5	50.6	34.2	42.2	59.6
Dementia	32.0	25.9	40.1	23.1	32.6	36.0
Accidents (unintentional injuries)	65.5	61.5	65.0	72.5	77.9	57.9
Diabetes mellitus	19.9	25.5	20.3	16.1	17.2	34.5
Alzheimer's disease	29.0	35.2	29.2	25.7	29.2	31.3
Nephritis, nephrotic syndrome, and nephrosis	15.2	17.6	16.6	12.0	13.0	28.4
Influenza and pneumonia	11.7	12.5	13.3	8.6	12.1	10.9
Septicemia	9.2	11.7	8.9	8.4	9.0	10.9
Intentional self-harm (suicide)	11.4	12.2	10.9	11.9	15.1	5.7
Other diseases of respiratory system	9.9	12.6	9.7	8.7	10.3	8.4
Chronic liver disease and cirrhosis	8.8	8.8	7.5	11.6	10.1	5.9
Certain conditions originating in the perinatal period	4.7	3.8	5.7	NA	2.1	8.8
Assault (homicide)	7.3	6.4	8.7	3.9	2.2	23.2
Parkinson's disease	7.8	7.3	8.3	7.3	8.6	4.7
Human immunodeficiency virus (HIV)	1.6	NA	1.7	NA	NA	6.0
Essential hypertension and hypertensive renal disease	5.7	6.7	5.0	6.0	5.1	9.5
Pneumonitis due to solids and liquids	5.5	8.2	5.0	5.0	5.5	5.4
Aortic aneurysm and dissection	2.6	2.3	2.9	2.4	2.8	2.5
Congenital malformations, deformations, and chromosomal abnormalities	2.8	3.5	2.2	3.4	2.4	3.1

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.

2. See Appendix E for ICD-10 cause of death codes.

3. "NA" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-31. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY COUNTY, DELAWARE, 2004-2020

Cause of Death/ Area	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Diseases of the heart													
Delaware	210.0	199.1	188.2	182.4	175.6	172.6	169.9	167.6	164.6	161.8	159.0	154.7	152.6
Kent	248.8	240.9	231.1	221.3	208.1	203.2	195.6	188.5	186.1	183.9	182.4	180.2	183.0
New Castle	200.5	187.6	175.6	170.1	163.0	160.5	158.2	156.6	154.2	151.4	149.2	147.9	147.3
Sussex	207.9	199.3	189.9	186.0	183.2	179.9	178.8	177.3	172.5	169.1	163.9	152.8	145.6
Malignant neoplasms													
Delaware	194.5	188.7	186.3	184.3	181.6	176.9	175.0	171.7	170.2	167.0	165.1	161.5	158.5
Kent	204.7	201.8	199.7	198.0	199.4	190.9	190.1	189.0	187.2	181.6	184.5	178.1	172.6
New Castle	193.6	187.9	185.2	185.6	182.6	177.3	174.2	170.3	166.9	165.7	162.3	161.2	159.1
Sussex	192.5	184.9	181.6	174.6	169.5	168.1	167.8	164.7	166.6	161.6	159.7	154.6	151.5
Cerebrovascular diseases													
Delaware	40.8	41.0	40.4	40.1	39.9	39.6	38.8	38.6	38.6	40.0	41.6	42.6	44.8
Kent	39.1	40.9	38.7	36.4	38.5	38.4	37.5	38.2	40.5	40.9	42.9	44.6	48.5
New Castle	45.7	45.4	44.7	44.9	43.7	44.1	43.3	42.9	42.3	43.9	45.9	47.6	50.6
Sussex	31.6	32.1	33.1	33.4	33.3	31.9	31.7	31.2	31.4	33.0	34.2	33.8	34.2
Chronic lower respiratory diseases													
Delaware	42.6	43.3	42.8	44.1	43.9	42.9	42.2	41.9	41.7	41.8	41.1	39.9	37.9
Kent	54.2	54.6	53.3	54.2	54.4	49.0	47.6	48.0	48.0	47.4	49.5	49.3	46.6
New Castle	41.7	42.1	41.5	43.0	42.2	41.3	40.7	40.2	39.2	39.4	39.2	38.4	36.7
Sussex	38.5	39.7	39.5	40.8	41.1	42.4	42.4	41.8	43.0	43.6	40.6	37.9	36.0
Diabetes mellitus													
Delaware	23.3	22.6	21.2	21.4	21.2	20.6	20.4	20.1	19.2	18.6	18.5	18.7	19.9
Kent	28.0	28.2	25.8	24.5	23.1	22.9	20.6	20.5	21.5	22.7	21.8	22.3	25.5
New Castle	23.5	22.5	21.4	22.2	22.3	21.5	21.3	20.4	18.6	17.9	18.6	19.0	20.3
Sussex	20.4	19.6	18.0	18.0	18.2	17.8	18.7	19.3	18.7	17.4	16.4	16.0	16.1
Influenza and pneumonia													
Delaware	15.5	14.7	13.8	13.3	13.1	12.9	13.0	13.5	13.0	13.7	13.5	12.6	11.7
Kent	17.2	16.0	14.9	13.6	14.1	13.5	14.1	14.0	13.9	13.3	13.6	12.5	12.5
New Castle	14.0	14.1	13.9	13.9	13.8	13.5	13.8	14.7	14.2	15.7	15.9	14.7	13.3
Sussex	17.4	14.9	12.7	11.9	11.1	11.3	10.8	11.0	10.3	10.5	9.4	9.2	8.6
Alzheimer's disease													
Delaware	21.0	20.5	20.7	20.4	20.1	19.3	19.1	19.2	20.6	22.5	25.2	26.7	29.0
Kent	18.0	18.8	20.5	22.8	22.8	22.0	20.3	21.4	22.2	24.1	30.0	33.3	35.2
New Castle	18.5	17.9	17.9	16.2	16.1	16.5	17.5	18.3	21.3	23.6	26.0	26.8	29.2
Sussex	27.9	27.0	27.0	27.7	26.9	23.6	21.6	19.8	18.7	19.9	21.6	23.5	25.7
Nephritis, nephrotic syndrome, and nephrosis													
Delaware	16.6	17.1	17.3	17.0	16.0	15.4	14.8	14.7	15.0	15.6	15.6	15.7	15.2
Kent	17.2	15.8	16.2	15.9	15.2	14.1	15.4	16.4	18.5	19.7	19.8	19.2	17.6
New Castle	17.8	18.4	18.7	18.5	17.0	16.2	15.7	15.5	15.7	16.2	16.8	16.7	16.6
Sussex	13.9	15.4	15.0	14.8	14.6	14.7	12.8	12.3	12.1	12.7	11.9	12.8	12.0
Septicemia													
Delaware	13.5	13.0	12.3	11.9	11.7	11.8	11.8	12.1	12.3	12.1	11.0	10.2	9.2
Kent	17.9	17.0	17.6	16.9	16.0	16.6	17.1	16.1	16.3	15.8	13.3	12.0	11.7
New Castle	14.0	13.5	12.2	11.8	11.1	11.1	11.2	11.4	11.7	11.6	10.6	9.8	8.9
Sussex	10.1	9.9	9.3	9.0	9.8	10.0	9.7	10.9	11.1	11.1	10.7	10.0	8.4

TABLE F-31. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY COUNTY, DELAWARE, 2004-2020 - CONTINUED

Cause of Death/ Area	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Intentional self-harm (suicide)													
Delaware	10.6	10.7	11.1	11.3	11.8	12.0	12.3	12.5	12.6	12.2	12.0	11.6	11.4
Kent	10.3	11.3	11.3	11.4	12.5	13.2	14.1	14.3	14.0	13.5	13.3	12.7	12.2
New Castle	10.3	10.1	10.2	10.6	11.1	11.2	11.4	11.9	11.9	11.6	11.3	10.9	10.9
Sussex	11.9	12.1	13.5	13.1	13.4	12.8	13.2	12.6	12.8	12.6	12.7	12.0	11.9
Chronic liver disease and cirrhosis													
Delaware	8.1	8.2	8.4	8.5	8.4	8.0	8.2	8.4	8.2	8.5	8.8	8.7	8.8
Kent	8.7	9.2	9.4	9.7	8.6	7.9	8.3	8.5	8.2	9.1	9.4	8.8	8.8
New Castle	7.6	7.3	7.6	7.3	7.5	7.1	7.0	7.1	6.8	7.0	7.2	7.3	7.5
Sussex	8.8	9.2	9.5	10.3	10.2	10.0	10.5	11.0	11.2	11.5	12.1	11.8	11.6
Assault (homicide)													
Delaware	5.9	6.0	6.1	6.0	6.4	6.1	6.4	6.6	6.9	6.9	7.1	7.0	7.3
Kent	4.5	4.0	4.2	3.9	4.0	3.8	4.6	5.1	5.6	6.0	5.9	6.2	6.4
New Castle	7.0	7.3	7.4	7.3	8.0	7.7	7.9	8.1	8.4	8.3	8.4	8.4	8.7
Sussex	3.2	3.6	3.5	3.7	3.5	3.0	3.1	2.9	3.1	3.1	3.7	3.5	3.9
Certain conditions originating in the perinatal period													
Delaware	7.1	7.3	6.5	6.5	6.6	6.3	6.1	6.9	6.8	6.3	5.9	5.7	4.7
Kent	4.9	5.4	4.2	4.8	5.6	5.1	4.4	5.4	5.3	4.3	4.3	4.6	3.8
New Castle	8.1	8.4	7.7	8.0	8.1	7.6	7.3	7.8	7.6	7.1	6.6	6.5	5.7
Sussex	6.3	6.0	4.9	3.7	2.9	3.2	3.3	4.2	4.5	4.5	4.2	3.6	---
Congenital malformations													
Delaware	2.9	2.7	3.0	2.9	3.0	3.1	3.0	2.9	2.8	2.8	2.9	2.9	2.8
Kent	3.2	2.8	3.4	3.2	3.1	2.9	3.0	3.5	3.1	3.1	3.0	3.3	3.5
New Castle	2.7	2.6	2.7	2.8	3.0	3.0	2.8	2.6	2.4	2.3	2.4	2.3	2.2
Sussex	3.1	2.7	3.3	3.1	3.1	3.6	3.4	3.2	3.4	3.8	3.8	4.1	3.4
Human immunodeficiency virus (HIV)													
Delaware	6.6	6.1	5.6	5.1	4.6	4.0	3.8	3.4	3.0	2.6	2.3	1.9	1.6
Kent	5.7	5.3	5.7	4.8	4.4	3.7	3.5	3.1	2.9	2.2	2.4	2.2	---
New Castle	7.8	7.2	6.4	6.0	5.5	4.9	4.5	4.0	3.4	2.8	2.4	2.0	1.7
Sussex	3.9	3.8	3.4	3.1	2.5	---	2.3	2.1	2.0	2.3	2.0	---	---
Accidents (unintentional injuries)													
Delaware	36.0	36.4	37.3	36.9	37.8	38.5	40.2	41.9	45.5	50.4	55.3	61.2	65.5
Kent	39.8	38.2	37.8	35.3	38.1	39.5	43.7	46.1	51.7	53.8	57.2	60.4	61.5
New Castle	33.0	33.5	34.5	34.6	35.1	36.0	37.7	39.7	42.2	48.4	53.8	60.2	65.0
Sussex	44.7	45.6	47.3	46.7	46.9	46.1	45.3	46.0	51.9	55.3	59.7	67.0	72.5
Essential hypertension and hypertensive renal disease													
Delaware	6.3	5.7	5.4	5.4	5.2	5.4	5.0	4.9	4.9	4.9	4.7	5.2	5.7
Kent	7.7	7.5	7.3	7.2	7.5	7.9	7.5	6.6	6.4	5.8	5.7	6.5	6.7
New Castle	6.5	5.8	5.3	5.3	4.9	4.8	4.4	4.2	4.3	4.3	4.0	4.1	5.0
Sussex	4.9	4.7	4.7	4.6	4.5	5.3	4.9	5.2	5.2	5.5	5.2	6.1	6.0
Aortic aneurysm and dissection													
Delaware	3.9	3.6	3.4	3.3	3.4	3.2	3.1	3.0	2.9	2.9	2.8	2.9	2.6
Kent	3.9	2.9	2.7	2.7	3.4	4.2	4.3	4.1	3.9	3.0	2.2	2.5	2.3
New Castle	3.3	3.3	3.2	3.4	3.5	3.1	2.8	2.8	2.8	3.1	3.3	3.3	2.9
Sussex	5.2	4.6	4.0	3.7	3.1	2.8	2.8	2.7	2.7	2.5	2.3	2.4	2.4

TABLE F-31. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY COUNTY, DELAWARE, 2004-2020 - CONTINUED

Cause of Death/ Area	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Pneumonitis due to solids and liquids													
Delaware	5.7	5.6	5.2	5.0	4.7	4.6	4.5	5.0	5.2	5.4	5.6	5.8	5.5
Kent	3.3	3.4	3.0	3.3	3.5	3.5	3.8	4.2	5.5	6.7	7.9	7.8	8.2
New Castle	5.7	5.4	4.9	4.8	4.6	4.8	4.6	5.4	5.5	5.6	5.5	5.6	5.0
Sussex	7.2	7.1	6.8	6.5	5.7	5.2	4.9	4.7	4.4	4.4	4.8	5.0	5.0
Other diseases of respiratory system													
Delaware	9.3	9.1	9.1	9.4	9.8	9.7	9.8	9.6	9.3	8.9	9.6	9.7	9.9
Kent	10.3	10.4	11.1	11.5	11.8	11.9	11.5	11.0	10.9	10.8	12.1	12.5	12.6
New Castle	9.2	8.8	8.6	9.5	10.5	9.8	10.2	10.0	9.2	8.6	9.3	9.5	9.7
Sussex	9.0	9.1	9.2	8.1	7.5	8.4	8.0	8.1	8.6	8.5	8.6	8.5	8.7
Parkinson's disease													
Delaware	5.9	5.9	5.6	6.1	6.3	6.7	7.1	7.3	6.9	7.2	7.5	7.4	7.8
Kent	4.4	5.5	5.0	5.1	5.2	5.3	5.2	6.0	5.9	6.8	8.1	7.4	7.3
New Castle	6.5	6.2	5.8	6.3	6.4	7.2	7.7	7.8	7.3	7.5	7.6	7.7	8.3
Sussex	5.7	5.6	5.4	6.3	6.6	6.8	6.9	7.2	6.7	6.8	7.0	6.9	7.3
Dementia													
Delaware	26.6	32.7	37.8	40.5	43.6	43.1	42.7	41.4	39.7	36.4	35.6	33.3	32.0
Kent	20.6	26.5	30.5	36.0	40.5	41.7	40.8	42.2	39.1	34.3	31.5	29.5	25.9
New Castle	33.3	40.6	46.2	48.5	50.4	48.8	47.7	46.0	44.5	41.0	41.2	39.8	40.1
Sussex	15.9	19.7	24.9	27.1	32.0	33.2	34.8	32.9	31.9	29.8	28.7	25.0	23.1

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-9 and ICD-10 cause of death codes.
3. "----" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center

TABLE F-32. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY RACE AND SEX, DELAWARE, 2004-2020

Cause of Death/ Race-Sex	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Diseases of the heart													
Non-Hispanic White	207.2	197.4	187.1	182.4	175.6	172.6	169.9	168.4	164.8	162.8	159.4	156.4	155.1
Male	261.1	247.5	235.2	230.5	221.7	216.9	215.6	215.2	212.1	210.1	207.5	204.0	201.6
Female	166.2	158.5	149.9	144.9	139.3	137.2	133.8	131.2	126.9	125.1	121.0	118.3	117.7
Non-Hispanic Black	240.4	221.7	208.7	196.0	193.9	191.5	189.9	183.3	184.3	177.6	176.2	165.2	165.4
Male	219.0	201.7	197.0	189.7	178.5	175.7	170.0	162.6	166.3	166.5	175.2	171.7	177.9
Female	205.4	191.8	172.7	160.0	163.0	163.0	163.2	158.2	157.4	148.1	139.5	127.1	126.4
Malignant neoplasms													
Non-Hispanic White	196.4	190.2	188.2	187.0	183.0	178.2	176.6	173.7	172.9	170.4	169.4	165.8	163.3
Male	238.5	229.2	227.6	222.2	217.7	212.8	210.2	206.2	208.4	206.8	204.4	202.1	200.1
Female	167.7	162.9	160.2	161.8	158.4	153.4	152.6	150.2	146.9	143.2	143.1	138.5	135.7
Non-Hispanic Black	206.6	202.3	197.9	195.2	200.6	196.6	194.0	188.5	184.8	181.7	178.6	174.3	174.2
Male	222.7	219.1	215.4	213.7	212.3	207.9	201.0	183.1	177.6	176.3	173.4	166.1	170.8
Female	174.6	169.3	164.6	161.6	169.3	165.9	167.3	170.3	166.5	163.7	159.5	158.3	154.2
Cerebrovascular diseases													
Non-Hispanic White	38.2	38.3	38.0	38.1	37.9	37.4	37.1	36.7	36.1	37.2	39.1	40.2	42.2
Male	36.8	35.6	34.6	36.7	37.7	37.3	37.4	37.1	35.8	37.2	39.9	41.8	43.8
Female	38.7	39.6	39.7	38.6	37.8	37.3	36.8	36.3	36.2	36.9	38.1	38.4	40.6
Non-Hispanic Black	57.4	57.3	54.7	51.5	51.2	50.8	47.8	48.2	51.8	53.8	54.2	55.1	59.6
Male	64.6	64.8	62.7	61.1	58.0	56.4	56.4	54.7	58.8	64.4	64.9	67.6	70.8
Female	52.3	52.0	48.2	44.4	46.2	46.5	42.1	44.0	47.3	46.9	47.3	47.0	51.8
Chronic lower respiratory diseases													
Non-Hispanic White	44.6	45.6	45.2	46.7	46.3	45.6	45.1	44.8	44.7	45.2	44.8	43.7	41.9
Male	49.5	49.5	47.5	48.3	46.6	44.8	44.7	46.8	46.0	47.3	46.8	44.4	41.8
Female	41.0	42.8	43.4	45.5	46.3	46.5	45.6	43.7	44.0	43.6	43.3	43.1	41.9
Non-Hispanic Black	33.5	32.8	33.1	34.4	36.3	34.6	33.7	33.9	33.6	33.1	32.2	31.8	29.4
Male	50.5	48.0	47.0	47.6	47.1	43.2	41.3	42.1	39.4	39.9	38.0	38.9	35.7
Female	24.1	24.3	25.2	26.3	29.5	29.0	28.8	28.8	30.1	29.1	28.6	27.1	25.3
Diabetes mellitus													
Non-Hispanic White	20.3	19.8	18.3	18.0	18.2	17.6	17.3	17.2	16.9	16.3	16.1	16.3	17.2
Male	24.8	23.7	22.1	21.6	21.3	21.6	21.2	21.3	21.2	19.6	18.9	20.1	21.5
Female	17.0	16.6	15.0	14.8	15.2	14.1	13.9	13.8	13.4	13.6	13.8	13.2	13.8
Non-Hispanic Black	43.8	40.8	38.7	41.4	39.4	39.5	39.5	37.4	33.4	32.2	32.0	32.1	34.5
Male	49.7	45.1	43.7	43.9	41.9	43.1	46.3	45.1	43.1	44.7	44.4	46.3	52.2
Female	39.7	37.2	34.4	38.3	36.8	36.9	35.1	33.0	27.5	24.3	23.8	22.6	22.3
Influenza and pneumonia													
Non-Hispanic White	15.6	15.0	14.0	13.4	13.2	13.2	13.1	13.9	13.6	14.4	13.9	13.1	12.1
Male	18.9	18.2	17.3	16.3	16.0	15.8	14.9	15.9	15.8	16.8	17.0	16.0	13.9
Female	13.6	13.0	11.9	11.5	11.3	11.5	11.9	12.6	12.2	12.5	11.7	11.1	10.7
Non-Hispanic Black	15.1	12.6	12.0	12.4	12.9	12.4	13.9	13.2	11.6	11.7	12.1	11.0	10.9
Male	24.0	18.0	17.1	16.8	14.5	14.3	15.2	14.5	12.9	15.1	15.2	14.8	14.4
Female	10.6	9.9	9.3	9.7	11.5	11.1	13.0	12.3	11.0	10.0	10.4	8.4	8.4

TABLE F-32. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY RACE AND SEX, DELAWARE, 2004-2020 - CONTINUED

Cause of Death/ Race-Sex	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Alzheimer's disease													
Non-Hispanic White	21.6	21.2	21.1	20.8	20.3	19.2	18.9	19.3	20.3	22.3	25.2	26.8	29.2
Male	18.8	18.8	18.2	17.1	16.4	16.0	15.4	16.4	18.4	21.1	23.5	24.7	26.1
Female	23.2	22.4	22.7	23.1	22.7	21.1	21.0	20.9	21.4	22.9	26.2	28.1	31.2
Non-Hispanic Black	14.7	15.4	17.5	18.7	20.8	22.1	21.6	21.4	24.2	25.4	27.8	28.7	31.3
Male	12.6	12.2	13.6	14.0	14.0	15.9	15.3	16.3	20.1	20.0	21.9	21.6	23.2
Female	15.5	16.7	19.2	21.0	24.1	24.9	24.3	23.4	25.7	27.8	30.5	32.2	35.6
Nephritis, nephrotic syndrome, and nephrosis													
Non-Hispanic White	14.5	14.8	14.9	14.8	14.1	13.6	13.0	12.7	13.1	13.3	13.3	13.3	13.0
Male	18.6	18.4	18.5	17.7	16.5	16.1	15.5	15.3	16.1	16.9	17.3	17.5	17.4
Female	11.6	12.3	12.5	12.9	12.5	11.8	11.2	10.9	11.1	10.9	10.5	10.5	10.0
Non-Hispanic Black	31.8	32.6	31.9	30.6	28.3	26.1	26.7	27.1	27.1	29.7	30.6	30.1	28.4
Male	40.8	39.7	39.1	38.3	33.7	30.9	33.5	34.4	34.7	39.4	41.2	42.2	40.4
Female	26.6	27.8	27.2	26.0	24.9	23.3	23.1	23.1	23.1	24.6	24.5	22.6	20.8
Septicemia													
Non-Hispanic White	12.5	11.8	11.3	11.3	11.3	11.3	11.5	11.8	12.1	11.9	10.9	10.1	9.0
Male	14.5	13.0	12.6	12.7	12.0	12.5	13.2	13.1	13.8	13.4	12.8	11.8	10.9
Female	11.2	11.0	10.4	10.3	10.8	10.5	10.4	11.1	11.1	11.0	9.6	9.0	7.5
Non-Hispanic Black	20.0	19.7	18.1	15.8	15.6	15.2	14.5	15.5	15.1	14.5	13.8	12.4	10.9
Male	18.6	18.3	17.1	15.6	16.5	14.8	15.4	17.7	18.1	17.4	18.0	15.8	13.9
Female	20.6	20.4	18.3	15.8	14.8	15.4	14.0	14.7	13.7	13.1	11.5	10.7	9.0
Intentional self-harm (suicide)													
Non-Hispanic White	12.9	13.1	13.7	14.1	14.9	15.4	16.0	16.2	16.2	16.1	15.7	15.0	15.1
Male	20.8	21.3	22.2	22.6	24.3	24.7	25.9	25.7	26.2	26.5	26.3	24.6	25.6
Female	5.4	5.4	5.7	6.2	6.1	6.7	6.9	7.4	7.1	6.6	5.8	6.0	5.2
Non-Hispanic Black	5.5	5.5	5.3	5.1	5.6	5.0	4.3	5.4	5.6	5.4	6.0	6.2	5.7
Male	9.8	10.7	10.2	9.6	10.3	9.8	7.8	8.8	9.4	9.3	10.1	9.9	9.7
Female	---	---	---	---	---	---	---	---	---	---	---	---	---
Chronic liver disease and cirrhosis													
Non-Hispanic White	8.7	8.9	9.0	9.2	9.1	8.7	8.9	9.2	9.0	9.5	9.9	9.9	10.1
Male	11.9	12.5	12.9	13.2	13.4	12.9	12.9	13.3	12.3	12.8	13.2	13.0	13.0
Female	5.9	5.7	5.5	5.6	5.2	4.9	5.2	5.6	6.1	6.6	7.0	7.2	7.5
Non-Hispanic Black	6.3	6.1	6.7	6.6	6.6	6.1	6.0	6.0	5.4	5.8	6.1	5.8	5.9
Male	10.7	9.6	11.0	11.3	10.6	9.5	9.8	9.1	7.1	8.1	8.1	8.2	8.6
Female	---	---	---	---	---	---	---	3.8	4.2	4.2	4.5	4.0	3.9
Assault (homicide)													
Non-Hispanic White	2.4	2.5	2.4	2.6	2.8	2.9	2.7	2.5	2.5	2.3	2.1	2.2	2.2
Male	3.2	3.3	3.0	3.3	3.8	3.7	3.5	3.3	3.6	3.1	3.0	3.0	2.7
Female	1.6	1.8	1.8	1.9	1.8	2.2	1.8	1.8	1.5	1.4	1.2	1.5	1.6
Non-Hispanic Black	16.6	16.7	17.0	16.0	17.2	16.0	17.7	19.0	20.4	21.1	22.2	21.8	23.2
Male	31.3	31.9	32.6	30.7	32.6	29.7	32.7	35.5	37.1	38.1	39.2	38.6	40.7
Female	---	---	---	---	---	---	---	---	4.7	5.0	6.1	5.8	6.6

TABLE F-32. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY RACE AND SEX, DELAWARE, 2004-2020 - CONTINUED

Cause of Death/ Race-Sex	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Certain conditions originating in the perinatal period													
Non-Hispanic White	4.5	4.3	3.8	3.8	3.5	3.1	3.2	4.0	3.7	3.3	3.2	3.0	2.1
Male	4.9	5.0	4.4	4.5	4.2	3.6	3.9	4.5	4.1	3.7	3.5	3.2	2.5
Female	4.1	3.6	3.2	3.0	2.8	2.6	2.5	3.5	3.3	3.0	3.0	2.7	---
Non-Hispanic Black	15.2	16.2	14.4	14.5	14.9	14.5	12.5	13.2	12.7	11.3	10.3	10.2	8.8
Male	15.6	17.0	15.0	14.7	15.8	17.2	14.6	15.3	15.6	13.0	11.4	11.4	9.5
Female	14.9	15.3	13.7	14.3	14.0	11.6	10.5	11.2	10.0	9.7	9.4	8.9	8.0
Congenital malformations													
Non-Hispanic White	2.8	2.5	3.1	3.0	3.1	3.4	3.2	2.9	2.5	2.6	2.4	2.3	2.4
Male	2.7	2.2	2.8	2.4	2.4	2.6	2.7	2.4	2.5	2.5	2.0	1.9	2.1
Female	2.9	2.8	3.4	3.7	3.9	4.1	3.8	3.4	2.5	2.8	2.7	2.6	2.7
Non-Hispanic Black	3.1	2.7	2.6	2.5	2.7	2.4	2.8	3.2	3.2	3.1	3.7	3.5	3.1
Male	2.7	2.2	2.8	2.4	2.4	2.6	2.7	2.4	2.5	2.5	2.0	1.9	2.1
Female	2.9	2.8	3.4	3.7	3.9	4.1	3.8	3.4	2.5	2.8	2.7	2.6	2.7
Human immunodeficiency virus (HIV)													
Non-Hispanic White	1.9	1.7	1.8	1.7	1.5	1.2	1.1	1.0	0.9	0.7	0.6	0.5	---
Male	3.1	2.9	2.9	2.6	2.0	1.7	1.7	1.5	1.4	1.2	---	---	---
Female	---	---	---	---	---	---	---	---	---	---	---	---	---
Non-Hispanic Black	26.5	24.2	21.4	19.5	17.5	15.7	14.8	12.9	11.1	9.4	8.5	6.9	6.0
Male	33.1	29.8	26.7	25.4	24.2	24.6	22.7	19.0	15.3	13.6	11.6	10.4	9.3
Female	21.5	19.8	17.4	14.9	12.1	8.4	8.4	8.1	7.7	6.2	6.0	4.2	3.3
Accidents (unintentional injuries)													
Non-Hispanic White	39.4	40.7	42.1	42.9	44.5	45.5	47.3	49.2	53.9	59.7	65.9	72.7	77.9
Male	54.3	57.0	57.2	58.1	59.7	60.7	62.6	66.2	73.7	81.2	91.2	101.9	109.0
Female	25.7	25.9	28.3	28.9	30.7	31.6	33.3	33.4	35.4	39.4	42.0	45.1	48.7
Non-Hispanic Black	23.9	24.4	26.3	24.7	26.0	27.1	28.7	30.5	34.6	40.3	44.4	51.1	57.9
Male	33.9	35.7	37.6	35.7	38.7	40.1	42.1	44.6	52.3	61.1	67.2	78.2	87.4
Female	15.2	15.1	16.7	15.2	15.2	15.8	16.8	17.8	18.7	21.9	24.4	27.6	32.6
Essential hypertension and hypertensive renal disease													
Non-Hispanic White	5.0	4.8	4.7	4.7	4.6	5.0	4.6	4.4	4.4	4.4	4.2	4.9	5.1
Male	4.7	4.8	4.4	4.0	4.1	4.5	3.9	4.1	4.5	4.5	4.3	5.5	5.5
Female	5.1	4.6	4.5	4.8	4.7	5.2	4.9	4.5	4.2	4.3	4.0	4.3	4.7
Non-Hispanic Black	14.6	11.8	9.9	9.2	8.8	7.7	7.6	7.5	8.3	7.6	7.5	7.6	9.5
Male	17.8	11.8	10.2	9.9	9.3	7.9	8.5	7.4	8.4	7.2	8.1	8.0	11.7
Female	12.1	10.9	8.8	8.0	7.8	7.0	6.7	7.3	8.1	7.8	7.0	7.0	8.1
Aortic aneurysm and dissection													
Non-Hispanic White	3.9	3.6	3.4	3.4	3.4	3.2	3.1	3.1	3.0	3.0	3.1	3.1	2.8
Male	5.8	5.4	5.0	4.6	4.5	4.0	4.1	4.0	4.1	4.4	4.5	4.3	3.8
Female	2.4	2.3	2.0	2.3	2.6	2.5	2.3	2.4	2.1	1.8	1.9	2.1	2.0
Non-Hispanic Black	4.1	3.7	3.7	3.5	3.2	3.8	3.3	3.0	3.5	3.6	2.7	2.7	2.5
Male	---	---	---	---	---	---	---	---	---	---	---	---	---
Female	---	---	---	---	---	---	---	---	---	---	---	---	---

TABLE F-32. FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY RACE AND SEX, DELAWARE, 2004-2020 - CONTINUED

Cause of Death/ Race-Sex	2004 -2008	2005 -2009	2006 -2010	2007 -2011	2008 -2012	2009 -2013	2010 -2014	2011 -2015	2012 -2016	2013 -2017	2014 -2018	2015 -2019	2016 -2020
Pneumonitis due to solids and liquids													
Non-Hispanic White	5.7	5.5	5.2	5.1	4.8	4.7	4.6	5.2	5.4	5.7	5.7	5.9	5.5
Male	6.8	6.8	6.5	6.7	6.6	7.0	7.1	7.7	8.1	8.2	8.3	8.3	8.0
Female	4.9	4.6	4.2	4.1	3.6	3.2	3.0	3.6	3.6	4.0	4.1	4.3	3.9
Non-Hispanic Black	5.5	5.6	4.4	4.0	3.2	4.4	4.7	4.0	4.5	4.9	5.3	4.7	5.4
Male	---	---	---	---	---	8.2	8.6	---	7.4	8.7	8.1	6.8	6.9
Female	---	---	---	---	---	---	---	---	---	---	---	---	4.3
Other diseases of respiratory system													
Non-Hispanic White	9.5	9.2	9.1	9.3	10.0	10.2	10.2	10.0	9.7	9.2	10.0	10.2	10.3
Male	10.9	10.8	10.8	10.4	12.0	12.8	12.8	12.3	12.0	11.6	12.1	12.3	12.4
Female	8.5	8.1	7.8	8.4	8.4	8.2	8.2	8.2	8.0	7.4	8.4	8.8	8.8
Non-Hispanic Black	9.1	9.7	10.1	10.4	9.4	7.8	8.6	8.7	7.6	8.1	8.8	7.9	8.4
Male	11.2	12.5	13.5	14.5	13.2	12.3	13.4	11.6	10.1	9.8	9.5	6.8	7.9
Female	7.8	8.2	8.1	8.0	7.4	5.2	5.6	6.8	6.0	7.0	8.2	8.7	8.9
Parkinson's disease													
Non-Hispanic White	6.4	6.4	6.2	6.8	6.9	7.5	7.8	8.1	7.7	8.0	8.2	8.1	8.6
Male	9.3	8.9	8.5	8.7	8.9	9.9	10.7	10.9	11.1	11.7	12.2	12.4	13.2
Female	4.8	5.0	4.8	5.6	5.7	5.9	5.9	6.1	5.4	5.5	5.3	5.1	5.3
Non-Hispanic Black	---	---	---	---	---	---	---	3.5	3.1	3.8	5.2	4.6	4.7
Male	---	---	---	---	---	---	---	---	---	---	8.7	8.5	8.6
Female	---	---	---	---	---	---	---	---	---	---	---	---	---
Dementia													
Non-Hispanic White	25.8	32.0	37.4	40.4	43.8	43.5	43.0	41.6	40.0	36.6	35.6	33.7	32.6
Male	21.5	27.1	32.0	34.3	37.4	37.6	37.5	35.3	33.8	30.6	29.4	27.2	26.0
Female	28.0	34.6	40.2	43.5	46.9	46.4	45.8	44.9	43.2	39.9	39.1	37.2	36.3
Non-Hispanic Black	35.0	38.5	42.5	45.0	45.9	45.6	46.1	45.9	44.3	40.0	40.2	37.1	36.0
Male	35.4	40.8	42.9	41.3	42.9	44.1	43.8	44.2	44.8	44.2	42.9	39.6	37.4
Female	34.7	36.8	41.8	46.5	46.9	45.6	46.8	46.2	43.5	37.4	38.4	35.0	34.3

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-9 and ICD-10 cause of death codes.
3. "—" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

Source: Delaware Department of Health and Social Services, Division of Public Health, Delaware Health Statistics Center